

2009

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

21

Clarke County
Town of Berryville
Town of Boyce

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Clarke Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: Frederick County Line															
7 Harry Flood Byrd Hwy	Clarke County	3.80	25000	B	95%	0%	1%	0%	3%	0%	C	0.099	A	0.683	26000	B
	To: Bus SR 7 West of Berryville															
7 Harry Flood Byrd Hwy	Clarke County	1.45	25000	F	95%	0%	1%	0%	3%	0%	F	0.085	F	0.723	27000	F
	To: US 340 North of Berryville															
7 Harry Flood Byrd Hwy	Clarke County	1.65	22000	F	95%	0%	1%	0%	3%	0%	F	0.095	F	0.842	23000	F
	To: Bus SR 7 East of Berryville															
7 Harry Flood Byrd Hwy	Clarke County	4.16	22000	F	97%	1%	1%	0%	1%	0%	F	0.097	F	0.775	25000	F
	To: 21-606 River Rd															
7 Harry Flood Byrd Hwy	Clarke County	2.51	23000	F	97%	1%	1%	0%	1%	0%	F	0.098	F	0.875	26000	F
	To: Loudoun County Line															
Bus 7 West Main St	Clarke County	0.80	5800	F	98%	1%	1%	0%	0%	0%	C	0.102	F	0.519	6100	F
	To: WCL Berryville															
Bus 7 West Main St	Town of Berryville (Maint: 21)	0.86	5800	N	98%	1%	1%	0%	0%	0%	N	0.102	N	0.519	6100	N
	To: US 340 Berryville															
Bus 7 East Main St	Town of Berryville (Maint: 21)	1.12	4200	F	96%	0%	1%	0%	2%	0%	C	0.102	F	0.65	4500	F
	To: ECL Berryville															
Bus 7 East Main St	Clarke County	0.27	4200	N	96%	0%	1%	0%	2%	0%	N	0.102	N	0.65	4500	N
	To: SR 7 East of Berryville															
	From: Fauquier County Line															
17 50 John S Mosby Hwy	Clarke County	3.44	12000	F	96%	1%	1%	1%	2%	0%	F	0.095	F	0.726	13000	F
	To: 21-723 East of Millwood															
	From: 21-723 East of Millwood															
17 50 Millwood Pike	Clarke County	1.97	11000	F	96%	1%	1%	1%	2%	0%	C	0.098	F	0.709	12000	F
	To: SR 255															
17 50 Millwood Pike	Clarke County	2.83	12000	F	95%	1%	1%	1%	2%	0%	C	0.098	F	0.716	13000	F
	To: US 340 South of Boyce															
17 50 Millwood Pike	Clarke County	1.67	10000	F	94%	1%	1%	1%	3%	0%	C	0.097	F	0.687	11000	F
	To: Frederick County Line															
	From: Frederick County Line															
50 17 Millwood Pike	Clarke County	1.67	10000	F	94%	1%	1%	1%	3%	0%	C	0.097	F	0.687	11000	F
	To: US 340 South of Boyce															
50 17 Millwood Pike	Clarke County	2.83	12000	F	95%	1%	1%	1%	2%	0%	C	0.098	F	0.716	13000	F
	To: SR 255 Bishop Meade Rd															
50 17 Millwood Pike	Clarke County	1.97	11000	F	96%	1%	1%	1%	2%	0%	C	0.098	F	0.709	12000	F
	To: 21-723 East of Millwood															
50 17 John S Mosby Hwy	Clarke County	3.44	12000	F	96%	1%	1%	1%	2%	0%	F	0.095	F	0.726	13000	F
	To: Fauquier County Line															

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Clarke Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
		From:	US 50 Millwood Pike														
255 Bishop Meade Rd	Clarke County	0.79	1200	F	98%	1%	1%	0%	0%	0%	F	0.102	F	0.611	1300	F	
		To:	21-723 N, Millwood Rd														
255 Bishop Meade Highway	Clarke County	3.05	1600	F	98%	1%	1%	0%	0%	0%	C	0.101	F	0.575	1700	F	
		To:	US 340 Lord Fairfax Hwy														
		From:	Warren County Line														
340 522 Stonewall Jackson Hwy	Clarke County (Maint: 93)	1.79	18000	G	84%	1%	1%	2%	12%	0%	C	0.082	F		18000	G	
		To:	US 522 Double Toll Gate														
340 Lord Fairfax Hwy	Clarke County	2.09	6700	F	92%	1%	1%	1%	5%	0%	C	0.098	F	0.671	7300	F	
		To:	21-658 White Post														
340 Lord Fairfax Hwy	Clarke County	1.83	7000	F	88%	1%	1%	3%	7%	0%	C	0.094	F	0.728	7600	F	
		To:	US 50 South of Boyce														
340 Lord Fairfax Hwy	Clarke County	1.19	7300	F	92%	1%	1%	1%	5%	0%	C	0.088	F	0.604	8000	F	
		To:	SCL Boyce														
340 Lord Fairfax Hwy	Town of Boyce (Maint: 21)	0.81	7300	N	92%	1%	1%	1%	5%	0%	N	0.088	N	0.604	8000	N	
		To:	NCL Boyce														
340 Lord Fairfax Hwy	Clarke County	2.27	7300	N	92%	1%	1%	1%	5%	0%	N	0.088	N	0.604	8000	N	
		To:	SR 255 Old Chapel														
340 Lord Fairfax Hwy	Clarke County	2.99	9200	F	92%	1%	1%	1%	5%	0%	F	0.096	F	0.63	9800	F	
		To:	SCL Berryville														
340 S Buckmarsh St	Town of Berryville (Maint: 21)	0.51	9200	N	92%	1%	1%	1%	5%	0%	N	0.096	N	0.63	9800	N	
		To:	Bus SR 7 Main St														
340 N Buckmarsh St	Town of Berryville (Maint: 21)	0.45	8600	F	92%	1%	1%	1%	5%	0%	F	0.086	F	0.549	9300	F	
		To:	NCL Berryville														
340 Lord Fairfax Highway	Clarke County	0.24	8600	N	92%	1%	1%	1%	5%	0%	N	0.086	N	0.549	9300	N	
		To:	SR 7														
340 Lord Fairfax Hwy	Clarke County	1.29	14000	F	91%	1%	1%	1%	8%	0%	F	0.082	F	0.508	13000	F	
		To:	21-611 Summit Point Rd														
340 Lord Fairfax Highway	Clarke County	2.82	11000	A	91%	1%	1%	1%	8%	0%	C	0.099	A	0.543	11000	A	
		To:	West Virginia State Line														
		From:	Warren County Line														
522 340 Stonewall Jackson Hwy	Clarke County (Maint: 93)	1.79	18000	G	84%	1%	1%	2%	12%	0%	C	0.082	F		18000	G	
		To:	US 340; SR 277 Double Toll Gate														
522 Stonewall Jackson Hwy	Clarke County (Maint: 34)	0.32	14000	G	86%	1%	1%	1%	11%	0%	F	0.077	F		14000	G	
		To:	Frederick County Line														

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Clarke Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Clarke County																
(F709) Parker Lane	0.12	160	R			From: SR 7; 21-606					NA			NA		10/03/2006
						To: Dead End										
(F729) Trapp Hill Rd	1.74	120	R			From: SR 7; Bus SR 7					NA			NA		10/24/2006
						To: US 340 Lord Fairfax Hwy										
(600) Liberty Hall Lane	0.65	8	R			From: Dead End					NA			NA		10/03/2006
						To: US 50 John S Mosby Hwy										
(601) Blue Ridge Mountain Rd	6.29	1100	F	98%	1%	From: US 50; Loudoun County Line				C	0.158	F	0.951	1100	F	2009
						To: 21-605 Morgans Mill Rd										
(601) Blue Ridge Mountain Rd	1.52	1300	F	96%	1%	1%	1%	1%	0%	F	0.14	F	0.836	1500	F	2009
						To: 21-650 W, Mount Weather Rd										
(601) Blue Ridge Mountain Rd	0.35	1500	F	96%	1%	1%	1%	1%	0%	F	0.135	F	0.843	1600	F	2009
						To: 21-650 E, Mount Weather Rd										
(601) Blue Ridge Mountain Rd	1.76	1500	F	96%	1%	1%	1%	1%	0%	F	0.134	F	0.842	1700	F	2009
						To: Loudoun County Line										
Loudoun County																
(601) Blue Ridge Mountain Rd	1.12	1700	F	96%	1%	1%	1%	1%	0%	C	0.127	F	0.714	1800	F	2009
						To: SR 7 Harry F Byrd Hwy										
(601) Raven Rocks Rd	0.11	380	N	95%	3%	1%	0%	0%	0%	N	0.11	N	0.659	400	N	2009
						To: Loudoun County Line										
Clarke County																
(601) Raven Rocks Rd	1.20	380	F	95%	3%	1%	0%	0%	0%	C	0.11	F	0.659	400	F	2009
						To: West Virginia State Line										
(602) Wildcat Hollow Rd	0.89	80	R			From: Dead End					NA			NA		10/30/2006
						To: 0.89 MN Dead End										
(602) Wildcat Hollow Rd	1.49	550	R			From: 0.89 MN Dead End					NA			NA		04/07/2009
						To: US 50 John S Mosby Hwy										
(603) Castleman Rd	0.10	170	R			From: 21-612 Shepherds Mill Rd					NA			NA		11/01/2006
						To: 0.10 ME 21-612 Shepherds Mill Rd										
(603) Castleman Rd	0.70	130	R			From: 0.10 ME 21-612 Shepherds Mill Rd					NA			NA		04/07/2009
						To: 21-663 Auburn Rd										
(603) Castleman Rd	1.33	80	R			From: 21-663 Auburn Rd					NA			NA		11/01/2006
						To: 1.33 ME 21-663										
(603) Castleman Rd	1.24	170	R			From: 1.33 ME 21-663					NA			NA		04/16/2009
						To: SR 7 Harry Flood Byrd Hwy										
(604)	1.90	100	R			From: 21-605 Morgans Mill Rd					NA			NA		10/03/2006
						To: 21-607 Saw Mill Rd										
(604)	3.17	170	R			From: 21-607 Saw Mill Rd					NA			NA		04/14/2009
						To: SR 7 Harry Flood Byrd Hwy										
(604)	0.30	60	R			From: SR 7 Harry Flood Byrd Hwy					NA			NA		10/03/2006
						To: 21-679 Pine Grove Rd										
(605) Morgans Mill Rd	0.50	130	R			From: 21-649 Frogtown Rd					NA			NA		10/03/2006
						To: 21-604										
(605) Morgans Mill Rd	2.11	30	R			From: 21-604					NA			NA		10/03/2006
						To: 21-601 Blue Ridge Mtn Rd										

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Clarke Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Clarke County																
(606)	2.94	580	R													10/03/2006
(606)	1.70	70	R													10/03/2006
(606)	0.70	190	R													10/03/2006
(606)	2.78	650	R													04/14/2009
(606) River Rd	1.82	850	F	96%	1%	2%	0%	0%	0%	C	0.099	F	0.667	910	F	2009
(607) Saw Mill Rd	0.70	160	R													10/03/2006
(608)	3.20	310	R													11/01/2006
(608)	1.81	390	R													11/01/2006
(608)	0.85	440	R													04/16/2009
(608)	0.70	410	R													04/16/2009
(608)	0.73	350	R													04/16/2009
(609) Cannon Ball Rd	0.60	20	R													11/01/2006
(610) Clifton Rd	1.30	90	R													04/16/2009
(611) Summit Point Rd	2.87	1500	F	98%	0%	1%	0%	0%	0%	C	0.115	F	0.82	1700	F	2009
(612)	1.10	660	R													04/14/2009
(612)	0.08	660	R													04/14/2009
(612) Shepherds Mill Rd	2.10	1600	F	98%	1%	1%	1%	0%	0%	C	0.125	F	0.902	1800	F	2009
(612) Shepherds Mill Rd	2.63	1400	F	98%	1%	1%	1%	0%	0%	F	0.122	F	0.871	1500	F	2009
(613)	0.39	180	R													04/07/2009
(613)	2.07	320	R													04/07/2009
(613) Springsbury Rd	1.02	480	F	99%	0%	0%	0%	0%	0%	C	0.132	F	0.623	520	F	2009

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Clarke Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Berryville																
(613)	0.03	480	N	99%	0%	SCL Berryville				N	0.132	N	0.623	520	N	2009
						21-700 Jack Enders Blvd										
(614)	Josephine St	0.48	850	R		Dead End					NA			NA		04/09/2009
						21-616, S Church St										
(615)	1st St; Boom Rd	0.68	970	F	98%	1%	1%	0%	0%	C	0.096	F	0.642	1100	F	2009
						NCL Berryville										
Clarke County																
(615)	Boom Rd	0.12	590	F	98%	1%	1%	0%	0%	F	0.098	F	0.627	640	F	2009
						SR 7 Bypass										
(615)	Boom Rd	1.85	730	R		Dead End					NA			NA		04/09/2009
						US 340 S, Lord Fairfax Hwy										
(616)	S Church St	0.22	1500	F	99%	0%	1%	0%	0%	F	0.100	F	0.741	1600	F	2009
						SCL Berryville										
Town of Berryville																
(616)	S Church St	0.48	1900	F	99%	0%	1%	0%	0%	C	0.098	F	0.522	2100	F	2009
						21-1011 Crow St										
(616)	S Church St	0.06	2600	F	99%	0%	1%	0%	0%	F	0.093	F	0.548	2800	F	2009
						Bus SR 7										
(616)	N Church St	0.13	1600	F	99%	0%	1%	0%	0%	F	0.103	F	0.585	1700	F	2009
						21-1005 Liberty St										
(616)	N Church St	0.25	570	F	99%	0%	1%	0%	0%	F	0.104	F	0.924	620	F	2009
						US 340 N, N Buckmarsh St										
Town of Boyce																
(617)	Old Chapel Ave	0.20	250	R		21-723 Main St					NA			NA		04/07/2009
						21-666 Virginia Ave										
(617)	Old Chapel Ave	0.18	180	R		ECL Boyce					NA			NA		04/07/2009
Clarke County																
(617)		0.83	210	R		ECL Boyce					NA			NA		04/07/2009
						21-620										
(617)		1.48	220	R							NA			NA		04/07/2009
						SR 255 Bishop Meade Hwy										
(617)		0.70	660	R							NA			NA		04/07/2009
						21-619										
(617)		0.20	520	R							NA			NA		10/03/2006
						21-618 Lockes Mill Rd										
(617)		1.20	120	R							NA			NA		04/07/2009
						21-621										
						21-617										
(618)	Lockes Mill Rd	1.20	320	R							NA			NA		10/03/2006
						21-613										
						21-651 Clay Hill Rd										
(619)		0.20	40	R							NA			NA		04/07/2009
						Dead End; Gap										
(619)		0.75	160	R							NA			NA		04/07/2009
						21-617										

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Clarke Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Clarke County																
(620)	2.10	220	R													10/19/2006
(620)	1.00	380	R													04/09/2009
(620)	0.20	330	R													04/09/2009
(620)	1.20	250	R													10/19/2006
(621)	2.20	170	R													10/03/2006
(621)	2.00	50	R													10/03/2006
(621)	1.30	50	R													10/03/2006
(621)	0.21	180	R													10/03/2006
(621)	0.29	180	R													10/03/2006
(621)	0.50	170	R													10/03/2006
(621)	2.09	110	R													10/03/2006
(621)	2.31	240	R													10/03/2006
(622)	0.05	90	R													10/03/2006
(622)	1.75	40	R													04/07/2009
(622)	0.60	90	R													04/07/2009
(622)	0.90	60	R													10/03/2006
(622)	0.60	180	R													04/07/2009
(622)	3.33	150	R													10/03/2006
(623)	Gaylord Rd	0.05	30	R												11/01/2006
(623)	Gaylord Rd	0.15	10	R												11/01/2006
(624)	Red Gate Rd	2.30	270	R												10/03/2006
(624)	Red Gate Rd	1.26	420	R												10/03/2006
(624)	Red Gate Rd	0.50	590	R												04/07/2009

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Clarke Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Clarke County																
(625)	0.10	20	R											NA		10/03/2006
(625)	1.85	190	R											NA		04/07/2009
(625)	0.53	40	R											NA		10/03/2006
(626) Nelson Rd	0.70	100	R											NA		10/03/2006
(626) Nelson Rd	0.90	190	R											NA		10/03/2006
(627) Carters Line Rd	1.90	120	R											NA		04/07/2009
(628) Berry Ferry Rd	0.24	660	R											NA		04/07/2009
(628) Berry Ferry Rd	2.60	250	R											NA		04/07/2009
(629) Linden Rd	0.10	90	R											NA		04/07/2009
(630) Iron Rail Rd	0.20	40	R											NA		10/19/2006
(631) Page Brook Lane	0.50	110	R											NA		04/09/2009
(632) Triple J Rd	2.35	2300	F	98%	0%	1%	0%	0%	0%	C	0.133	F	0.752	2500	F	2009
(632) Crums Church Rd	2.66	1800	F	97%	1%	1%	1%	1%	0%	C	0.101	F	0.557	1900	F	2009
(632) Crums Church Rd	1.56	1400	F	97%	1%	1%	1%	1%	0%	F	0.114	F	0.729	1500	F	2009
(633) Annfield Rd	2.30	110	R											NA		10/19/2006
(634) Salem Church Rd	0.58	1900	R											NA		10/19/2006
(635)	1.15	410	R											NA		11/01/2006
(635)	1.50	210	R											NA		04/16/2009
(636) Westwood Rd	1.50	790	F	96%	3%	0%	0%	0%	0%	C	0.188	F	0.681	860	F	2009
(637)	0.15	30	R											NA		11/01/2006

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Clarke Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Clarke County																
(637)	0.30	30	R								NA			NA		11/01/2006
(638)	Howellsville Rd	3.41	2100	F	98%	1%	1%	0%	0%	C	0.101	F	0.834	2300	F	2009
(639)	Allen Rd	2.64	170	R							NA			NA		11/01/2006
(639)	Allen Rd	0.80	170	R							NA			NA		11/01/2006
(639)	Allen Rd	0.70	360	R							NA			NA		11/01/2006
(640)	Withers Larue Rd	2.20	320	R							NA			NA		04/16/2009
(641)	Lewisville Rd	1.10	330	R							NA			NA		04/16/2009
(641)	Lewisville Rd	0.20	300	R							NA			NA		04/16/2009
(642)	Chrismore Rd	1.10	360	R							NA			NA		04/07/2009
(643)	Retreat Rd	1.30	1400	R							NA			NA		10/03/2006
(644)		1.15	60	R							NA			NA		10/03/2006
(644)		2.00	90	R							NA			NA		10/03/2006
(644)		0.60	400	R							NA			NA		10/03/2006
(644)		0.80	370	R							NA			NA		04/07/2009
(644)		1.30	590	R							NA			NA		10/03/2006
(644)		1.10	260	R							NA			NA		10/03/2006
(645)	Wrights Mill Rd	0.20	330	R							NA			NA		11/01/2006
(645)	Wrights Mill Rd	0.90	330	R							NA			NA		11/01/2006
(645)	Wrights Mill Rd	0.70	240	R							NA			NA		04/01/2009
(646)	Nations Spring Rd	1.10	90	R							NA			NA		10/03/2006
(647)	Possum Hollow Lane	0.51	130	R							NA			NA		04/14/2009

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Clarke Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Clarke County																
(648) Lanham Lane	0.08	40	R											NA		04/14/2009
(649) Frogtown Rd	2.00	450	R											NA		04/14/2009
(649) Frogtown Rd	1.07	460	R											NA		04/14/2009
(650) Mount Weather Rd	0.28	40	R											NA		10/03/2006
(650) Mount Weather Rd	0.32	20	R											NA		04/16/2009
(651) Clay Hill Rd	0.50	160	R											NA		04/07/2009
(651) Clay Hill Rd	1.00	310	R											NA		10/03/2006
(652)	1.00	190	R											NA		04/09/2009
(652)	1.40	160	R											NA		10/19/2006
(653) Kimble Rd	2.00	250	R											NA		11/01/2006
(653) Kimble Rd	1.40	470	R											NA		04/16/2009
(654) Stringtown Rd	1.70	190	R											NA		11/01/2006
(655)	0.60	290	R											NA		10/19/2006
(655)	1.20	630	R											NA		10/19/2006
(655)	1.26	750	R											NA		10/19/2006
(655)	0.84	1500	R											NA		10/19/2006
(656) Longmarsh Rd	0.80	330	R											NA		04/16/2009
(656) Longmarsh Rd	1.30	340	R											NA		11/01/2006
(657) Senseny Rd	1.02	2100	F	99%	0%	0%	0%	0%	0%	C	0.137	F	0.759	2300	F	2009
(657) Senseny Rd	1.40	3100	F	99%	0%	0%	0%	0%	0%	F	0.133	F	0.734	3300	F	2009
(657) Senseny Rd	2.70	930	F	99%	0%	0%	0%	0%	0%	F	0.134	F	0.674	1000	F	2009
(657) Senseny Rd	1.20	1100	F	99%	0%	0%	0%	0%	0%	F	0.137	F	0.582	1200	F	2009

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Clarke Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Clarke County																
						From: Warren County Line										
(658) Sugar Hill Rd	0.49	300	F	97%	1%	1%	0%	0%	0%	F	0.121	F	0.649	320	F	2009
						To: 21-644 S. Stone Bridge Rd										
(658) Sugar Hill Rd	0.10	300	F	97%	1%	1%	0%	0%	0%	F	0.12	F	0.649	330	F	2009
						To: 21-622 Borders Spring Rd										
(658) White Post Rd	2.40	410	F	97%	1%	1%	0%	0%	0%	F	0.107	F	0.59	450	F	2009
						To: 21-627 Carters Line Rd										
(658) White Post Rd	0.40	670	F	97%	1%	1%	0%	0%	0%	C	0.099	F	0.597	720	F	2009
						To: 21-628 Berry Ferry Rd										
(658) White Post Rd	0.25	620	F	97%	1%	1%	0%	0%	0%	F	0.103	F	0.557	670	F	2009
						To: US 340 Lord Fairfax Hwy										
(659)	1.40	140	R								NA		NA			11/01/2006
						To: 21-656 Longmarsh Rd										
(659)	1.00	310	R								NA		NA			11/01/2006
						To: 21-761 Old Charles Town Rd										
(660)	1.10	520	R								NA		NA			11/01/2006
						To: SR 7 Harry Flood Byrd Hwy										
(660)	1.20	180	R								NA		NA			11/01/2006
						To: 21-674 Cather Rd										
(660)	0.22	200	R								NA		NA			11/01/2006
						To: 21-635										
(660)	0.26	140	R								NA		NA			04/16/2009
						To: 21-659										
(660)	0.43	50	R								NA		NA			11/01/2006
						To: 21-645 Wrights Mill Rd										
						To: Dead End										
(661) Wadesville Rd	1.80	320	R								NA		NA			04/16/2009
						To: 21-761 Old Charles Town Rd										
						To: 21-672 Swimley Rd										
(662) Tannery Lane	0.07	70	R								NA		NA			10/03/2006
						To: Dead End										
						To: SR 255 Bishop Meade Rd										
(663) Auburn Rd	1.00	40	R								NA		NA			11/01/2006
						To: 21-603 Castleman Rd										
						To: 21-608										
(664) Neil Rd	0.30	60	R								NA		NA			11/01/2006
						To: Frederick County Line										
						To: 21-645 Wrights Mill Rd										
(665) Trenary Lane	0.03	90	R								NA		NA			04/17/2003
						To: US 50 Millwood Pike										
(665) Trenary Lane	0.17	10	R								NA		NA			11/01/2006
						To: 0.03 MN US 50										
						To: Dead End										
Town of Boyce																
(666) Virginia Ave	0.22	90	R								NA		NA			10/19/2006
						To: 21-617 Old Chapel Ave										
						To: NCL Boyce										
Clarke County																
(667) Old Waterloo Rd	0.31	50	R								NA		NA			10/19/2006
						To: US 340 W. Lord Fairfax Hwy										
(667) Old Waterloo Rd	0.50	48	R								NA		NA			10/19/2006
						To: US 340 MID										
						To: US 340 E. Lord Fairfax Hwy										

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Clarke Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Clarke County																
(668) Old Waterloo Rd	0.31	48	R			From: US 340 WEST; 21-667					NA			NA		10/19/2006
						To: US 340 E, Lord Fairfax Hwy										
(669) Highland Corners Rd	0.06	130	R			From: US 340 Lord Fairfax Hwy					NA			NA		10/19/2006
						To: 21-670 Double Tollgate Rd										
(669) Highland Corners Rd	0.18	150	R			From: 21-670 Double Tollgate Rd					NA			NA		04/07/2009
						To: US 522 Front Royal Pike										
(670) Double Tollgate Rd	0.26	120	R			From: 21-669 Highland Corners Rd					NA			NA		10/03/2006
						To: US 340 Lord Fairfax Hwy										
Town of Berrville																
(671) Battletown Dr	0.37	300	R			From: Dead End					NA			NA		04/06/2000
						To: 21-1020 Bel Voi Dr										
(671) Battletown Dr	0.08	440	R			From: 21-1020 Bel Voi Dr					NA			NA		04/06/2000
						To: Bus SR 7										
Clarke County																
(672) Swimley Rd	2.98	530	R			From: 21-761 Old Charles Town Rd					NA			NA		11/01/2006
						To: 21-661 Wadesville Rd										
(672) Swimley Rd	0.05	800	R			From: 21-661 Wadesville Rd					NA			NA		04/16/2009
						To: Frederick County Line										
Town of Berrville																
(673) Blue Ridge St	0.11	80	R			From: 21-700 Jack Enders Blvd					NA			NA		10/24/2006
						To: Dead End										
Clarke County																
(674) Cather Rd	0.80	200	R			From: 21-660					NA			NA		04/16/2009
						To: 21-656 Longmarsh Rd										
(675) Garden Rd	0.28	30	R			From: 21-632 E, Crums Church Rd					NA			NA		11/01/2006
						To: 21-632 MID										
(675) Garden Rd	0.31	40	R			From: 21-632 MID					NA			NA		04/16/2009
						To: 21-632 N, Crums Church Rd										
(676) Donn Lane	0.09	230	R			From: 21-677 Clarke Lane					NA			NA		04/09/2009
						To: 21-615 Boom Rd										
(677) Clarke Lane	0.20	170	R			From: 21-676 Donn Lane					NA			NA		04/09/2009
						To: Dead End										
(678) Rocky Bank Lane	0.13	40	R			From: Dead End					NA			NA		10/03/2006
						To: SR 255 Bishop Meade Rd										
(679) Pine Grove Rd	0.80	350	R			From: SR 7 W, Harry Flood Byrd Hwy					NA			NA		04/16/2009
						To: 21-604										
(679) Pine Grove Rd	0.75	310	R			From: 21-604					NA			NA		10/03/2006
						To: SR 7 E, Harry Flood Byrd Hwy										
(680) Smallwood Lane	0.34	60	R			From: Dead End					NA			NA		10/03/2006
						To: 0.34 MW Dead End										
(680) Smallwood Lane	0.16	190	R			From: 0.34 MW Dead End					NA			NA		10/19/2006
						To: US 340 Lord Fairfax Hwy										

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Clarke Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Berryville																
(681) Osborne St	0.07	120	R									NA		NA		10/24/2006
Clarke County																
(690) Manor Rd	0.57	1100	R									NA		NA		10/03/2006
(700) Jack Enders Blvd	0.43	NA										NA		NA		
Town of Berryville																
(700) Jack Enders Blvd	0.41	NA										NA		NA		
(700) Jack Enders Blvd	0.17	2300	F	99%	0%	0%	0%	0%	0%	F	0.111	F	0.515	2500	F	2009
Clarke County																
(723) Millwood Rd	2.16	890	F	97%	2%	1%	0%	0%	0%	F	0.117	F	0.651	970	F	2009
(723) Millwood Rd	1.73	660	F	97%	2%	1%	0%	0%	0%	F	0.128	F	0.552	710	F	2009
Town of Boyce																
(723) Main St	0.29	1000	F	97%	2%	1%	0%	0%	0%	C	0.178	F	0.548	1100	F	2009
(723) W Main St	0.47	1300	F	97%	2%	1%	0%	0%	0%	F	0.125	F	0.569	1400	F	2009
Clarke County																
(723) Old Winchester Rd	2.00	1100	F	97%	2%	1%	0%	0%	0%	F	0.11	F	0.612	1200	F	2009
(723) Old Winchester Rd	0.57	880	F	97%	2%	1%	0%	0%	0%	F	0.117	F	0.62	960	F	2009
(750)	0.55	NA										NA		NA		
(761) Old Charles Town Rd	3.00	1200	F	98%	1%	1%	0%	1%	0%	C	0.135	F	0.644	1300	F	2009
(761) Old Charles Town Rd	1.33	960	F	98%	1%	1%	0%	1%	0%	F	0.118	F	0.569	1000	F	2009
Town of Berryville																
(1001) Academy St	0.08	2200	R									NA		NA		04/09/2009
(1001) Academy St	0.12	390	R									NA		NA		10/24/2006
(1001) Academy St	0.06	180	R									NA		NA		04/14/2009
(1001) Academy St	0.06	180	R									NA		NA		10/24/2006
(1002) Treadwell St	0.08	310	R									NA		NA		10/24/2006

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Clarke Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Berryville																
(1002) Treadwell St	0.13	250	R				From: 21-1004 Rice St				NA			NA		04/14/2009
(1002) Treadwell St	0.07	200	R				To: 21-1003				NA			NA		10/24/2006
(1002) Treadwell St	0.03	170	R				From: 21-1009 Crown St				NA			NA		10/24/2006
							To: Dead End									
(1003)	0.21	500	R				From: 21-1031				NA			NA		04/14/2009
(1003)	0.09	210	R				To: Bus SR 7				NA			NA		04/14/2009
(1003)	0.07	150	R				From: 21-1001 Academy St				NA			NA		04/14/2009
							To: 21-1002 Treadwell St									
(1004) Rice St	0.09	260	R				From: Bus SR 7				NA			NA		10/24/2006
(1004) Rice St	0.08	210	R				To: 21-1001 Academy St				NA			NA		04/14/2009
(1004) Rice St	0.11	150	R				From: 21-1002 Treadwell St				NA			NA		10/24/2006
							To: 21-1010 Walnut St									
(1005) Liberty St	0.19	850	R				From: 21-615 Boom Rd				NA			NA		04/09/2009
(1005) Liberty St	0.01	2000	R				To: 21-1014 S, Page St				NA			NA		04/23/2003
(1005) Liberty St	0.17	2100	R				From: 21-1014 N, Page St				NA			NA		04/09/2009
							To: 21-616, N Church St									
(1006) Taylor St	0.14	230	R				From: Dead End				NA			NA		04/09/2009
(1006) Taylor St	0.09	180	R				To: US 340, S Buckmarsh St				NA			NA		04/09/2009
							From: US 340, S Buckmarsh St									
							To: 21-616, S Church St									
(1007) Chalmers Court	0.16	1400	R				From: Dead End				NA			NA		04/09/2009
							To: Bus SR 7									
(1008) Swan Ave	0.11	120	R				From: Dead End				NA			NA		04/09/2009
(1008) Swan Ave	0.15	210	R				To: 21-1013 Rosemont Circle				NA			NA		04/09/2009
(1008) Swan Ave	0.09	150	R				From: US 340, S Buckmarsh St				NA			NA		04/09/2009
							To: 21-616, S Church St									
(1009) Crown St	0.08	40	R				From: 21-1002 Treadwell St				NA			NA		10/24/2006
							To: 21-1010 Walnut St									
(1010) Walnut St	0.03	700	R				From: US 340, N Buckmarsh St				NA			NA		04/14/2009
(1010) Walnut St	0.20	280	R				To: 21-1004 Rice St				NA			NA		04/14/2009
(1010) Walnut St	0.12	310	R				From: 21-1009 Crown St				NA			NA		04/14/2009
							To: 21-1024 Dorsey St									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Clarke Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Berryville																
(1010) Walnut St	0.08	70	R				From: 21-1024 Dorsey St				NA			NA		04/14/2009
							To: NWCL Berryville									
Clarke County																
(1010) Walnut St	0.02	70	R				From: NWCL Berryville				NA			NA		04/14/2009
							To: Dead End									
Town of Berryville																
(1011) Crow St	0.08	1300	R				From: 21-616, S Church St				NA			NA		04/09/2009
							To: US 340, S Buckmarsh St									
(1012) Byrd Ave	0.16	200	R				From: Dead End				NA			NA		04/09/2009
							To: 21-616, S Church St									
(1013) Rosemont Circle	0.21	100	R				From: US 340, S Buckmarsh St				NA			NA		04/09/2009
							To: 21-1008 Swan Ave									
(1014) Page St	0.10	460	R				From: Dead End				NA			NA		04/09/2009
							To: 21-1005 S, Liberty St									
(1014) Page St	0.06	1700	R				From: 21-1005 N, Liberty St				NA			NA		04/09/2009
							To: 21-1021 Cameron St									
(1014) Page St	0.05	1200	R				From: 21-1021 Cameron St				NA			NA		04/09/2009
							To: 21-1023 Moore Dr									
(1014) Page St	0.05	810	R				From: 21-1023 Moore Dr				NA			NA		04/09/2009
							To: 21-1026 East Fairfax St									
(1014) Page St	0.33	NA					From: 21-1026 East Fairfax St				NA			NA		
							To: Cul-de-Sac									
(1015) West Fairfax St	0.06	180	R				From: 21-1016 Rockcroft Dr				NA			NA		10/24/2006
							To: 21-1017 Ridge Rd									
(1015) West Fairfax St	0.08	320	R				From: 21-1017 Ridge Rd				NA			NA		04/09/2009
							To: US 340, N Buckmarsh St									
(1016) Rockcroft Dr	0.09	60	R				From: 21-1017 Ridge Rd				NA			NA		10/24/2006
							To: 21-1015 West Fairfax St									
(1017) Ridge Rd	0.05	150	R				From: 21-1015 West Fairfax St				NA			NA		10/24/2006
							To: 21-1016 Rockcroft Dr									
(1017) Ridge Rd	0.04	50	R				From: 21-1016 Rockcroft Dr				NA			NA		04/14/2009
							To: 21-1018 Circle Dr									
(1018) Circle Dr	0.05	70	R				From: Cul-de-Sac				NA			NA		10/24/2006
							To: 21-1017 Ridge Rd									
Clarke County																
(1019) Al Smith Circle	0.47	660	R				From: Dead End				NA			NA		11/01/2006
							To: Bus SR 7									
Town of Berryville																
(1020) Bel Voi Dr	0.15	180	R				From: Dead End				NA			NA		10/24/2006
							To: 21-671 Battletown Dr									
(1021) Cameron St	0.10	300	R				From: Dead End				NA			NA		04/09/2009
							To: 21-1014 Page St									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Clarke Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Berrville																
(1021) Cameron St	0.06	280	R											NA		04/23/2003
(1022)	0.04	230	R											NA		04/23/2003
(1023) Moore Dr	0.06	200	R											NA		04/09/2009
(1023) Moore Dr	0.04	130	R											NA		04/23/2003
(1024) Dorsey St	0.20	400	R											NA		04/14/2009
(1025) Academy Court	0.05	48	R											NA		10/24/2006
(1026) East Fairfax St	0.22	240	R											NA		04/23/2003
(1027) Henderson Court	0.21	190	R											NA		04/09/2009
(1028) Dunlap Dr	0.30	180	R											NA		04/09/2009
(1029) Hermitage Blvd	0.97	980	G	98%	0%	1%	0%	0%	0%	C	0.114	F	0.588	980	G	2009
(1030) Craigs Run Circle	0.12	NA												NA		
(1031)	0.36	NA												NA		
(1031)	0.07	NA												NA		
(1032)	0.05	NA												NA		
(1033)	0.09	NA												NA		
(1034)	0.12	NA												NA		
(1035) Mosby Blvd	0.62	1200	G	99%	0%	0%	1%	0%	0%	C	0.109	F	0.636	1200	G	2009
(1035) Mosby Blvd	0.07	4400	R											NA		10/24/2006
(1036) Pickett Court	0.05	70	R											NA		04/06/2000

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Clarke Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Berrville																
1037 Breckinridge Court	0.09	120	R									NA		NA		04/28/2003
1038 Ashby Court	0.09	120	R									NA		NA		04/28/2003
1039 Archer Court	0.09	120	R									NA		NA		04/28/2003
1040 Stuart Court	0.08	100	R									NA		NA		04/28/2003
1041 Jackson Dr	0.33	1200	G	100%	0%	0%	0%	0%	0%	C	0.111	F	0.558	1200	G	2009
1042 Ewell Court	0.11	NA										NA		NA		
Clarke County																
1043 Edgar Court	0.06	NA										NA		NA		
Town of Berrville																
1044	0.14	NA										NA		NA		
1045	0.14	NA										NA		NA		
1046	0.14	NA										NA		NA		
1047	0.14	NA										NA		NA		
1048	0.10	NA										NA		NA		
1050	0.14	NA										NA		NA		
1051	0.13	NA										NA		NA		
1055	0.20	NA										NA		NA		
1056	0.23	NA										NA		NA		
1058	0.13	NA										NA		NA		
1059	0.03	NA										NA		NA		

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Clarke Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Clarke County																
(1070) Vista Lane	0.33	130	R								NA		NA			04/07/2009
(1434)	0.04	NA									NA		NA			
(9103)	0.08	400	R								NA		NA			1995
Town of Berryville																
(9104)	0.06	320	R								NA		NA			1995
Clarke County																
(9105) Josephine School	0.12	430	R								NA		NA			1986
(9106)	0.17	450	R								NA		NA			1995
Town of Boyce																
(9582)	0.09	370	R								NA		NA			1995