

**2009**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**95**

Washington County  
City of Bristol  
Town of Abingdon  
Town of Damascus  
Town of Glade Spring

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## **Publication Notes**

### **Parallel Roads**

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA:** Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC:** Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

## Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: State St To: Vance St	City of Bristol	0.75	13000	G	99%	0%	1%	0%	0%	0%	F	0.083	F	0.527	14000	G
From: Vance St To: Bob Morrison Blvd	City of Bristol	0.19	14000	G	99%	0%	1%	0%	0%	0%	F	0.082	F	0.504	15000	G
From: Bob Morrison Blvd To: SR 381 Commonwealth Ave	City of Bristol	0.18	15000	G	99%	0%	1%	0%	0%	0%	F	0.084	F	0.522	16000	G
From: SR 381 Commonwealth Ave To: Piedmont Ave	City of Bristol	0.48	8100	G	99%	0%	1%	0%	0%	0%	F	0.085	F	0.525	8800	G
From: Piedmont Ave To: Moore St	City of Bristol	0.56	6500	G	99%	0%	1%	0%	0%	0%	C	0.096	F	0.518	7000	G
From: Moore St To: Valley Dr	City of Bristol	0.48	14000	G	99%	0%	1%	0%	0%	0%	F	0.092	F	0.511	15000	G
From: Valley Dr To: I-81	City of Bristol	1.26	13000	G	99%	0%	1%	0%	0%	0%	F	0.087	F	0.514	14000	G
From: I-81 To: Ramp to I-81	City of Bristol	1.36	17000	G	98%	0%	0%	0%	1%	0%	F	0.087	F	0.515	18000	G
From: Ramp to I-81 To: Bonham Rd	City of Bristol	0.51	17000	G	98%	0%	0%	0%	1%	0%	F	0.088	F	0.507	19000	G
From: Bonham Rd To: Old Airport Rd	City of Bristol	0.68	16000	G	98%	0%	0%	0%	1%	0%	F	0.092	F	0.562	17000	G
From: Old Airport Rd To: NCL Bristol	Washington County	2.83	9200	A	98%	0%	0%	0%	1%	0%	C	0.120	A	0.511	9300	A
From: NCL Bristol To: 95-1717 Wash Co Ind Park Rd	Washington County	0.80	8400	G	98%	0%	0%	0%	1%	0%	F	0.096	F	0.602	9200	G
From: 95-1717 Wash Co Ind Park Rd To: 95-869 Astor Rd	Washington County	1.28	10000	G	98%	0%	0%	0%	1%	0%	F	0.102	F	0.689	11000	G
From: 95-869 Astor Rd To: 95-611 Diver Rd	Washington County	1.72	8000	G	98%	0%	0%	0%	1%	0%	F	0.103	F	0.606	8500	G
From: 95-611 Diver Rd To: 95-611 Spring Creek Rd	Washington County	1.72	8000	G	98%	0%	0%	0%	1%	0%	F	0.103	F	0.606	8500	G
From: 95-611 Spring Creek Rd To: WCL Abingdon	Town of Abingdon	0.55	8600	G	98%	0%	0%	0%	1%	0%	F	0.099	F	0.590	9400	G
From: WCL Abingdon To: SR 140 Jonesboro Rd	Town of Abingdon	0.43	25000	G	98%	0%	1%	0%	0%	0%	F	0.086	F	0.567	27000	G
From: SR 140 Jonesboro Rd To: Colonial Rd	Town of Abingdon	0.47	22000	G	98%	0%	1%	0%	0%	0%	F	0.086	F	0.532	24000	G
From: Colonial Rd To: US 19 Porterfield Hwy	Town of Abingdon	0.47	15000	G	98%	0%	1%	0%	0%	0%	F	0.089	F	0.530	16000	G
From: US 19 Porterfield Hwy To: Palmer St	Town of Abingdon	0.47	15000	G	98%	0%	1%	0%	0%	0%	F	0.089	F	0.530	16000	G

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
11 Main St	From: Palmer St Town of Abingdon	0.35	16000	G	98%	0%	1%	0%	0%	0%	C	0.093	F	0.52	17000	G
11 ALT 58 Main St	To: US ALT 58, Russell St From: Palmer St Town of Abingdon	0.24	11000	G	98%	0%	1%	0%	0%	0%	F	0.085	F	0.507	12000	G
11 Main St/Lee Hwy	To: US Alt 58, SR 75, Cummings St From: US ALT 58, Russell St Town of Abingdon	0.66	11000	G	98%	0%	1%	0%	1%	0%	F	0.085	F	0.508	12000	G
11 Main St/Lee Hwy	To: Tanner St From: US Alt 58, SR 75, Cummings St Town of Abingdon	0.93	13000	G	98%	0%	1%	0%	1%	0%	F	0.082	F	0.513	14000	G
11 Main St/Lee Hwy	To: Thompson Dr From: Tanner St Town of Abingdon	0.13	17000	G	98%	0%	1%	0%	1%	0%	F	0.092	F	0.580	18000	G
11 Main St/Lee Hwy	To: Hillman Hwy From: Thompson Dr Town of Abingdon	0.74	14000	G	98%	0%	1%	0%	1%	0%	C	0.089	F	0.604	15000	G
11 Lee Highway	To: ECL Abingdon From: Hillman Hwy Washington County	0.20	14000	N	98%	0%	1%	0%	1%	0%	N	0.089	N	0.604	15000	N
11 58 Lee Highway	To: I-81, US 58 From: ECL Abingdon Washington County	0.30	16000	G	97%	1%	1%	1%	1%	0%	F	0.093	F	0.595	17000	G
11 Lee Highway	To: US 58 East of Abingdon From: I-81, US 58 Washington County	2.58	4100	G	97%	1%	1%	1%	1%	0%	F	0.102	F	0.532	4400	G
11 Lee Highway	To: 95-704 Enterprise Rd From: US 58 East of Abingdon Washington County	2.09	4000	G	97%	1%	1%	1%	1%	0%	F	0.094	F	0.598	4200	G
11 Lee Highway	To: SR 80 Cedarville From: 95-704 Enterprise Rd Washington County	4.46	3100	G	97%	1%	1%	1%	1%	0%	C	0.098	F	0.563	3300	G
11 Lee Highway	To: SR 91 Maple St From: SR 80 Cedarville Glenbrook Ave Washington County	2.81	1200	G	97%	1%	1%	1%	1%	0%	F	0.104	F	0.513	1200	G
11 Lee Highway	To: I-81 West of Chllhowie From: SR 91 Maple St Washington County	2.21	2400	G	97%	1%	1%	1%	1%	0%	F	0.114	F	0.511	2500	G
Truck 11 421 19 Goode St	To: Smyth County Line From: I-81 West of Chllhowie City of Bristol	0.21	1100	G	97%	0%	1%	1%	1%	0%	F	0.106	F	0.686	1200	G
Truck 11 421 19 Cumberland St	To: 102-3305 Piedmont Ave From: Smyth County Line City of Bristol	0.34	2800	G	97%	0%	1%	1%	1%	0%	C	0.091	F	0.613	3000	G
Truck 11 19 Randall St	To: State St From: 102-3305 Piedmont Ave City of Bristol	0.93	6100	G	98%	0%	1%	1%	1%	0%	C	0.09	F	0.516	6700	G
Truck 11 113 19 Moore St	To: US 421 Cumberland St From: State St City of Bristol	0.12	8200	G	97%	1%	1%	0%	1%	0%	F	0.088	F	0.549	8900	G
	To: SR 113 Moore St; Oakview Ave From: US 421 Cumberland St City of Bristol															
	To: Euclid Ave From: SR 113 Moore St; Oakview Ave City of Bristol															



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: State St; Tennessee State Line															
19 381 421 Commonwealth Ave	City of Bristol	0.23	15000	G	93%	1%	1%	1%	4%	0%	F	0.087	F	0.55	17000	G
	To: SR 113 Cumberland Ave															
19 381 421 Commonwealth Ave	City of Bristol	0.16	22000	G	97%	0%	1%	0%	2%	0%	F	0.083	F	0.544	23000	G
	To: SR 133 Par Sycamore St															
19 381 421 Commonwealth Ave	City of Bristol	0.19	21000	G	97%	0%	1%	0%	2%	0%	F	0.089	F	0.619	22000	G
	To: US 11 Euclid Ave															
19 11 Euclid Ave	City of Bristol	0.48	8100	G	99%	0%	1%	0%	0%	0%	F	0.085	F	0.525	8800	G
	To: SR 381 Commonwealth Ave															
19 11 Euclid Ave	City of Bristol	0.56	6500	G	99%	0%	1%	0%	0%	0%	C	0.096	F	0.518	7000	G
	To: Piedmont Ave															
19 11 Lee Highway	City of Bristol	0.48	14000	G	99%	0%	1%	0%	0%	0%	F	0.092	F	0.511	15000	G
	To: Moore St															
19 11 Lee Highway	City of Bristol	1.26	13000	G	99%	0%	1%	0%	0%	0%	F	0.087	F	0.514	14000	G
	To: Valley Dr															
19 11 Lee Highway	City of Bristol	1.36	17000	G	98%	0%	0%	0%	1%	0%	F	0.087	F	0.515	18000	G
	To: Overhill Rd															
19 11 Lee Highway	City of Bristol	0.51	17000	G	98%	0%	0%	0%	1%	0%	F	0.088	F	0.507	19000	G
	To: Bonham Rd															
19 11 Lee Highway	City of Bristol	0.68	16000	G	98%	0%	0%	0%	1%	0%	F	0.092	F	0.562	17000	G
	To: Old Airport Rd															
19 11 Lee Highway	Washington County	2.83	9200	A	98%	0%	0%	0%	1%	0%	C	0.120	A	0.511	9300	A
	To: NCL Bristol															
19 11 Lee Highway	Washington County	0.80	8400	G	98%	0%	0%	0%	1%	0%	F	0.096	F	0.602	9200	G
	To: 95-1717 Wash Co Ind Park Rd															
19 11 Lee Highway	Washington County	1.28	10000	G	98%	0%	0%	0%	1%	0%	F	0.102	F	0.689	11000	G
	To: 95-869 Astor Rd															
19 11 Lee Highway	Washington County	1.72	8000	G	98%	0%	0%	0%	1%	0%	F	0.103	F	0.606	8500	G
	To: 95-611 Diver Rd															
19 11 Main St	Town of Abingdon	0.55	8600	G	98%	0%	0%	0%	1%	0%	F	0.099	F	0.590	9400	G
	To: WCL Abingdon															
19 11 Main St	Town of Abingdon	0.43	25000	G	98%	0%	1%	0%	0%	0%	F	0.086	F	0.567	27000	G
	To: SR 140 Jonesboro Rd															
19 11 Main St	Town of Abingdon	0.47	22000	G	98%	0%	1%	0%	0%	0%	F	0.086	F	0.532	24000	G
	To: Colonial Rd															
19 Porterfield Hwy	Town of Abingdon	0.45	16000	G	95%	0%	1%	1%	3%	0%	F	0.091	F	0.591	17000	G
	To: US 11 Main St; Lee Hwy															
	To: Alt US 58															

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
ALT 19 58 Porterfield Rd	From: Alt US 58 Town of Abingdon	0.21	20000	G	95%	0%	1%	1%	3%	0%	F	0.091	F	0.572	21000	G
	To: NCL Abingdon															
ALT 19 58 Porterfield Hwy	From: 95-700 Rich Valley Rd Washington County	3.79	17000	G	95%	0%	1%	1%	3%	0%	F	0.088	F	0.594	18000	G
	To: 95-700 Rich Valley Rd															
ALT 19 58 Porterfield Hwy	From: 95-802 Mendota Rd Washington County	3.03	15000	G	95%	0%	1%	1%	3%	0%	F	0.091	F	0.557	16000	G
	To: Russell County Line															
Truck 19 421 11 Goode St	From: SR 381 Commonwealth Ave City of Bristol	0.21	1100	G	97%	0%	1%	1%	1%	0%	F	0.106	F	0.686	1200	G
	To: 102-3305 Piedmont Ave															
Truck 19 421 11 Cumberland St	From: Truck US 11 Randall St City of Bristol	0.34	2800	G	97%	0%	1%	1%	1%	0%	C	0.091	F	0.613	3000	G
	To: State St															
Truck 19 11 Randall St	From: Cumberland St City of Bristol	0.93	6100	G	98%	0%	1%	1%	1%	0%	C	0.09	F	0.516	6700	G
	To: Oakview Ave															
Truck 19 113 11 Moore St	From: Euclid Ave City of Bristol	0.12	8200	G	97%	1%	1%	0%	1%	0%	F	0.088	F	0.549	8900	G
	To: Scott County Line															
58 421 Gate City Hwy	From: 95-700 Rich Valley Rd Washington County	2.65	1000	G	94%	1%	2%	1%	2%	0%	F	0.093	F	0.570	1100	G
	To: WCL Bristol															
58 421 Gate City Hwy	From: I-81; US 421 City of Bristol (Maint: 95)	0.50	4800	G	98%	0%	1%	0%	1%	0%	C	0.096	F	0.623	5200	G
	To: US 58; US 421															
58 81 Gate City Hwy	City of Bristol (Maint: 95)	2.44	See I-81 for directional traffic volume estimates for this segment.													
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		37000	G	77%	1%	1%	1%	20%	1%	F	NA		40000	G	
	To: I-381															
58 81 Gate City Hwy	From: I-381 City of Bristol (Maint: 95)	1.39	See I-81 for directional traffic volume estimates for this segment.													
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		49000	G	77%	1%	1%	1%	20%	1%	F	NA		34000	G	
	To: US 11, US 19															
58 81 Gate City Hwy	From: US 11, US 19 City of Bristol (Maint: 95)	2.13	See I-81 for directional traffic volume estimates for this segment.													
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		50000	F	77%	1%	1%	1%	20%	1%	F	0.093	B	0.518	50000	F
	To: Old Airport Rd															
58 81 Gate City Hwy	From: Old Airport Rd City of Bristol (Maint: 95)	0.93	See I-81 for directional traffic volume estimates for this segment.													
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		46000	F	77%	1%	1%	1%	20%	1%	F	0.094	B	0.551	47000	F
	To: NCL Bristol															

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
	From: NCL Bristol																
58 81	Washington County	3.84															
	See I-81 for directional traffic volume estimates for this segment.																
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: <b>46000</b> <b>F</b> 77% 1% 1% 1% 20% 1% F NA 47000 F																
	To: FR-310																
58 81	Washington County	0.99															
	See I-81 for directional traffic volume estimates for this segment.																
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: <b>41000</b> <b>G</b> 80% 1% 1% 1% 17% 1% F NA 41000 G																
	To: 95-611																
58 81	Washington County	2.00															
	See I-81 for directional traffic volume estimates for this segment.																
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: <b>43000</b> <b>G</b> 80% 1% 1% 1% 17% 1% F NA 37000 G																
	To: SR 140																
58 81	Washington County	1.93															
	See I-81 for directional traffic volume estimates for this segment.																
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: <b>41000</b> <b>B</b> 80% 1% 1% 1% 17% 1% C 0.095 A 0.516 42000 B																
	To: SCL Abingdon																
58 81	Town of Abingdon (Maint: 95)	0.14															
	See I-81 for directional traffic volume estimates for this segment.																
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: <b>41000</b> <b>B</b> 80% 1% 1% 1% 17% 1% C NA 42000 B																
	To: SR 75																
58 81	Town of Abingdon (Maint: 95)	1.06															
	See I-81 for directional traffic volume estimates for this segment.																
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: <b>40000</b> <b>G</b> 80% 1% 1% 1% 17% 1% F NA 42000 G																
	To: NCL Abingdon																
58 81	Washington County	1.43															
	See I-81 for directional traffic volume estimates for this segment.																
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: <b>40000</b> <b>G</b> 80% 1% 1% 1% 17% 1% F NA 42000 G																
	To: US 11, US 58																
58 11	Lee Highway	0.30	<b>16000</b>	<b>G</b>	97%	1%	1%	1%	1%	0%	F	0.093	F	0.595	17000	G	
	To: US 11 East of Abingdon																
58	Jeb Stuart Hwy	5.53	<b>7700</b>	<b>G</b>	94%	0%	1%	1%	1%	3%	0%	F	0.092	F	0.661	8100	G
	To: E 95-708 Bethel Rd																
58	Jeb Stuart Hwy	3.57	<b>4800</b>	<b>G</b>	94%	0%	1%	1%	1%	3%	0%	C	0.09	F	0.5	5000	G
	To: WCL Damascus																
58	Jeb Stuart Hwy	Town of Damascus (Maint: 95)	1.38	<b>4800</b>	<b>N</b>	94%	0%	1%	1%	3%	0%	N	0.09	N	0.5	5000	N
	To: SR 91 W, Greenway Ave																
58 91	Douglas Dr	Town of Damascus (Maint: 95)	0.45	<b>3100</b>	<b>G</b>	92%	0%	1%	2%	5%	0%	C	0.091	F	0.519	3300	G
	To: ECL Damascus																
58 91	Jeb Stuart Hwy	Washington County	0.54	<b>3100</b>	<b>N</b>	92%	0%	1%	2%	5%	0%	N	0.091	N	0.519	3300	N
	To: SR 91 E, Mountain City Rd																
58	Jeb Stuart Hwy	Washington County	9.63	<b>680</b>	<b>G</b>	98%	0%	1%	0%	1%	0%	F	0.12	F	0.525	720	G
	To: 95-603 Rhymer Rd																
58	Jeb Stuart Hwy	Washington County	5.80	<b>480</b>	<b>G</b>	98%	0%	1%	0%	1%	0%	C	0.112	F	0.524	500	G
	To: Grayson County Line																

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Washington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: Russell County Line																
ALTY 58 19 Porterfield Hwy	Washington County	3.25	15000	G	95%	0%	1%	1%	3%	0%	F	0.091	F	0.56	16000	G
To: 95-802 Mendota Rd																
From: 95-802 Mendota Rd																
ALTY 58 19 Porterfield Hwy	Washington County	3.03	15000	G	95%	0%	1%	1%	3%	0%	F	0.091	F	0.557	16000	G
To: 95-700 Rich Valley Rd																
From: 95-700 Rich Valley Rd																
ALTY 58 19 Porterfield Hwy	Washington County	3.79	17000	G	95%	0%	1%	1%	3%	0%	F	0.088	F	0.594	18000	G
To: NCL Abingdon																
From: NCL Abingdon																
ALTY 58 19 Porterfield Rd	Town of Abingdon	0.21	20000	G	95%	0%	1%	1%	3%	0%	F	0.091	F	0.572	21000	G
To: US 19 Porterfield Hwy																
From: US 19 Porterfield Hwy																
ALTY 58 Russell Rd	Town of Abingdon	1.01	7400	G	98%	0%	0%	0%	0%	0%	C	0.092	F	0.563	8000	G
To: Valley Street																
From: Valley Street																
ALTY 58 11 Main St	Town of Abingdon	0.24	11000	G	98%	0%	1%	0%	0%	0%	F	0.085	F	0.507	12000	G
To: Main St																
From: Main St																
ALTY 58 75	Town of Abingdon	0.78	17000	G	99%	0%	0%	0%	0%	0%	C	0.085	F	0.525	19000	G
To: US 11																
From: US 11																
From: I-81																
From: Tennessee State Line																
75 Green Spring Rd	Washington County	4.29	1800	G	98%	0%	1%	1%	1%	0%	F	0.106	F	0.506	1900	G
To: 95-670 Green Springs Church Rd																
From: 95-670 Green Springs Church Rd																
75 Green Spring Rd	Washington County	4.46	4000	G	98%	0%	1%	1%	1%	0%	C	0.103	F	0.652	4200	G
To: SCL Abingdon																
From: SCL Abingdon																
75 Green Spring Rd	Town of Abingdon	0.98	8600	G	96%	1%	1%	1%	1%	0%	C	0.092	F		9400	G
To: I-81 Commerce Dr																
From: I-81 Commerce Dr																
75 ALT 58	Town of Abingdon	0.78	17000	G	99%	0%	0%	0%	0%	0%	C	0.085	F	0.525	19000	G
To: I-81																
From: I-81																
To: US 11 Lee Hwy																
From: US 11 Lee Hwy																
80 Glennbrook Ave	Washington County	1.06	2300	G	98%	0%	1%	1%	0%	0%	F	0.112	F	0.592	2500	G
To: 95-609 Hillman Hwy																
From: 95-609 Hillman Hwy																
80 Lindell Rd	Washington County	2.19	820	G	98%	0%	1%	1%	0%	0%	F	0.106	F	0.64	860	G
To: 95-740 N, Clyncburg Rd																
From: 95-740 N, Clyncburg Rd																
80 Hayters Gap Rd	Washington County	6.00	710	G	98%	0%	1%	1%	0%	0%	C	0.098	F	0.614	750	G
To: 95-689 Brumley Gap Rd																
From: 95-689 Brumley Gap Rd																
80 Hayters Gap Rd	Washington County	2.06	430	G	98%	0%	1%	1%	0%	0%	F	0.113	F	0.642	460	G
To: 95-613 Blue Grass Trail																
From: 95-613 Blue Grass Trail																
80 Hayters Gap Rd	Washington County	3.67	240	G	98%	0%	1%	1%	0%	0%	F	0.129	F	0.514	250	G
To: Russell County Line																

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
North 81	From: Tennessee State Line															
	Washington County	0.65	17000	A	75%	1%	1%	1%	21%	1%	C	0.099	A	18000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		34000	A	77%	1%	1%	1%	20%	1%	C	0.096	A	0.515	34000	A
North 81	To: SCL Bristol															
	City of Bristol (Maint: 95)	0.61	17000	A	75%	1%	1%	1%	21%	1%	C	0.099	A	18000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		34000	A	77%	1%	1%	1%	20%	1%	C	NA			34000	A
North 81 58	To: US 58, US 421 Gate City Hwy															
	City of Bristol (Maint: 95)	2.44	19000	G	75%	1%	1%	1%	21%	1%	F	NA		17000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		37000	G	77%	1%	1%	1%	20%	1%	F	NA		40000	G	
North 81 58	To: I-381															
	City of Bristol (Maint: 95)	1.39	25000	G	75%	1%	1%	1%	21%	1%	F	NA		12000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		49000	G	77%	1%	1%	1%	20%	1%	F	NA		34000	G	
North 81 58	To: US 11, US 19															
	City of Bristol (Maint: 95)	2.13	25000	F	75%	1%	1%	1%	21%	1%	F	0.094	B	25000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		50000	F	77%	1%	1%	1%	20%	1%	F	0.093	B	0.518	50000	F
North 81 58	To: Old Airport Rd															
	City of Bristol (Maint: 95)	0.93	23000	F	75%	1%	1%	1%	21%	1%	F	0.092	B	24000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		46000	F	77%	1%	1%	1%	20%	1%	F	0.094	B	0.551	47000	F
North 81 58	To: NCL Bristol															
	Washington County	3.84	23000	F	75%	1%	1%	1%	21%	1%	F	0.092	B	24000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		46000	F	77%	1%	1%	1%	20%	1%	F	NA		47000	F	
North 81 58	To: FR-310															
	Washington County	0.99	21000	G	78%	1%	1%	1%	18%	1%	F	NA		20000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		41000	G	80%	1%	1%	1%	17%	1%	F	NA		41000	G	
North 81 58	To: 95-611 Spring Creek Rd															
	Washington County	2.00	21000	G	78%	1%	1%	1%	18%	1%	F	NA		17000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		43000	G	80%	1%	1%	1%	17%	1%	F	NA		37000	G	
North 81 58	To: SR 140 Jonesboro Rd															
	Washington County	1.93	21000	B	78%	1%	1%	1%	18%	1%	C	0.098	A	21000	B	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		41000	B	80%	1%	1%	1%	17%	1%	C	0.095	A	0.516	42000	B
North 81 58	To: SCL Abingdon															
	Town of Abingdon (Maint: 95)	0.14	21000	B	78%	1%	1%	1%	18%	1%	C	0.098	A	21000	B	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		41000	B	80%	1%	1%	1%	17%	1%	C	NA		42000	B	
	To: SR 75 Cummings St															



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
South 81	From: SCL Bristol															
	City of Bristol (Maint: 95)	0.16	17000	A	78%	1%	1%	1%	18%	1%	C	0.102	A	17000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		34000	A	77%	1%	1%	1%	20%	1%	C	NA		34000	A	
South 81 58	To: US 58, US 421 Gate City Hwy															
	City of Bristol (Maint: 95)	3.58	18000	G	78%	1%	1%	1%	18%	1%	F	NA		22000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		37000	G	77%	1%	1%	1%	20%	1%	F	NA		40000	G	
South 81 58	To: I-381															
	City of Bristol (Maint: 95)	1.25	24000	G	78%	1%	1%	1%	18%	1%	F	NA		22000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		49000	G	77%	1%	1%	1%	20%	1%	F	NA		34000	G	
South 81 58	To: US 11, US 19															
	City of Bristol (Maint: 95)	1.99	25000	F	78%	1%	1%	1%	18%	1%	F	0.097	B	25000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		50000	F	77%	1%	1%	1%	20%	1%	F	0.093	B	0.518	50000	F
South 81 58	To: Old Airport Rd															
	City of Bristol (Maint: 95)	0.50	23000	F	78%	1%	1%	1%	18%	1%	F	0.102	B	23000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		46000	F	77%	1%	1%	1%	20%	1%	F	0.094	B	0.551	47000	F
South 81 58	To: NCL Bristol															
	Washington County	3.79	23000	F	78%	1%	1%	1%	18%	1%	F	0.102	B	23000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		46000	F	77%	1%	1%	1%	20%	1%	F	NA		47000	F	
South 81 58	To: FR-310															
	Washington County	1.29	20000	G	82%	0%	1%	1%	15%	1%	F	NA		21000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		41000	G	80%	1%	1%	1%	17%	1%	F	NA		41000	G	
South 81 58	To: 95-611 Spring Creek Rd															
	Washington County	1.93	22000	G	82%	0%	1%	1%	15%	1%	F	NA		20000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		43000	G	80%	1%	1%	1%	17%	1%	F	NA		37000	G	
South 81 58	To: SR 140 Jonesboro Rd															
	Washington County	1.40	20000	A	82%	0%	1%	1%	15%	1%	C	0.1	A	21000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		41000	B	80%	1%	1%	1%	17%	1%	C	0.095	A	0.516	42000	B
South 81 58	To: SCL Abingdon															
	Town of Abingdon (Maint: 95)	0.69	20000	A	82%	0%	1%	1%	15%	1%	C	0.1	A	21000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		41000	B	80%	1%	1%	1%	17%	1%	C	NA		42000	B	
South 81 58	To: SR 75 Cummings St															
	Town of Abingdon (Maint: 95)	0.79	20000	G	82%	0%	1%	1%	15%	1%	F	NA		17000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		40000	G	80%	1%	1%	1%	17%	1%	F	NA		42000	G	
	To: NCL Abingdon															

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
South 81 58	From: NCL Abingdon Washington County	1.97	20000	G	82%	0%	1%	1%	15%	1%	F	NA		17000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		40000	G	80%	1%	1%	1%	17%	1%	F	NA		42000	G	
South 81	To: US 11 Lee Hwy From: US 11, US 58 Lee Hwy Washington County	2.59	16000	G	82%	0%	1%	1%	15%	1%	F	NA		18000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		33000	G	80%	1%	1%	1%	17%	1%	F	NA		40000	G	
South 81	To: 95-704 Enterprise Rd From: Washington County	2.56	17000	G	82%	0%	1%	1%	15%	1%	F	NA		16000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		32000	G	80%	1%	1%	1%	17%	1%	F	NA		31000	G	
South 81	To: SR 80 Glenbrook Ave From: Washington County	1.47	15000	G	82%	0%	1%	1%	15%	1%	F	NA		14000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		31000	G	80%	1%	1%	1%	17%	1%	F	NA		28000	G	
South 81	To: 95-737 College Dr From: Washington County	2.94	15000	G	82%	0%	1%	1%	15%	1%	F	NA		14000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		30000	G	80%	1%	1%	1%	17%	1%	F	NA		90000	G	
South 81	To: SR 91 Maple St From: Washington County	2.88	13000	G	82%	0%	1%	1%	15%	1%	F	NA		15000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		27000	G	80%	1%	1%	1%	17%	1%	F	NA		35000	G	
South 81	To: US 11 Lee Hwy; 95-751 Fleet Rd From: Washington County	1.83	13000	G	82%	0%	1%	1%	15%	1%	F	NA		NA		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		27000	G	80%	1%	1%	1%	17%	1%	F	NA		NA		
South 81	To: Smyth County Line From: I-81 S City of Bristol (Maint: 95)	0.19	5500	F								0.111	B	5600	F	
91	To: Old Airport Rd From: Tennessee State Line Washington County	1.62	2400	G	91%	0%	1%	2%	6%	0%	C	0.086	F	0.556	2500	G
91 58	To: US 58 Douglas Dr; Jeb Stuart Hwy From: Washington County	0.54	3100	N	92%	0%	1%	2%	5%	0%	N	0.091	N	0.519	3300	N
91 58	To: ECL Damascus From: Town of Damascus (Maint: 95)	0.45	3100	G	92%	0%	1%	2%	5%	0%	C	0.091	F	0.519	3300	G
91	To: Damascus Dr From: US 58 Jeb Stuart Hwy Town of Damascus (Maint: 95)	0.70	1600	G	96%	0%	1%	1%	2%	0%	C	0.098	F	0.521	1600	G
91	To: NCL Damascus From: Washington County	6.40	1600	N	96%	0%	1%	1%	2%	0%	N	0.098	N	0.521	1600	N
	To: 95-803 Liberty Hall Rd															



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
91	Monroe Rd	Washington County	1.48	1900	G	96%	0%	1%	1%	2%	0%	F	0.082	F	0.532	2000	G
91	Monroe Rd	Washington County	3.51	2300	G	96%	0%	1%	1%	2%	0%	F	0.086	F	0.507	2400	G
91		Washington County	0.51	8400	N	97%	0%	1%	0%	2%	0%	N	0.092	N	0.606	8800	N
91	Maple St	Town of Glade Spring (Maint: 95)	1.37	8400	G	97%	0%	1%	0%	2%	0%	F	0.092	F	0.606	8800	G
91	Monte Vista Dr	Town of Glade Spring (Maint: 95)	0.77	4200	G	97%	0%	1%	0%	2%	0%	C	0.1	F	0.645	4400	G
91	Crescent Rd	Washington County	5.43	2500	G	97%	0%	1%	0%	2%	0%	F	0.100	F	0.684	2700	G
91	S Main St	Town of Saltville (Maint: 95)	0.52	2800	G								NA			2900	G
Bus																	
91	Glade St	Town of Glade Spring (Maint: 95)	1.38	760	G	99%	0%	1%	0%	0%	0%	C	0.093	F	0.585	800	G
113	Cumberland St	City of Bristol	0.28	2200	G	97%	1%	1%	1%	1%	0%	C	0.096	F	0.554	2400	G
113	Piedmont Ave	City of Bristol	0.08	3200	G	97%	1%	1%	0%	1%	0%	F	0.100	F	0.534	3500	G
113	Piedmont Ave	City of Bristol	0.25	3000	G	97%	1%	1%	0%	1%	0%	F	0.093	F	0.544	3200	G
113	Oakview Ave	City of Bristol	0.60	2400	G	97%	1%	1%	0%	1%	0%	C	0.098	F	0.533	2600	G
Truck Truck																	
113	Moore St	City of Bristol	0.12	8200	G	97%	1%	1%	0%	1%	0%	F	0.088	F	0.549	8900	G
113	Sycamore St	City of Bristol	0.40	820	G	98%	0%	1%	0%	0%	0%	C	0.1	F	0.51	890	G

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
140 Jonesboro Rd	From: SCL Abingdon															
	Town of Abingdon	0.38	18000	G	94%	1%	1%	1%	4%	0%	C	0.091	F	0.531	19000	G
	To: US 11 Main St															
North 381	From: SR 381 Commonwealth Ave															
	City of Bristol (Maint: 95)	1.14	8000	A	97%	0%	1%	0%	2%	0%	C	0.11	A		8400	A
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		16000	A	97%	0%	1%	0%	2%	0%	C	0.104	A	0.546	16000	A
	To: I-81															
North 381	From: I-381 N															
	City of Bristol (Maint: 95)	0.25	7200	G	97%	0%	1%	0%	2%	0%	F	0.11	N		15000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		14000	G	97%	0%	1%	0%	2%	0%	F	NA		41000	G	
	To: I-81 N															
North 381	From: I-381 N															
	City of Bristol (Maint: 95)	0.31	810	G	97%	0%	1%	0%	2%	0%	F	NA		370	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		1500	G	97%	0%	1%	0%	2%	0%	F	NA		730	G	
	To: I-81 S															
South 381	From: SR 381 Commonwealth Ave															
	City of Bristol (Maint: 95)	1.06	7600	A	96%	0%	1%	0%	2%	0%	C	0.108	A		8000	A
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		16000	A	97%	0%	1%	0%	2%	0%	C	0.104	A	0.546	16000	A
	To: I-81															
South 381	From: I-381 S															
	City of Bristol (Maint: 95)	0.61	7100	G	96%	0%	1%	0%	2%	0%	F	0.108	N		26000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		14000	G	97%	0%	1%	0%	2%	0%	F	NA		41000	G	
	To: I-81 S															
381 19 421	From: State St; Tennessee State Line															
	City of Bristol	0.23	15000	G	93%	1%	1%	1%	4%	0%	F	0.087	F	0.55	17000	G
	To: SR 113 Cumberland St															
381 19 421	From: SR 113 Cumberland St															
	City of Bristol	0.16	22000	G	97%	0%	1%	0%	2%	0%	F	0.083	F	0.544	23000	G
	To: SR 133 Par; Sycamore St															
381 19 421	From: SR 133 Par; Sycamore St															
	City of Bristol	0.19	21000	G	97%	0%	1%	0%	2%	0%	F	0.089	F	0.619	22000	G
	To: US 11 Euclid Ave															
381	From: US 11 Euclid Ave															
	City of Bristol	0.63	20000	G	97%	0%	1%	0%	2%	0%	F	0.090	F	0.522	21000	G
	To: Keys St; I-381															
421 58	From: Scott County Line															
	Washington County	2.65	1000	G	94%	1%	2%	1%	2%	0%	F	0.093	F	0.570	1100	G
	To: 95-700															
421 58	From: 95-700															
	Washington County	3.59	4600	G	94%	1%	2%	1%	2%	0%	F	0.095	F	0.66	4800	G
	To: WCL Bristol															
421 58	From: WCL Bristol															
	City of Bristol (Maint: 95)	0.50	4800	G	98%	0%	1%	0%	1%	0%	C	0.096	F	0.623	5200	G
	To: US 58; I-81															
421	From: US 58; I-81															
	City of Bristol (Maint: 95)	0.21	8600	G	98%	0%	1%	0%	1%	0%	C	0.091	F	0.553	9300	G
	To: Island Rd															

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: Island Rd															
421 Gate City Hwy	City of Bristol	0.80	8300	G	98%	0%	1%	0%	1%	0%	F	0.096	F	0.599	9000	G
	To: W US 11 N Euclid Ave; W State St															
	From: W US 11															
421 11 Euclid Ave	City of Bristol	0.75	13000	G	99%	0%	1%	0%	0%	0%	F	0.083	F	0.527	14000	G
	To: Vance St															
	From: Vance St															
421 11 Euclid Ave	City of Bristol	0.19	14000	G	99%	0%	1%	0%	0%	0%	F	0.082	F	0.504	15000	G
	To: Bob Morrison Blvd															
	From: Bob Morrison Blvd															
421 11 Euclid Ave	City of Bristol	0.18	15000	G	99%	0%	1%	0%	0%	0%	F	0.084	F	0.522	16000	G
	To: ERT 11															
	From: ERT 11															
421 381 19 Commonwealth Ave	City of Bristol	0.19	21000	G	97%	0%	1%	0%	2%	0%	F	0.089	F	0.619	22000	G
	To: SR 133 Par Sycamore St															
	From: SR 133 Par Sycamore St															
421 381 19 Commonwealth Ave	City of Bristol	0.16	22000	G	97%	0%	1%	0%	2%	0%	F	0.083	F	0.544	23000	G
	To: SR 113 Cumberland Ave															
	From: SR 113 Cumberland Ave															
421 381 19 Commonwealth Ave	City of Bristol	0.23	15000	G	93%	1%	1%	1%	4%	0%	F	0.087	F	0.55	17000	G
	To: << Invalid Overlap >>															
	From: SR 381 Commonwealth Ave															
Truck Truck 421 11 19 Goode St	City of Bristol	0.21	1100	G	97%	0%	1%	1%	1%	0%	F	0.106	F	0.686	1200	G
	To: 102-3305 Piedmont Ave															
	From: 102-3305 Piedmont Ave															
Truck Truck 421 11 19 Cumberland St	City of Bristol	0.34	2800	G	97%	0%	1%	1%	1%	0%	C	0.091	F	0.613	3000	G
	To: Truck US 11 Randall St															
	From: Truck US 11; Cumberland St															
421 Randall St	City of Bristol	0.28	10000	G	97%	0%	1%	1%	1%	0%	F	0.092	F	0.599	11000	G
	To: State St; Tennessee State Line															

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(F20) Flame Leaf Dr	0.40	240	R				From: 95-1712 Old Dominion Rd					NA		NA		07/09/2008
							To: Dead End									
(F21) Majestic Dr	0.66	50	R				From: 95-1707 Carson Lane					NA		NA		09/23/2008
							To: Dead End									
(F22) Singingwood Rd	1.14	110	R				From: Dead End					NA		NA		07/10/2008
							To: 95-808 Halls Bottom Rd									
(F23) Hubbard Lane	0.30	190	R				From: Dead End					NA		NA		07/31/2008
							To: 95-611 Spring Creek Rd									
(F24) Dennison Rd	1.29	430	R				From: Dead End					NA		NA		06/11/2008
							To: 95-647 Old Jonesboro Rd									
(F25) Bonny Castle Dr	0.41	90	R				From: Dead End					NA		NA		06/11/2008
							To: 95-794 Stone Mill Rd									
(F27) Wycoff Ave	0.28	140	R				From: Dead End					NA		NA		06/30/2008
							To: 95-793 Berry Creek Rd									
(F28) Short St	0.13	100	R				From: Dead End					NA		NA		05/29/2008
							To: 95-793 Berry Creek Rd									
(F29) Maringo Rd	0.63	30	R				From: Dead End					NA		NA		04/29/2008
							To: US 11 Lee Highway									
(F30) Empire Dr	1.00	80	R				From: Dead End					NA		NA		07/31/2008
							To: US 11 Ramp to I-81									
(F31) Ingleside Dr	0.78	20	R				From: Dead End					NA		NA		06/30/2008
							To: 95-737 College Dr									
(F32) Redbud Lane	0.08	70	R				From: 95-767 Deerfield Lane					NA		NA		05/29/2008
							To: Dead End									
(F33) Glove Dr	1.98	880	R				From: US 11; 95-751 Ramp to I-81 N					NA		NA		05/29/2008
							To: 95-1312 Stage Coach Rd									
(F34) Faris Dr	1.57	110	R				From: Dead End					NA		NA		04/29/2008
							To: US 11 Lee Highway; 95-751									
<b>City of Bristol</b>																
(F35)	0.60	190	R				From: Dead End					NA		NA		09/03/2008
							To: Dead End									
<b>Washington County</b>																
(F274) Harrison Rd	0.87	150	R				From: Dead End					NA		NA		07/31/2008
							To: 95-879 Old Trail Rd									
(F310) Exit 10 Rd	0.18	1900	R				From: FR-21 Majestic Dr					NA		NA		09/23/2008
							To: US 11 Lee Highway									
(F346)	0.17	100	R				From: Dead End					NA		NA		07/31/2008
							To: 95-704 Enterprise Rd									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(F958) Freemont Lane	0.12	20	R											NA		09/03/2008
(600) Green Cove Rd	0.45	220	R											NA		04/22/2004
(600) Green Cove Rd	1.00	290	R											NA		04/22/2004
(601) Beech Mountain Rd	0.15	30	R											NA		04/15/2008
(601) Beech Mountain Rd	2.30	30	R											NA		04/15/2008
(602) Azen Rd	1.20	80	R											NA		04/15/2008
(602) Azen Rd	0.70	50	R											NA		04/15/2008
(602) Azen Rd	0.30	310	R											NA		04/22/2004
(602) Silver Mountain Rd	0.26	20	R											NA		04/15/2008
(603) Kannarock Rd	0.56	550	G	97%	1%	2%	0%	0%	0%	C	0.100	F	0.521	580	G	2009
(603) Kannarock Rd	0.35	700	G	97%	1%	2%	0%	0%	0%	F	0.096	F	0.586	730	G	2009
(603) Kannarock Rd	0.25	690	G	97%	1%	2%	0%	0%	0%	F	0.09	F	0.521	720	G	2009
(604) Mill Creek Rd	1.00	100	R											NA		04/28/2004
(604) Mill Creek Rd	1.20	250	R											NA		04/28/2004
(604) Mill Creek Rd	0.80	380	R											NA		04/28/2004
(604) Bishop Rd	1.30	230	G	98%	1%	0%	1%	0%	0%	C	0.124	F	0.625	240	G	2009
(605) Widener Valley Rd	1.37	870	R											NA		04/21/2008
(605) Widener Valley Rd	3.05	410	R											NA		04/21/2008
(605) Widener Valley Rd	3.75	220	R											NA		04/21/2008
(605) Widener Valley Rd	1.90	210	R											NA		04/21/2008
(606) Grosses Creek Rd	0.58	60	R											NA		04/21/2008
(607) Golden Glow Dr	0.17	180	R											NA		04/21/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(607) Flatwood Acres Rd	1.00	140	R								NA			NA		04/21/2008
(608) Friendship Rd	1.69	230	R								NA			NA		04/28/2004
(608) Friendship Rd	3.30	310	R								NA			NA		04/28/2004
(609) Hillman Hwy	1.18	1900	G	99%	0%	0%	0%	0%	F	0.095	F	0.521	2000	G		2009
(609) Hillman Hwy	0.61	2100	G	99%	0%	0%	0%	0%	F	0.093	F	0.512	2200	G		2009
(609) Hillman Hwy	1.02	1400	G	99%	0%	0%	0%	0%	F	0.103	F	0.714	1500	G		2009
(609) Hillman Hwy	0.11	1800	G	99%	0%	0%	0%	0%	F	0.105	F	0.745	1900	G		2009
(609) Hillman Hwy	1.10	1100	A	99%	0%	0%	0%	0%	C	0.132	A	0.623	1200	A		2009
(609) Hillman Hwy	0.36	1200	G	99%	0%	0%	0%	0%	F	0.097	F	0.551	1300	G		2009
(609) Hillman Hwy	1.48	850	G	99%	0%	0%	0%	0%	F	0.098	F	0.657	900	G		2009
(609) Hillman Hwy	0.07	2200	G	99%	0%	0%	0%	0%	F	0.106	F	0.556	2300	G		2009
(609) Hillman Hwy	0.55	2200	G	99%	0%	0%	0%	0%	F	0.106	F	0.59	2300	G		2009
(609) Hillman Hwy	2.53	1200	G							0.105	F	0.547	1300	G		2009
<b>Town of Glade Spring</b>																
(609)	0.42	1200	N							0.105	N	0.547	1300	N		2009
(609) Maple St	0.06	2500	G							0.093	F	0.537	2600	G		2009
(609) Blue Hill Rd	0.78	780	G							0.090	F	0.605	820	G		2009
<b>Washington County</b>																
(609) Blue Hill Rd	0.41	780	N							0.090	N	0.605	820	N		2009
(609) Blue Hill Rd	0.65	620	R								NA		NA			04/27/2004
(609) Plum Creek Rd	1.29	450	R								NA		NA			04/27/2004
(610) Cathedral Hill St	0.10	110	R								NA		NA			09/28/2008
(611) Waylon Dr	0.40	100	R								NA		NA			07/31/2008
(611) Spring Creek Rd	0.56	1600	R								NA		NA			07/31/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(611) Spring Creek Rd	0.06	5000	R				From: I-81				NA			NA		07/31/2008
(611) Providence Rd	1.70	860	R				From: US 11, US 19 Lee Highway				NA			NA		07/17/2008
(611) Providence Rd	0.90	320	R				From: 95-645 S, Wyndale Rd 95-645 N, Wyndale Rd				NA			NA		07/17/2008
(611) Providence Rd	1.70	200	R				From: 95-681 Woodland Hills Rd				NA			NA		07/17/2008
(611) Providence Rd	1.60	420	R				From: 95-633 Black Hollow Rd				NA			NA		06/03/2008
(611) Garrett Creek Rd	3.69	110	R				From: 95-700 Rich Valley Rd				NA			NA		06/03/2008
(611) Garrett Creek Rd	0.08	80	R				From: 3.69 MN 95-700				NA			NA		09/24/2008
(611) North Fork River Rd	5.51	530	R				From: US 19 S, Porterfield Hwy US 19 N, Porterfield Hwy				NA			NA		05/19/2004
(611) North Fork River Rd	4.74	130	R				From: 95-692 S, Toole Creek Rd 95-692 N, Toole Creek Rd				NA			NA		05/06/2008
(611) North Fork River Rd	6.30	220	R				From: SR 80 S, Hayters Gap Rd SR 80 N, Hayters Gap Rd				NA			NA		05/06/2008
(611) North Fork River Rd	3.40	100	R				From: 95-747 Tumbling Creek Rd				NA			NA		05/06/2008
(612) Pinnacle Rd	3.19	40	R				From: Smyth County Line 95-802 Mendota Rd				NA			NA		06/25/2008
(613) Poor Valley Rd	3.93	460	G	99%	0%	0%	0%	0%	0%	F	0.103	F	0.519	480	G	2009
(613) Poor Valley Rd	0.57	660	G	99%	0%	0%	0%	0%	0%	C	0.108	F	0.561	690	G	2009
(613) Poor Valley Rd	2.47	970	G	99%	0%	0%	0%	0%	0%	F	0.102	F	0.528	1000	G	2009
(614) AP Carter Hwy	1.37	260	G	95%	0%	1%	4%	0%	0%	F	0.121	F	0.578	270	G	2009
(614) Swinging Bridge Rd	0.20	310	R				From: 95-802 Mendota Rd				NA			NA		06/25/2008
(614) Swinging Bridge Rd	0.30	200	R				From: 95-615 Federal Rd				NA			NA		06/25/2008
(614) Swinging Bridge Rd	3.70	100	R				From: 95-873				NA			NA		06/25/2008
(614) Barnrock Rd	1.26	460	G	95%	0%	1%	4%	0%	0%	C	0.091	F	0.519	490	G	2009
(614) Barnrock Rd	0.84	210	R				From: 95-622 Nordyke Rd				NA			NA		06/25/2008
(614) Barnrock Rd	1.50	130	R				From: 95-856 Robinette Gap Rd				NA			NA		08/22/2008
(614) Barnrock Rd	0.50	20	R				From: 95-623 Wooten Gap				NA			NA		08/22/2008
							From: Dead End; Gap									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(614) Appaloosa Rd	1.00	47	R			From: 95-798; Gap					NA			NA		08/22/2008
						To: Dead End; Gap										
(614) Smith Creek Rd	1.60	80	R			From: 95-624; Gap					NA			NA		06/03/2008
						To: 95-625 Jasper Creek Rd										
(614) Smith Creek Rd	2.70	170	R			From: 95-626 Large Hollow Rd					NA			NA		06/03/2008
						To: 95-626 Large Hollow Rd										
(614) Smith Creek Rd	2.20	310	R			From: 95-700 W, Rich Valley Rd					NA			NA		06/03/2008
						To: 95-700 E, Rich Valley Rd										
(614) Mountain Spring Rd	2.00	270	R			From: 95-633 W, Black Hollow Rd					NA			NA		06/03/2008
						To: 95-633 E, Black Hollow Rd										
(614) Childress Hollow Rd	1.80	150	R			From: 95-662 Spring Valley Rd					NA			NA		09/28/2008
						To: Scott County Line										
(615) Federal Rd	1.69	160	R			From: 95-614 Swinging Bridge Rd					NA			NA		06/25/2008
						To: Scott County Line										
(616) Willow Branch Rd	2.80	90	R			From: 95-629 W, Phillips Rd					NA			NA		07/14/2008
						To: 95-629 EAST										
(616) Little Wolf Run Rd	0.10	90	R			From: 95-628 Lone Star Rd					NA			NA		07/14/2008
						To: 95-622 W, Nordyke Rd										
(616) Little Wolf Run Rd	2.50	50	R			From: 95-622 E, Nordyke Rd					NA			NA		07/14/2008
						To: 95-628 Lone Star Rd										
(616) Walnut Grove Rd	1.40	180	R			From: 95-622 W, Nordyke Rd					NA			NA		09/24/2008
						To: 95-622 E, Nordyke Rd										
(616) Caney Valley Rd	1.53	180	R			From: 95-798 Appaloosa Rd					NA			NA		06/25/2008
						To: 95-798 Appaloosa Rd										
(616) Caney Valley Rd	2.90	110	R			From: 95-625 W, Jasper Creek Rd					NA			NA		06/03/2008
						To: 95-625 E, Jasper Creek Rd										
(616) Caney Valley Rd	1.80	80	R			From: 95-614 N, Smith Creek Rd					NA			NA		07/14/2008
						To: 95-614 S, Smith Creek Rd										
(616) Little Creek Rd	1.40	40	R			From: 95-626 Large Hollow Rd					NA			NA		06/03/2008
						To: Scott County Line										
(617) Cove Creek Rd	0.60	20	R			From: 95-618 Grindstone Branch Rd					NA			NA		07/14/2008
						To: 95-630 SOUTH										
(617) Cove Creek Rd	1.10	150	R			From: 95-630 NORTH					NA			NA		07/14/2008
						To: 95-700 N, Rich Valley Rd										
(617) Livingston Creek Rd	3.50	290	R			From: 95-700 S, Rich Valley Rd					NA			NA		07/29/2008
						To: 95-633 Reedy Creek Rd										
(617) Lime Hill Rd	2.40	360	R			From: US 58 Gate City Hwy					NA			NA		07/29/2008
						To: 95-617 Cove Creek Rd										
(618) Grindstone Branch Rd	2.80	100	R			From: 95-613 Poor Valley Rd					NA			NA		07/14/2008
						To: Dead End										
(619) Roan Lane	0.80	60	R								NA			NA		05/06/2008



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(620) Anderson Dr	0.90	20	R								NA			NA		06/25/2008
(621) Barnrock Rd	0.30	360	G	99%	0%	0%	0%	0%	0%	C	0.097	F	0.5	380	G	2009
(622) Nordyke Rd	1.57	890	G	98%	0%	1%	0%	0%	0%	C	0.097	F	0.768	930	G	2009
(622) Nordyke Rd	2.57	700	G	98%	0%	1%	0%	0%	0%	F	0.109	F	0.75	740	G	2009
(622) Nordyke Rd	1.17	590	G	98%	0%	0%	0%	1%	0%	C	0.104	F	0.773	620	G	2009
(622) Nordyke Rd	1.07	560	G	98%	0%	1%	0%	0%	0%	F	0.102	F	0.68	590	G	2009
(623) Wooten Gap	0.50	50	R								NA			NA		06/25/2008
(624) Smith Creek Rd	0.70	40	R								NA			NA		06/03/2008
(625) Jasper Creek Rd	1.20	140	R								NA			NA		06/03/2008
(625) Jasper Creek Rd	2.00	190	R								NA			NA		06/03/2008
(625) Pine Hill Rd	2.37	320	R								NA			NA		07/17/2008
(625) Harleywood Rd	1.23	420	R								NA			NA		07/17/2008
(625) Harleywood Rd	1.45	1100	R								NA			NA		09/28/2008
(625) Bordwine Rd	2.06	1100	R								NA			NA		07/09/2008
(626) Large Hollow Rd	4.40	110	R								NA			NA		06/03/2008
(627) Wolf Run Rd	2.00	60	R								NA			NA		07/17/2008
(627) Wolf Run Rd	1.10	280	R								NA			NA		07/17/2008
(627) Haskell Station Rd	2.10	480	R								NA			NA		09/24/2008
(627) Haskell Station Rd	0.60	590	R								NA			NA		09/24/2008
(627) Cowan Dr	1.40	140	R								NA			NA		09/24/2008
(628) Lone Star Rd	4.00	20	R								NA			NA		07/14/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(629) Phillips Rd	4.10	180	R											NA		07/09/2008
(629)	0.05	5	R											NA		1998
(630) Johnson Chapel Rd	0.20	420	R											NA		07/14/2008
(630) Archery Range Rd	1.20	270	R											NA		07/14/2008
(630) Marys Chapel Rd	1.70	260	R											NA		07/14/2008
(630) Cove Creek Rd	2.30	210	R											NA		07/14/2008
(630) McCall Gap Rd	1.00	50	R											NA		07/14/2008
(630) McCall Gap Rd	0.61	110	R											NA		07/14/2008
(631) Potters Rd	1.20	230	R											NA		07/14/2008
(632) Walker Mountain Rd	2.30	150	R											NA		07/14/2008
(633) Reedy Creek Rd	1.50	480	G	96%	0%	2%	1%	0%	0%	C	0.114	F	0.547	510	G	2009
(633) Reedy Creek Rd	1.96	1200	G	96%	0%	2%	1%	0%	0%	F	0.121	F	0.561	1300	G	2009
(633) Reedy Creek Rd	2.56	870	G	97%	0%	1%	1%	1%	0%	C	0.111	F	0.759	910	G	2009
(633) Reedy Creek Rd	2.26	770	G	97%	0%	1%	1%	1%	0%	F	0.104	F	0.598	810	G	2009
(633) Reedy Creek Rd	1.73	1800	G	97%	0%	1%	1%	1%	0%	F	0.092	F	0.691	1900	G	2009
(633) Dettor Lane	1.05	240	R											NA		07/17/2008
(633) Countiss Rd	1.23	260	R											NA		07/17/2008
(633) Black Hollow Rd	0.78	680	G	97%	0%	1%	1%	1%	0%	F	0.140	F	0.81	720	G	2009
(633) Black Hollow Rd	2.23	630	G	97%	0%	1%	1%	1%	0%	F	0.124	F	0.674	660	G	2009
(633) Black Hollow Rd	1.95	920	G	97%	0%	1%	1%	1%	0%	F	0.102	F	0.673	960	G	2009
(633) Everett Hagy Rd	0.48	570	R											NA		09/24/2008
(634) Abrams Falls Rd	1.60	80	R											NA		07/29/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(635) Young Dr	0.60	150	R									NA		NA		07/14/2008
(636) Dishner Valley Rd	1.90	200	R									NA		NA		09/28/2008
(637) Miller Hill Rd	0.94	410	R									NA		NA		09/28/2008
(637) Miller Hill Rd	0.50	160	R									NA		NA		09/28/2008
(638) Lacy Dr	0.24	40	R									NA		NA		06/11/2004
(639) Clayman Valley Rd	0.99	340	R									NA		NA		07/29/2008
(640) Benhams Rd	0.60	1900	N	98%	0%	1%	0%	0%	0%	N	0.1	N	0.678	2000	N	2009
(640) Benhams Rd	0.52	1900	G	98%	0%	1%	0%	0%	0%	C	0.1	F	0.678	2000	G	2009
(640) Benhams Rd	1.19	1900	G	98%	0%	1%	0%	0%	0%	F	0.096	F	0.66	2000	G	2009
(640) Benhams Rd	1.33	2000	G	98%	0%	1%	0%	0%	0%	F	0.107	F	0.664	2100	G	2009
(640) Benhams Rd	1.25	1900	G	98%	0%	1%	0%	0%	0%	F	0.093	F	0.659	2000	G	2009
(640) Benhams Rd	0.78	810	G	98%	0%	1%	0%	0%	0%	F	0.116	F	0.612	850	G	2009
(641) Campground Rd	0.02	420	N	98%	1%	1%	0%	0%	0%	N	0.103	N	0.630	440	N	2009
(641) Campground Rd	2.59	420	G	98%	1%	1%	0%	0%	0%	C	0.103	F	0.630	440	G	2009
(641) Campground Rd	0.97	220	G	98%	1%	1%	0%	0%	0%	F	0.111	F	0.623	230	G	2009
(641) Campground Rd	0.92	180	G	98%	1%	1%	0%	0%	0%	F	0.121	F	0.674	190	G	2009
(642) Lincoln Circle	0.63	140	R									NA		NA		06/18/2008
(643) Hardy Dr	0.19	50	R									NA		NA		06/09/2004
(644) Redwood Circle	0.50	380	R									NA		NA		07/29/2008
(645) Wallace Pike	1.25	1500	G	97%	1%	1%	0%	0%	0%	F	0.098	F	0.621	1600	G	2009
(645) Wallace Pike	0.81	2000	G	97%	1%	1%	0%	0%	0%	F	0.112	F	0.598	2100	G	2009

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(645) Wallace Pike	0.31	4300	G	97%	1%	1%	0%	0%	0%	C	0.091	F	0.553	4700	G	2009
						From: 95-659 S, Clear Creek Rd										
(645) Wallace Pike	0.76	3400	G	97%	1%	1%	0%	0%	0%	F	0.085	F	0.502	3700	G	2009
						From: 95-659 N, Pairgin Rd										
(645) Wallace Pike	0.71	2600	G	97%	1%	1%	0%	0%	0%	F	0.105	F	0.541	2800	G	2009
						From: 95-625 Harleywood Rd										
(645) Wallace Pike	1.02	1800	G	97%	1%	1%	0%	0%	0%	F	0.116	F	0.666	1900	G	2009
						From: 95-1717 Industrial Park Rd										
(645) Wyndale Rd	2.54	1600	R								NA		NA			09/28/2008
						From: 95-661 Black Hollow Rd										
(645) Wyndale Rd	1.65	1600	R								NA		NA			09/30/2008
						From: 95-662 E, Spring Valley Rd										
(645) Wyndale Rd	1.67	1700	R								NA		NA			09/30/2008
						From: 95-611 E, Providence Rd										
						To: WCL Abingdon										
(646) Wheatland Dr	0.36	40	R								NA		NA			06/09/2004
						From: SR 91										
						To: SR 91										
(647) King Mill Pike	1.77	4300	G	99%	0%	1%	0%	0%	0%	F	0.097	F	0.613	4700	G	2009
						From: ECL Bristol										
(647) Old Jonesboro Rd	1.91	3200	G	99%	0%	1%	0%	0%	0%	C	0.105	F	0.592	3400	G	2009
						From: 95-649 W, Highpoint Rd										
(647) Old Jonesboro Rd	2.94	2800	G	99%	0%	1%	0%	0%	0%	F	0.104	F	0.717	3000	G	2009
						From: 95-666 Mock Knob Rd										
(647) Old Jonesboro Rd	2.21	2600	G	99%	0%	1%	0%	0%	0%	F	0.105	F	0.7	2700	G	2009
						From: 95-663 Golden View Dr										
(647) Old Jonesboro Rd	0.87	2500	G	99%	0%	0%	0%	0%	0%	F	0.105	F	0.553	2600	G	2009
						From: 95-1535 Steeple Chase Rd										
(647) Old Jonesboro Rd	0.24	3400	G	99%	0%	0%	0%	0%	0%	F	0.093	F	0.592	3500	G	2009
						From: 95-1521 Essex Dr										
(647) Old Jonesboro Rd	0.28	5000	G	99%	0%	0%	0%	0%	0%	C	0.092	F	0.604	5300	G	2009
						From: 95-1520 Westwood Dr										
(647) Old Jonesboro Rd	0.03	5900	G	99%	0%	0%	0%	0%	0%	F	0.088	F	0.798	6200	G	2009
						From: FR-24 Dennison Dr										
						To: I-81 NB Ramp Exit 14										
(648) Sinking Creek Rd	0.80	1700	R								NA		NA			07/09/2008
						From: 95-647 Kings Mill Pike										
(648) Sinking Creek Rd	0.70	1200	R								NA		NA			06/09/2008
						From: 95-649 Highpoint Rd										
						To: Dead End										
(649) Junction Dr	0.40	3300	G	99%	0%	0%	0%	0%	0%	C	0.108	F	0.635	3600	G	2009
						From: 95-650 Old Jonesboro Rd										
(649) Highpoint Rd	0.70	670	R								NA		NA			07/02/2008
						From: 95-647 W, Old Jonesboro Rd; Kings Mill Pike										
(649) Highpoint Rd	0.10	680	R								NA		NA			07/02/2008
						From: 95-647 E, Old Jonesboro Rd										
						To: 95-1450 Brynwood Dr										
(650) Old Jonesboro Rd	0.30	3500	G	99%	0%	0%	0%	0%	0%	C	0.107	F	0.601	3800	G	2009
						From: 95-648 Sinking Creek Rd										
(650) Old Jonesboro Rd	0.70	530	R								NA		NA			07/24/2008
						From: Tennessee State Line										
						To: 95-649 Junction Dr										
						To: 95-654 Hearst Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(651) Aspen St	0.20	46	R								NA			NA		05/05/2004
From: 95-609 Hillman Hwy																
To: 95-737 College Dr																
(652) Sharon Lane	0.20	49	R								NA			NA		04/29/2008
From: 95-609 Plum Creek Rd																
To: 95-753 Washington Spring Rd																
(653) Cleveland Church Rd	0.20	50	R								NA			NA		06/18/2004
From: 95-663 Golden View Dr																
To: Dead End																
(654) Hearst Rd	1.70	480	R								NA			NA		07/24/2008
From: 95-647 Old Jonesboro Rd																
To: 95-666 Mock Knob Rd																
(655) Oak Grove Rd	2.10	540	R								NA			NA		09/28/2008
From: 95-640 Benhams Rd																
To: 95-645 Wallace Pike																
(656) Goose Creek Rd	0.43	730	R								NA			NA		09/24/2008
From: 95-627 Cowan Dr; Haskell Station Rd																
To: Urban Boundary																
(656) Goose Creek Rd	0.07	730	R								NA			NA		09/24/2008
From: 95-640 N, Benhams Rd																
To: 95-640 S, Benhams Rd																
(656) Goose Creek Rd	2.10	620	R								NA			NA		09/28/2008
From: 95-657 Rocky Hill Rd																
To: 95-645 Wallace Pike																
(657) Rocky Hill Rd	0.45	1500	R								NA			NA		09/28/2008
From: 95-1021 Merrimac Dr																
To: 95-659 S, Parigin Rd																
(657) Rocky Hill Rd	1.80	1400	R								NA			NA		09/28/2008
From: 95-659 N, Parigin Rd																
To: 95-625 N, Harleywood Rd																
(657) Reedy Creek Rd	0.80	920	R								NA			NA		09/28/2008
From: 95-625 S, Harleywood Rd																
To: 95-661 Black Hollow Rd																
(657) Reedy Creek Rd	1.40	420	R								NA			NA		09/28/2008
From: SR 75 Green Spring Rd																
To: 95-670																
(658) Lombardy Lane	0.41	440	R								NA			NA		06/18/2004
From: NCL Bristol																
To: 95-645 S, Wallace Pike																
(659) Clear Creek Rd	1.07	4500	G	98%	0%	1%	0%	0%	0%	C	0.092	F	0.554	4800	G	2009
From: 95-645 N, Wallace Pike Rd																
To: 95-633 E, Reedy Creek Rd																
(659) Parigin Rd	2.19	1100	G	98%	0%	1%	0%	0%	0%	F	0.101	F	0.665	1200	G	2009
From: 95-633 East Reedy Creek Rd																
To: 95-660 Canter Lane																
(659) Buffalo Pond Rd	2.06	110	G	98%	0%	1%	0%	0%	0%	F	0.147	F	0.579	120	G	2009
From: 95-660 Canter Lane																
To: 95-700 Rich Valley Rd																
(659) Buffalo Pond Rd	0.70	90	R								NA			NA		07/17/2008
From: Dead End																
To: 95-659 Buffalo Pond Rd																
(660) Canter Lane	0.40	30	R								NA			NA		07/17/2008
From: 95-645 Wallace Pike																
To: 95-657 Reedy Creek Rd																
(661) Black Hollow Rd	0.40	1000	G	98%	1%	1%	0%	1%	0%	C	0.111	F	0.767	1100	G	2009
From: 95-633 Countiss Rd																
To: 95-657 Reedy Creek Rd																
(661) Black Hollow Rd	0.80	710	G	98%	1%	1%	0%	1%	0%	F	0.116	F	0.754	740	G	2009
From: 95-633 Countiss Rd																
To: 95-633 Countiss Rd																

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(662) Spring Valley Rd	0.77	320	R			From: 95-645 W, Wyndale Rd					NA			NA		09/28/2008
(662) Spring Valley Rd	0.55	310	R			To: 95-804 Rust Hollow Rd					NA			NA		09/28/2008
(663) Golden View Dr	4.42	530	R			From: 95-645 E, Wyndale Rd					NA			NA		06/18/2004
(663) Golden View Dr						To: 95-647 Old Jonesboro Rd					NA			NA		06/18/2004
(663) Shell Rd	0.48	410	R			From: 95-665 W, Cleveland Rd					NA			NA		06/18/2004
(663) Shell Rd						To: 95-665 E, Cleveland Rd					NA			NA		06/18/2004
(663) Country Park Rd	0.78	350	R			From: SR 75 W, Green Spring Rd					NA			NA		06/18/2004
(663) Country Park Rd						To: SR 75 E, Green Spring Rd					NA			NA		06/18/2004
(663) Country Park Rd	0.29	280	R			From: 95-664 W, Lake Rd					NA			NA		06/18/2004
(663) Country Park Rd						To: 95-664 E, Lake Rd					NA			NA		06/18/2004
(664) Lake Rd	0.92	60	R			From: Dead End					NA			NA		06/18/2004
(664) Lake Rd	1.46	660	R			To: 95-663 WEST					NA			NA		06/18/2004
(664) Lake Rd	1.57	510	R			From: 95-669					NA			NA		06/18/2004
(664) Lake Rd						To: 95-670 WEST					NA			NA		06/18/2004
(664) Aven Lane	1.07	420	R			From: 95-670 EAST					NA			NA		06/18/2004
(664) Aven Lane						To: 95-672; Gap					NA			NA		06/18/2004
(664) Whitaker Hollow Rd	4.63	80	R			From: Dead End; Gap					NA			NA		09/03/2008
(664) Whitaker Hollow Rd						To: 95-674					NA			NA		09/03/2008
(665) Cleveland Rd	0.30	540	R			From: 95-666 W, Cleveland Rd					NA			NA		06/18/2004
(665) Cleveland Rd	3.12	770	R			To: 95-666 E, Mock Knob Rd					NA			NA		06/18/2004
(665) Cleveland Rd	0.90	810	R			From: 95-671 Neal Rd					NA			NA		06/18/2004
(665) Cleveland Rd						To: 95-670 Green Springs Church Rd					NA			NA		06/18/2004
(666) Mock Knob Rd	0.75	1500	R			From: 95-647 Old Jonesboro Rd					NA			NA		05/27/2008
(666) Mock Knob Rd	1.17	780	R			To: 95-654 Hearst Rd					NA			NA		05/27/2008
(666) Mock Knob Rd	0.90	1500	R			From: 95-791 Ketrion Lane					NA			NA		05/06/2008
(666) Mock Knob Rd						To: 95-665 E, Cleveland Rd					NA			NA		05/06/2008
(666) Cleveland Rd	0.02	740	R			From: 95-665 W, Cleveland Rd					NA			NA		06/18/2004
(666) Cleveland Rd						To: Tennessee State Line					NA			NA		06/18/2004
(667) Mast Rd	0.30	20	R			From: Dead End					NA			NA		04/21/2008
(667) Mast Rd						To: 95-724 Beech Grove Rd					NA			NA		04/21/2008
(668) White Oak Rd	0.19	150	R			From: 95-647 Kings Mill Pike					NA			NA		07/24/2008
(668) White Oak Rd						To: Dead End					NA			NA		07/24/2008
(669) Bowman Rd	0.52	720	R			From: 95-664 Lake Rd					NA			NA		05/27/2008
(669) Bowman Rd						To: SR 75 Green Spring Rd					NA			NA		05/27/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(670) Vances Mill Rd	0.72	2800	R								NA			NA		06/18/2004
(670) Spoon Gap Rd	4.56	1600	R								NA			NA		06/18/2004
(670) Spoon Gap Rd	0.39	710	R								NA			NA		06/18/2004
(670) Green Springs Church	0.03	1600	R								NA			NA		06/18/2004
(670) Green Springs Church	0.43	2100	R								NA			NA		06/18/2004
(670) Denton Valley Rd	2.88	2000	R								NA			NA		06/18/2004
(670) Denton Valley Rd	0.60	530	R								NA			NA		07/02/2008
(671) Neal Rd	1.40	200	R								NA			NA		05/27/2008
(672) Parks Mill Rd	2.51	1300	R								NA			NA		06/18/2004
(673) Twin Oaks Rd	1.10	430	R								NA			NA		06/16/2004
(673) Drake Rd	1.70	210	R								NA			NA		06/16/2004
(674) Denton Valley Rd	1.20	720	R								NA			NA		06/16/2004
(674) Denton Valley Rd	0.50	570	R								NA			NA		06/16/2004
(674) Denton Valley Rd	3.00	620	R								NA			NA		06/16/2004
(675) Good Hope Rd	0.70	880	R								NA			NA		09/03/2008
(675) Good Hope Rd	1.79	970	R								NA			NA		06/18/2004
(675) Cornelius Dr	1.10	680	R								NA			NA		06/18/2004
(676) Azure Lane	1.91	80	R								NA			NA		06/11/2008
(676) Azure Lane	0.09	150	R								NA			NA		06/11/2008
(676) Browning Rd	0.48	340	R								NA			NA		06/18/2004
(676) Browning Rd	0.70	250	R								NA			NA		06/18/2004
(677) Watauga Rd	0.21	1200	G	98%	0%	0%	0%	1%	0%	F	0.130	F	0.525	1300	G	2009

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(677) Watauga Rd	2.80	1700	G	98%	0%	From: 95-902 Farnsworth Rd				F	0.12	F	0.588	1700	G	2009
(677) Watauga Rd	1.20	2300	G	98%	0%	To: 95-1810 Eden Lane				C	0.110	F	0.583	2400	G	2009
(677) Watauga Rd	2.10	1700	R			From: US 58 Jeb Stuart Hwy				NA			NA			06/11/2004
						To: US 11 Lee Highway										
(678) Vances Mill Rd	0.80	1200	R			From: Dead End				NA			NA			05/27/2008
						To: 95-670 Spoon Gap Rd										
(679) Gunsmith Lane	0.16	40	R			From: 95-663 Country Park Rd				NA			NA			05/27/2008
						To: Dead End										
(680) Wagner Rd	2.07	240	R			From: NCL Bristol				NA			NA			07/29/2008
						To: 95-641 Camp Ground Rd										
(681) Woodland Hills Rd	0.60	420	R			From: 95-611 Providence Rd				NA			NA			09/30/2008
(681) Woodland Hills Rd	1.58	1600	R			From: 95-683 Adare Lane				NA			NA			09/30/2008
						To: WCL Abingdon										
(683) Adare Lane	0.55	200	R			From: Dead End				NA			NA			09/30/2008
						To: 95-681 Woodland Hills Rd										
(684) Rattle Creek Rd	1.80	160	R			From: 95-766 Rustic Lane				NA			NA			09/24/2008
(684) Rattle Creek Rd	1.12	280	R			From: 95-891 Kimberlin Rd				NA			NA			05/19/2004
						To: 95-700 MID										
(684) Fall Hill Rd	3.80	170	R			From: 95-700 E, Rich Valley Rd				NA			NA			06/03/2008
(684) Fall Hill Rd	1.00	130	R			From: 95-898 Cabin Creek Rd				NA			NA			05/19/2004
						To: 95-700 W, Rich Valley Rd										
(685) Terrace Dr	0.06	50	R			From: NCL Bristol				NA			NA			07/09/2008
						To: Dead End										
(686) Moore Creek Rd	0.43	5	R			From: Dead End				NA			NA			10/22/2001
						To: 95-745 S, Old Saltworks Rd										
(686) Moore Creek Rd	1.50	47	R			From: 95-745 N, Old Saltworks Rd				NA			NA			04/29/2008
						To: 95-746 Blackwell Chapel Rd										
(687) Trout Rd	0.51	380	R			From: 95-611 North Fork River Rd				NA			NA			05/06/2008
(687) Trout Rd	0.11	300	R			From: 0.51 MN 95-611				NA			NA			05/06/2008
(687) Trout Rd	0.30	360	R			From: 0.62 MN 95-611				NA			NA			05/06/2008
						To: 95-689 Brumbley Gap Rd										
(688) Scott Ridge Rd	0.45	130	R			From: 95-689 Brumbley Gap Rd				NA			NA			05/06/2008
						To: Dead End										
(689) Brumbley Gap Rd	3.10	750	G	98%	0%	From: US 19 Porterfield Hwy				C	0.112	F	0.646	790	G	2009
						To: 95-688 Scott Ridge Rd										



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(689) Brumbley Gap Rd	0.50	520	G	96%	1%	1%	1%	1%	0%	C	0.090	F	0.528	550	G	2009
						From: 95-688 Scott Ridge Rd										
						To: 95-687 Trout Rd										
(689) Brumbley Gap Rd	6.90	180	G	96%	0%	1%	2%	1%	0%	C	0.142	F	0.733	190	G	2009
						From: SR 80 Hayters Gap Rd										
						To: US 19 Porterfield Hwy										
(690) Hidden Valley Rd	2.00	410	R								NA		NA			05/06/2008
						From: Dead End										
						To: SR 80 Hayters Gap Rd										
(691) Clinch Mountain Rd	1.00	60	R								NA		NA			05/06/2008
						From: Dead End										
						To: NCL Abingdon										
(692) Whites Mill Rd	0.46	1400	G	98%	1%	1%	0%	0%	0%	C	0.099	F	0.663	1500	G	2009
						From: 95-1510 Green Village Rd										
(692) Whites Mill Rd	0.41	970	G	98%	1%	1%	0%	0%	0%	F	0.104	F	0.674	1000	G	2009
						From: 95-695 Chip Ridge Rd										
(692) Whites Mill Rd	2.56	790	G	98%	1%	1%	0%	0%	0%	F	0.111	F	0.556	830	G	2009
						From: 95-930										
(692)	0.11	NA									NA		NA			
						From: 95-700 E, Rich Valley Rd										
(692) Toole Creek Rd	1.28	450	R								NA		NA			05/06/2008
						From: 1.28 MN 95-700										
(692) Toole Creek Rd	0.73	370	R								NA		NA			05/06/2008
						From: 95-765 Canebrake Rd										
(692) Toole Creek Rd	0.34	220	R								NA		NA			05/19/2004
						From: 95-611 North Fork River Rd										
						To: 95-699 Walden Rd										
(693) Litchfield Rd	2.42	240	R								NA		NA			05/25/2004
						From: 95-700 Rich Valley Rd										
						To: 95-706 Rivermont Rd										
(694) Greenway Rd	2.10	460	R								NA		NA			06/11/2004
						From: US 11 Lee Highway										
(694) Stonybrook Rd	1.20	560	R								NA		NA			06/11/2004
						From: 95-609 W, Hillman Hwy										
						To: 95-609 E, Hillman Hwy										
(694) Northridge Rd	0.18	820	R								NA		NA			05/25/2004
						From: 95-811 Farmington Rd										
(694) Northridge Rd	1.62	770	R								NA		NA			05/25/2004
						From: 95-740 S, Old Saltworks Rd										
(694) Northridge Rd	1.00	240	R								NA		NA			05/25/2004
						From: 95-779 Hillandale Rd										
						To: 95-692 Whites Mill Rd										
(695) Chip Ridge Rd	0.60	240	R								NA		NA			06/03/2008
						From: 95-697 Branch St										
(695) Chip Ridge Rd	1.70	70	R								NA		NA			06/03/2008
						From: 95-696 Hillandale Rd										
(695) Chip Ridge Rd	1.30	60	R								NA		NA			06/03/2008
						From: 95-700 E, Rich Valley Rd										
						To: 95-700 W, Rich Valley Rd										
(695) Grandview Rd	0.70	10	R								NA		NA			06/03/2008
						From: Dead End										
						To: 95-695 Chip Ridge Rd										
(696) Hillandale Rd	1.55	130	R								NA		NA			06/03/2008
						From: 95-693 Litchfield Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(697) Branch St	1.84	420	R								NA		NA			05/19/2004
(698)	0.12	60	R								NA		NA			06/18/2004
(699) Walden Rd	2.94	2400	R								NA		NA			05/25/2004
(699) Walden Rd	0.90	570	R								NA		NA			05/25/2004
(700) Rich Valley Rd	0.04	1000	G	97%	0%	1%	1%	1%	0%	F	0.102	F	0.691	1100	G	2009
(700) Rich Valley Rd	1.36	580	G	97%	0%	1%	1%	1%	0%	C	0.1	F	0.603	610	G	2009
(700) Rich Valley Rd	1.50	430	G	97%	0%	1%	1%	1%	0%	F	0.104	F	0.521	460	G	2009
(700) Rich Valley Rd	1.29	400	G	97%	0%	1%	1%	1%	0%	F	0.102	F	0.602	420	G	2009
(700) Benhams Rd	0.95	670	G	97%	0%	1%	1%	1%	0%	F	0.114	F	0.528	700	G	2009
(700) Rich Valley Rd	1.70	370	R								NA		NA			07/17/2008
(700) Rich Valley Rd	1.75	500	R								NA		NA			07/17/2008
(700) Rich Valley Rd	3.75	470	R								NA		NA			06/03/2008
(700) Rich Valley Rd	3.40	1500	R								NA		NA			06/03/2008
(700) Rich Valley Rd	0.07	770	R								NA		NA			05/19/2004
(700) Rich Valley Rd	1.00	700	R								NA		NA			05/19/2004
(700) Rich Valley Rd	3.28	570	R								NA		NA			05/19/2004
(700) Rich Valley Rd	3.10	440	R								NA		NA			05/19/2004
(700) Rich Valley Rd	1.80	340	R								NA		NA			05/19/2004
(700) Rich Valley Rd	6.41	350	R								NA		NA			05/19/2004
(701) Painter Creek Rd	0.23	1300	R								NA		NA			06/18/2004
(702) Baugh Lane	0.15	840	R								NA		NA			05/25/2004
(703) Shortsville Rd	1.40	780	R								NA		NA			05/25/2004
(703) Shortsville Rd	1.30	360	R								NA		NA			05/25/2004

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Washington County</b>																	
703	Chestnut Ridge Rd	2.74	230	R							NA			NA		05/25/2004	
704	Enterprise Rd	0.57	2100	G	86%	0%	1%	1%	11%	0%	F	0.103	F	0.551	2200	G	2009
704	Enterprise Rd	0.53	4400	G	86%	0%	1%	1%	11%	0%	C	0.102	F	0.645	4600	G	2009
705	Honey Locust Rd	1.23	260	R							NA			NA		06/11/2004	
705	Honey Locust Rd	0.70	580	R							NA			NA		06/11/2004	
706	Rivermont Rd	0.30	830	R							NA			NA		06/11/2004	
706	Rivermont Rd	2.18	490	R							NA			NA		06/11/2004	
706	Rivermont Rd	1.90	220	R							NA			NA		06/11/2004	
707	Remine Rd	1.30	40	R							NA			NA		07/02/2008	
708	Rhea Valley Rd	2.80	1900	R							NA			NA		06/09/2004	
708	Bethel Rd	1.37	240	R							NA			NA		07/02/2008	
708	Bethel Rd	1.05	760	R							NA			NA		06/16/2004	
709	Rivermont Rd	0.90	340	R							NA			NA		06/09/2004	
710	Sweet Hollow Rd	2.70	140	R							NA			NA		07/22/2008	
710	Alvarado Rd	1.52	750	R							NA			NA		06/16/2004	
710	Saturn Dr	1.40	380	R							NA			NA		07/02/2008	
711	Alvarado Rd	1.50	260	G	98%	0%	1%	0%	0%	0%	F	0.11	F	0.559	270	G	2009
711	Alvarado Rd	1.31	300	G	98%	0%	1%	0%	0%	0%	C	0.114	F	0.622	310	G	2009
711	Alvarado Rd	0.03	40	R							NA			NA		06/16/2004	
711	Alvarado Rd	0.46	240	R							NA			NA		06/16/2004	
712	Bluff Hollow Rd	1.20	100	R							NA			NA		07/22/2008	

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(712) Bluff Hollow Rd	0.50	140	R									NA		NA		06/09/2004
(712) Delmar Rd	1.43	390	R									NA		NA		07/22/2008
(712) Zion Church Rd	1.10	240	R									NA		NA		06/09/2004
(713) Alex Rd	0.70	30	R									NA		NA		07/22/2008
(714) South Fork River Rd	1.50	140	R									NA		NA		05/29/2008
(714) South Fork River Rd	1.15	90	R									NA		NA		05/29/2008
(714) Prices Bridge Rd	1.60	240	R									NA		NA		05/29/2008
(714) Prices Bridge Rd	0.40	570	R									NA		NA		04/28/2004
(714) Prices Bridge Rd	1.80	1200	R									NA		NA		04/28/2004
(714) Prices Bridge Rd	0.08	30	R									NA		NA		04/28/2004
(715) Fisher Hollow Rd	1.49	260	R									NA		NA		06/16/2004
(715) Blossom Rd	0.43	80	R									NA		NA		08/12/2008
(716) South Shady Ave	0.79	620	G	98%	1%	1%	0%	0%	0%	F	0.108	F	0.641	650	G	2009
<b>Town of Damascus</b>																
(716) South Shady Ave	0.26	620	N	98%	1%	1%	0%	0%	0%	N	0.108	N	0.641	650	N	2009
(716) South Shady Ave	0.48	910	G	98%	1%	1%	0%	0%	0%	C	0.099	F	0.612	950	G	2009
(716) South Shady Ave	0.14	990	G	98%	1%	1%	0%	0%	0%	F	0.112	F	0.591	1000	G	2009
(716) South Shady Ave	0.09	1500	G	98%	1%	1%	0%	0%	0%	F	0.106	F	0.544	1500	G	2009
(716) South Shady Ave	0.07	510	R									NA		NA		08/12/2008
<b>Washington County</b>																
(717) Robinson Rd	0.80	20	R									NA		NA		05/27/2008
(718) Vails Mill Rd	0.12	90	R									NA		NA		06/18/2008
(718) Vails Mill Rd	0.97	900	R									NA		NA		06/18/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(719) McCann Rd	2.11	250	R			From: 95-708 Rhea Valley Rd					NA			NA		06/09/2004
						To: 95-788 Cornett Rd										
(720) Morrison Rd	2.40	370	R			From: 95-722 Blue Springs Rd					NA			NA		06/09/2004
						To: 95-721 Limestone Rd										
(721) Limestone Rd	0.70	400	R			From: SR 91					NA			NA		06/09/2004
						To: 95-722 E, Blue Springs Rd										
(721) Limestone Rd	1.30	300	R			From: 95-722 W, Blue Springs Rd					NA			NA		06/09/2004
						To: 95-720 Morrison Rd										
(721) Limestone Rd	0.72	30	R			From: Dead End					NA			NA		07/22/2008
						To: Dead End										
(722) Osceola Rd	1.80	820	R			From: 95-710 Saturn Dr; Alvarado Rd					NA			NA		06/16/2004
						To: US 58 N, Jeb Stuart Hwy										
(722) Blue Springs Rd	0.90	890	R			From: US 58 S, Jeb Stuart Hwy					NA			NA		06/09/2004
						To: 95-720 Morrison Rd										
(722) Blue Springs Rd	2.50	520	R			From: 95-720 Morrison Rd					NA			NA		06/09/2004
						To: 95-709 Rivermont Rd										
(722) Blue Springs Rd	0.79	160	R			From: SR 91 WEST					NA			NA		06/09/2004
						To: SR 91 E; 95-736										
(722) McGinnis Lane	0.05	100	R			From: 0.05 MW SR 91 EAST					NA			NA		06/09/2004
						To: 95-774 Wright Rd										
(722) McGinnis Lane	0.36	90	R			From: 95-774 Wright Rd					NA			NA		06/09/2004
						To: Dead End										
(723) McCready Rd	0.81	30	R			From: SR 91					NA			NA		07/22/2008
						To: Dead End										
(724) Beech Grove Rd	1.70	130	R			From: 95-605 Widener Valley Rd					NA			NA		04/21/2008
						To: 95-789 Crofton Lane										
(724) Beech Grove Rd	1.75	210	R			From: SR 91					NA			NA		06/09/2004
						To: Tennessee State Line										
(725) Taylors Valley Rd	1.60	410	R			From: Tennessee State Line					NA			NA		04/22/2004
						To: 95-726 Chestnut Mountain Rd										
(725) Taylors Valley Rd	0.60	440	R			From: 95-726 Chestnut Mountain Rd					NA			NA		04/15/2008
						To: Dead End										
(726) Chestnut Mountain Rd	0.50	250	R			From: 95-725 Taylors Valley Rd					NA			NA		04/22/2004
						To: 95-727 Dry Branch Rd										
(726) Chestnut Mountain Rd	0.40	310	R			From: 95-727 Dry Branch Rd					NA			NA		04/22/2004
						To: 0.40 ME 95-727										
(726) Chestnut Mountain Rd	1.62	170	R			From: 0.40 ME 95-727					NA			NA		04/22/2004
						To: 2.02 ME 95-727										
(726) Chestnut Mountain Rd	1.48	230	R			From: 2.02 ME 95-727					NA			NA		06/18/2008
						To: 95-859 W, Grassy Ridge Rd										
(726) Chesnut Mountain Rd	0.35	260	R			From: 95-859 E, Grassy Ridge Rd					NA			NA		04/22/2004
						To: 95-600 Green Cove Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(726) Chestnut Mountain Rd	0.90	40	R				From: 95-600 Green Cove Rd					NA		NA		04/15/2008
							To: US 58 Jeb Stuart Hwy									
(727) Dry Branch Rd	0.60	120	R				From: Tennessee State Line					NA		NA		04/22/2004
							To: 95-726 Chestnut Mountain Rd									
(728) Creek Junction Rd	0.95	30	R				From: Dead End					NA		NA		04/15/2008
							To: US 58 Jeb Stuart Hwy									
(729) Azen Rd	0.67	140	R				From: US 58 Jeb Stuart Hwy					NA		NA		04/15/2008
							To: 95-602 Azen Rd									
(730) Blevins Rd	0.90	80	R				From: Dead End					NA		NA		04/21/2008
							To: 95-604 Mill Creek Rd									
(731) Bucks Bridge Rd	2.80	760	R				From: SR 91 Monroe Rd					NA		NA		04/28/2004
							To: 95-605 W, Widener Valley Rd									
(731) Barrtown Rd	1.33	150	R				From: 95-605 W, Widener Valley Rd					NA		NA		04/28/2004
							To: 95-605 E, Widener Valley Rd									
(732) Confederate Rd	0.90	120	R				From: 95-733 Rush Creek Rd					NA		NA		04/21/2008
							To: 95-605 Widener Valley Rd									
(733) Rush Creek Rd	2.25	60	R				From: 95-714 South Fork River Rd					NA		NA		04/21/2008
							To: 95-605 Widener Valley Rd									
(734) McGee Lane	1.90	130	R				From: 95-803 Rebel Records Lane					NA		NA		06/09/2004
							To: SR 91 Monroe Rd									
(735) Hawthorne Dr	2.30	490	R				From: US 11 Lee Highway					NA		NA		06/11/2004
							To: 95-803 W, Cedar Creek Rd									
(735) Ramblewood Dr	2.70	360	R				From: 95-803 E, Cedar Creek Rd					NA		NA		06/09/2004
							To: 95-736 Indian Run Rd; Ramblwood Dr									
(736) Golden Glow Dr	0.20	120	R				From: 95-762 Loves Mill					NA		NA		04/28/2004
							To: 95-607 E, Flatwood Acres Rd; Golden Glow Dr									
(736) Kelly Chapel Rd	2.30	80	R				From: 95-607 W, Golden Glow Dr					NA		NA		04/21/2008
							To: 95-608 E, Friendship Rd									
(736) Kelly Chapel Rd	1.80	270	R				From: 95-608 WEST					NA		NA		04/28/2004
							To: 95-714 S, Prices Bridge Rd									
(736) Debusk Mill Rd	2.30	120	R				From: 95-714 N, Prices Bridge Rd					NA		NA		04/28/2004
							To: SR 91 S, Monroe Rd									
(736) Ramblwood Dr	1.20	580	R				From: SR 91 N, Monroe Rd					NA		NA		06/09/2004
							To: 95-735 Ramblewood Dr									
(736) Indian Run Rd	2.30	320	R				From: 95-735 Ramblewood Dr					NA		NA		06/09/2004
							To: US 11 Lee Highway									
(736) Gladys Lane	0.10	110	R				From: US 11 Lee Highway					NA		NA		06/30/2008
							To: 95-754 W, Old Stage Rd									
(736) Kincannon Rd	0.38	120	R				From: 95-754 E, Old Stage Rd					NA		NA		06/30/2008
							To: Dead End									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(737) College Dr	0.58	1300	G	97%	1%	1%	0%	1%	0%	C	0.108	F	0.677	1400	G	2009
						From: US 11 Lee Hwy										
						To: I-81 Exit 26										
(737) College Dr	0.57	2500	G	97%	1%	1%	0%	1%	0%	F	0.100	F	0.548	2600	G	2009
						From: 95-609 West Hillman Hwy										
						To: 95-609 E. Hillman Hwy										
(737) College Dr	0.67	1100	R								NA		NA			05/05/2004
						From: 95-744 Smith Chapel Rd										
(737) College Dr	0.48	360	R								NA		NA			05/05/2004
						From: 95-870 Tree Top Dr										
(737) College Dr	0.25	40	R								NA		NA			07/31/2008
						To: Dead End										
(738) Ryan Rd	0.10	160	R								NA		NA			06/30/2008
						From: SR 80 Lindell Rd										
(738) Walker Lane	0.20	130	R								NA		NA			06/30/2008
						From: 95-806 W. Ryan Rd										
(738) Walker Lane	0.56	100	R								NA		NA			06/30/2008
						From: 95-806 E. Ryan Rd										
						To: 95-609 Hillman Hwy										
(739) Ritchie Rd	0.90	60	R								NA		NA			07/31/2008
						From: 95-609 Hillman Hwy										
						To: Dead End										
(740) Old Saltworks Rd	1.24	1700	G	98%	0%	1%	1%	0%	0%	F	0.106	F	0.727	1700	G	2009
						From: NCL Abingdon										
						To: 95-699 Walden Rd										
(740) Old Saltworks Rd	1.64	1200	G	98%	0%	1%	1%	0%	0%	C	0.112	F	0.72	1300	G	2009
						From: 95-694 E. North Ridge Rd										
(740) Old Saltworks Rd	0.43	1300	G	98%	0%	1%	1%	0%	0%	C	0.109	F	0.737	1400	G	2009
						From: 95-703 Maiden Creek Rd										
(740) Old Saltworks Rd	1.60	860	G	98%	0%	1%	1%	0%	0%	F	0.103	F	0.629	900	G	2009
						From: SR 80 W. Lindell Rd										
						To: SR 80 E. Lindell Rd										
(740) Robindale Rd	1.01	460	R								NA		NA			05/05/2004
						From: 95-744 E. Smith Chapel Rd										
(740) Tobias Dr	1.67	130	R								NA		NA			05/05/2004
						From: 95-737 College Dr										
(741) Fudge Rd	1.40	40	R								NA		NA			04/29/2008
						From: 95-742 Logan Creek Rd										
						To: 95-703 E. Shortsville Rd										
(741) Maiden Creek Rd	1.80	250	R								NA		NA			05/19/2004
						From: 95-703 W. Shortsville Rd										
						To: 95-700 E. Rich Valley Rd										
(741) Finley Lane	0.67	20	R								NA		NA			06/03/2008
						From: Dead End										
(742) Logan Creek Rd	0.20	120	R								NA		NA			04/29/2008
						From: SR 80 Hayters Gap Rd										
(742) Logan Creek Rd	0.60	40	R								NA		NA			04/29/2008
						From: 95-741 Fudge Rd										
						To: 95-743 Yellow Springs Rd										
(743) Yellow Springs Rd	1.20	60	R								NA		NA			04/29/2008
						From: 95-703 Shortsville Rd										
						To: SR 80 Hayters Gap Rd										
(744) Smith Chapel Rd	0.60	360	R								NA		NA			05/05/2004
						From: SR 80 Hayters Gap Rd										
						To: 95-740 W. Robindale Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(744) Smith Chapel Rd	1.30	680	R			From: 95-740 E, Tobias Dr; Robindale Rd					NA			NA		05/05/2004
						To: 95-737 College Dr										
(745) Old Saltworks Rd	3.24	520	G	97%	0%	1%	0%	2%	0%	F	0.11	F	0.706	550	G	2009
						From: SR 80 Lindall Rd										
(745) Old Saltworks Rd	1.65	470	G	97%	0%	1%	0%	2%	0%	F	0.121	F	0.54	500	G	2009
						From: 95-746 Blackwell Chapel Rd										
(745) Old Saltworks Rd	0.95	510	G	97%	0%	1%	0%	2%	0%	F	0.117	F	0.570	530	G	2009
						From: 95-748 Clinchburg Rd										
(745) Old Saltworks Rd	0.70	820	G	97%	0%	1%	0%	2%	0%	F	0.108	F	0.65	860	G	2009
						From: 95-700 Rich Valley Rd										
(745) Old Saltworks Rd	1.06	820	G	97%	0%	1%	0%	2%	0%	C	0.107	F	0.734	860	G	2009
						From: 95-750 Old Mill Rd										
						To: SR 91, S Main St										
(746) Blackwell Chapel Rd	2.00	120	R			From: 95-745 Old Saltworks Rd					NA			NA		04/29/2008
						To: 95-700 Rich Valley Rd										
(746) Blackwell Chapel Rd	0.08	70	R			From: 95-700 Rich Valley Rd					NA			NA		04/29/2008
						To: Dead End										
(747) Tumbling Creek Rd	0.80	310	R			From: 95-611 North Fork River Rd					NA			NA		04/29/2008
						To: 95-613 W, Poor Valley Rd										
(747) Tumbling Creek Rd	2.00	140	R			From: 95-613 E, Poor Valley Rd					NA			NA		05/06/2008
						To: Dead End										
(748) Clinchburg Rd	1.40	170	R			From: 95-745 Old Saltworks Rd					NA			NA		04/29/2008
						To: 95-750 N, Old Mill Rd										
(748) Buchanan Rd	2.30	270	R			From: 95-750 S, Old Mill Rd					NA			NA		04/27/2004
						To: SR 91 Crescent Rd										
<b>Town of Glade Spring</b>																
(750) Old Mill Rd	0.08	1600	G	99%	0%	0%	0%	0%	0%	F	0.106	F	0.574	1700	G	2009
						From: 95-609 Hillman Hwy										
(750) Old Mill Rd	0.38	1200	G	99%	0%	0%	0%	0%	0%	F	0.106	F	0.558	1300	G	2009
						From: 95-751 S, Forest Hills Dr										
						To: NCL Glade Spring										
<b>Washington County</b>																
(750) Old Mill Rd	1.44	1100	G	99%	0%	0%	0%	0%	0%	C	0.109	F	0.549	1200	G	2009
						From: NCL Glade Spring										
(750) Old Mill Rd	1.00	880	G	99%	0%	0%	0%	0%	0%	F	0.103	F	0.619	930	G	2009
						From: 95-751 N, Seven Springs										
(750) Old Mill Rd	2.20	360	G	99%	0%	0%	0%	0%	0%	F	0.101	F	0.529	380	G	2009
						From: 95-748 S, Clinchburg Rd										
						To: 95-745 Old Saltworks Rd										
(751) Killmachronan Dr	0.72	70	R			From: Dead End					NA			NA		04/27/2004
						To: US 11; FR-34										
(751) Fleet Rd	1.40	500	G	99%	0%	1%	0%	0%	0%	C	0.099	F	0.554	520	G	2009
						From: US 11; FR-34 Lee Hwy										
(751) Fleet Rd	1.00	580	R			From: 95-609 Blue Hill Rd					NA			NA		04/27/2004
						To: SR 91 S, Crescent Rd										
(751) Seven Springs Rd	1.60	290	R			From: SR 91 N, Crescent Rd					NA			NA		04/27/2004
						To: 95-750 N, Old Mill Rd										



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(751) Forest Hills Dr	1.71	350	R								NA			NA		04/27/2004
From: 95-750 N, Old Mill Rd																
To: WCL Glade Spring																
<b>Town of Glade Spring</b>																
(751) Forest Hills Dr	0.49	410	R								NA			NA		04/27/2004
From: WCL Glade Spring																
To: 95-750 S, Old Mill Rd																
(752) Bedford Lane	0.63	460	R								NA			NA		05/05/2004
From: 95-609; 95-1309																
To: SR 91 Monte Vista Dr																
<b>Washington County</b>																
(753) Washington Spring Rd	1.50	80	R								NA			NA		04/29/2008
From: 95-751 Fleet Rd																
To: 95-652 Sharon Lane																
(753) Washington Spring Rd	0.30	210	R								NA			NA		04/29/2008
From: 95-609 Plum Creek Rd; Blue Hill Rd																
To: US 11 W, Lee Highway																
(754) Old Stage Rd	1.40	350	R								NA			NA		06/30/2008
From: US 11 E, Lee Highway																
To: US 58 Jeb Stuart Hwy																
(755) Rhymer Rd	0.68	130	R								NA			NA		04/15/2008
From: 95-603 Kannarock Rd																
To: US 58 Jeb Stuart Hwy																
(756) Doe Run Lane	0.10	10	R								NA			NA		04/15/2008
From: 95-601 Beech Mountain Rd																
To: Dead End																
(757) Government Rd	1.20	1100	R								NA			NA		06/18/2008
From: US 58 Jeb Stuart Hwy																
To: Dead End																
(758) Chadwick Rd	0.40	8	R								NA			NA		04/21/2008
From: 95-605 Widener Valley Rd																
To: Tennessee State Line																
(759) Horizon Dr	0.15	70	R								NA			NA		06/16/2004
From: 95-673 Drake Rd																
To: Tennessee State Line; Gap																
(759) Drake Rd	0.15	170	R								NA			NA		06/16/2004
From: Tennessee State Line; Gap																
To: 95-674 Denton Valley Rd																
<b>Town of Glade Spring</b>																
(760) Magnolia Dr	0.10	30	R								NA			NA		06/16/2008
From: 95-750 S, Old Mill Rd																
To: 0.10 MN 95-750 Old Mill Rd																
(760) Magnolia Dr	0.10	30	R								NA			NA		06/16/2008
From: 95-750 N, Old Mill Rd																
<b>Washington County</b>																
(761) Irish Lane	0.20	30	R								NA			NA		04/21/2008
From: 95-608; 95-736																
To: Dead End																
(762) Loves Mill Rd	2.52	600	G	97%	0%	1%	1%	0%	0%	C	0.113	F	0.513	630	G	2009
From: SR 91 Monroe Rd																
To: 95-608 Friendship Dr																
(762) Loves Mill Rd	3.63	510	G	97%	0%	1%	1%	0%	0%	F	0.114	F	0.581	540	G	2009
From: Smyth County Line																
To: Dead End																
(763) Ohio Dr	0.30	60	R								NA			NA		07/17/2008
From: 95-640 Benhams Rd																
To:																

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(764) Shannon Hill Dr	0.30	80	R				From: 95-869 Astor Rd				NA			NA		07/10/2008
							To: Dead End									
(765) Canebrake Rd	1.00	40	R				From: Dead End				NA			NA		05/06/2008
							To: 95-692 Toole Creek Rd									
(766) Rustic Lane	1.08	170	R				From: US 19 Porterfield Hwy				NA			NA		09/15/2008
							To: US 19; 95-848									
(767) Deerfield Lane	1.00	560	R				From: US 11 Lee Highway				NA			NA		05/05/2004
							To: 95-609 Hillman Hwy									
(768) Brandy Lane	0.60	40	R				From: Dead End				NA			NA		06/03/2008
							To: 95-700 Rich Valley Rd									
(769) Stella Dr	0.30	100	R				From: US 58 Jeb Stuart Hwy				NA			NA		05/06/2008
							To: US 58 Jeb Stuart Hwy									
(770)	0.11	NA					From: Dead End				NA			NA		
							To: 95-630 McCall Gap Rd									
(771) Idaho Dr	0.15	46	R				From: Dead End				NA			NA		06/11/2004
							To: US 58 Jeb Stuart Hwy									
(772) Riverridge Church Rd	0.22	20	R				From: SR 80 Hayters Gap Rd				NA			NA		05/06/2008
							To: SR 80 Hayters Gap Rd									
(773) Bennington Way	0.21	140	R				From: SR 91				NA			NA		06/09/2004
							To: Dead End									
(774) Wright Rd	0.45	47	R				From: Dead End				NA			NA		07/22/2008
							To: SR 91									
(774) Wright Rd	1.30	60	R				From: SR 91				NA			NA		07/22/2008
							To: 95-722 McGinnis Lane									
(775) Brinkley Rd	0.16	160	R				From: US 19 Porterfield Hwy				NA			NA		05/19/2004
							To: 95-700 N, Rich Valley Rd									
(775) Brinkley Rd	0.04	720	R				From: 95-700 N, Rich Valley Rd				NA			NA		05/19/2004
							To: 95-700 S, Rich Valley Rd									
(775) Brinkley Rd	0.10	10	R				From: 95-700 S, Rich Valley Rd				NA			NA		05/19/2004
							To: Dead End									
(776) Diamond Dr	0.22	100	R				From: SR 91				NA			NA		06/09/2004
							To: Dead End									
(777) Buckeye Hollow Rd	0.40	50	R				From: Dead End				NA			NA		04/15/2008
							To: 95-600 Green Cove Rd									
(778) Maple Bend Rd	0.24	10	R				From: SR 91 SOUTH				NA			NA		06/09/2004
							To: SR 91 NORTH									
(779) Hillandale Rd	0.70	190	R				From: 95-693 Litchfield Rd				NA			NA		05/25/2004
							To: 95-694 Northridge Rd									
(779) Hillandale Rd	0.10	160	R				From: 95-694 Northridge Rd				NA			NA		05/25/2004
							To: 95-780 McCulloch Dr									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(779) Hillandale Rd	0.10	130	R				From: 95-780 McCulloch Dr					NA		NA		05/25/2004
(779) Hillandale Rd	0.60	110	R				From: 0.10 ME 95-780					NA		NA		05/25/2004
							To: 95-741 Maiden Creek Rd									
(780) McCulloch Dr	0.40	50	R				From: Dead End					NA		NA		07/31/2008
							To: 95-779 Hillandale Rd									
(781) Tranbarger Rd	1.50	190	R				From: NCL Bristol					NA		NA		09/28/2008
							To: 95-655 Oak Grove Rd									
(782) Shaffertown Rd	0.60	70	R				From: Dead End					NA		NA		07/29/2008
							To: US 58 Gate City Hwy									
(783) Fairhaven Rd	1.50	60	R				From: 95-710 Alvarado Rd					NA		NA		07/22/2008
							To: 95-708 Bethel Rd									
(784) Fleenors Mem Rd	0.60	80	R				From: Dead End					NA		NA		06/03/2008
(784) Fleenors Mem Rd	1.20	70	R				From: 95-700 Rich Valley Rd					NA		NA		06/03/2008
							To: Dead End; 1.20 MN									
(785) Justice Dr	0.60	90	R				From: Dead End					NA		NA		07/17/2008
							To: 95-659 Buffalo Pond Rd									
(786) Pocahontas Trail	0.40	220	R				From: Dead End					NA		NA		07/22/2008
							To: 95-735 Ramblewood Dr									
(787) Celebrity Lane	1.04	150	R				From: Dead End					NA		NA		09/03/2008
(787) Celebrity Lane	0.16	200	R				From: 1.04 ME Dead End					NA		NA		07/02/2008
							To: US 58 Jeb Stuart Hwy									
(788) Cornett Rd	1.29	180	R				From: 95-718 S. Vails Mill Rd					NA		NA		08/12/2008
(788) Cornett Rd	0.07	120	R				From: 1.29 MN 95-718					NA		NA		07/22/2008
(788) Cornett Rd	0.19	280	R				From: 95-719 McCann Rd					NA		NA		07/22/2008
(788) McCann Rd	0.70	670	R				From: 95-718 N, Vails Mill Rd					NA		NA		07/22/2008
							To: SR 91									
(789) Crofton Lane	0.15	70	R				From: Dead End					NA		NA		04/21/2008
							To: 95-724 Beech Grove Rd									
(790) Morning Glory Lane	0.35	240	R				From: Dead End					NA		NA		04/29/2008
							To: 95-745 Old Saltworks Rd									
(791) Ketron Lane	0.40	220	R				From: 95-666 Mock Knob Rd					NA		NA		05/06/2008
							To: Dead End									
(792) Bethany Lane	0.45	40	R				From: Dead End					NA		NA		06/03/2008
							To: 95-700 Rich Valley Rd									

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(793) Berry Creek Rd	1.05	300	R								NA		NA			04/21/2008
(794) Stone Mill Rd	0.91	1900	R								NA		NA			06/18/2004
(795) Linhaven Dr	0.38	60	R								NA		NA			04/29/2008
(796) McFaddin St	0.25	50	R								NA		NA			06/25/2008
(797) Sherwood Dr	0.50	290	R								NA		NA			07/24/2008
(798) Appaloosa Rd	3.64	130	R								NA		NA			06/25/2008
(799) Gum Hill Rd	1.50	160	R								NA		NA			07/17/2008
(800) Hiawatha Lane	0.19	110	R								NA		NA			07/24/2008
(801) Greertown Rd	0.80	60	R								NA		NA			04/21/2008
(801) Greertown Rd	0.10	80	R								NA		NA			04/21/2008
(802) Mendota Rd	0.23	290	G	98%	0%	0%	0%	1%	0%	F	0.111	F	0.553	310	G	2009
(802) Mendota Rd	1.94	390	G	98%	0%	0%	0%	1%	0%	C	0.102	F	0.727	410	G	2009
(802) Mendota Rd	5.21	240	G	98%	0%	0%	0%	1%	0%	F	0.125	F	0.557	250	G	2009
(802) Mendota Rd	3.12	160	G	98%	0%	0%	0%	1%	0%	F	0.120	F	0.75	170	G	2009
(802) Mendota Rd	2.09	140	G	98%	0%	0%	0%	1%	0%	F	0.105	F	0.529	150	G	2009
(802) Mendota Rd	3.23	440	G	98%	0%	0%	0%	1%	0%	F	0.105	F	0.526	460	G	2009
(803) Cedar Creek Rd	4.20	1900	R								NA		NA			07/22/2008
(803) Rebel Records Lane	2.48	200	R								NA		NA			07/22/2008
(804) Rust Hollow Rd	1.80	170	R								NA		NA			07/17/2008
(805) Meadowview Square	0.07	700	R								NA		NA			07/24/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(806) Ryan Rd	0.55	180	R				From: 95-738 Walker Lane; Ryan Rd					NA		NA		06/30/2008
							To: 95-738 Walker Lane									
(807) Cole Lane	0.30	260	R				From: US 11 Lee Highway					NA		NA		07/09/2008
							To: 95-1702 Skyland Ave									
(807) Cole Lane	0.12	70	R				From: Dead End					NA		NA		07/09/2008
							To: 95-647 Old Jonesboro Rd									
(808) Halls Bottom Rd	1.32	1400	R				From: 95-647 Old Jonesboro Rd					NA		NA		07/10/2008
							To: US 11 Lee Highway									
(809) Orchid Rd	0.60	45	R				From: 95-700 Rich Valley Rd					NA		NA		07/17/2008
							To: Dead End									
(810) Campbell Hollow Rd	1.40	150	R				From: Dead End					NA		NA		07/22/2008
							To: 95-711 Alvarado Rd									
(811) Farmington Rd	0.60	110	R				From: 95-694 Northridge Rd					NA		NA		07/31/2008
							To: Dead End									
(812) Kilgore St	1.50	70	R				From: Dead End					NA		NA		06/25/2008
							To: 95-622 Nordyke Rd									
(813) Sugar Cove Rd	0.60	150	R				From: 95-689 Brumbley Gap Rd					NA		NA		05/06/2008
							To: Dead End									
(814) Hawke Rd	0.19	80	R				From: 95-795 Linhaven Dr					NA		NA		04/29/2008
							To: Dead End									
(815) Lorimer Branch Lane	0.70	40	R				From: 95-674 Denton Valley Rd					NA		NA		04/29/2008
							To: Dead End									
(816) Elm St	0.19	280	R				From: 95-609 Hillman Hwy					NA		NA		06/18/2008
							To: Dead End									
(817) Taos Lane	0.15	30	R				From: 95-745 Old Saltworks Rd					NA		NA		04/29/2008
							To: Dead End									
(818) Concord Lane	0.30	60	R				From: Dead End					NA		NA		06/11/2008
							To: SR 75 Green Spring Rd									
(819) Allison Lane	0.50	120	R				From: 95-751 Fleet Rd					NA		NA		04/29/2008
							To: Dead End									
(820) Ravenwood Dr	0.45	140	R				From: US 11 Lee Highway					NA		NA		07/22/2008
							To: Dead End									
(821) Aistrop Rd	0.80	190	R				From: 95-613 Poor Valley Rd					NA		NA		05/06/2008
							To: Dead End									
(822) Ivanhoe Rd	0.50	60	R				From: Dead End					NA		NA		07/29/2008
							To: 95-633 Reedy Creek Rd									
(823) Latham Rd	0.39	70	R				From: Dead End					NA		NA		05/27/2008
							To: 95-647 Old Jonesboro Rd									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(824) Sparrow Rd	0.75	70	R									NA		NA		06/03/2008
From: 95-700 Rich Valley Rd																
To: Dead End																
(825) Elementary Dr	0.73	1800	R									NA		NA		06/03/2008
From: 95-681 Woodland Hills Rd																
To: US 19 Porterfield Hwy																
(826) Hobbs Dr	0.70	120	R									NA		NA		07/17/2008
From: Dead End																
To: 95-700 Rich Valley Rd																
(827) Slaughter Rd	0.54	70	R									NA		NA		07/29/2008
From: Dead End																
To: 95-641 Camp Ground Rd																
(828) Earth Rd	0.52	80	R									NA		NA		04/29/2008
From: Dead End																
To: 95-700 Rich Valley Rd																
(829) Keller Rd	1.00	130	R									NA		NA		09/03/2008
From: 95-675 Good Hope Rd																
To: Dead End																
(830) Davenport Lane	0.63	30	R									NA		NA		04/29/2008
From: SR 80 Hayters Gap Rd																
To: Dead End																
(831) Roebuck Rd	0.40	20	R									NA		NA		09/24/2008
From: Dead End																
To: 95-802 Mendota Rd																
<b>Town of Glade Spring</b>																
(832)	0.13	100	R									NA		NA		11/13/2001
From: Dead End																
To: Bus SR 91																
<b>Washington County</b>																
(833) Piper Rd	0.09	430	G	98%	1%	1%	0%	0%	0%	C	0.123	F	0.621	460	G	2009
From: 95-711 Alverado Rd																
To: US 58 Jeb Stuart Hwy																
(834) Hebron Lane	0.10	40	R									NA		NA		07/31/2008
From: Dead End																
To: SR 91 Crescent Rd																
(835) Copperfield Rd	1.82	20	R									NA		NA		04/29/2008
From: 95-674 Denton Valley Rd																
To: 95-664 Whitaker Hollow Rd																
(836) Malicote Dr	1.10	370	R									NA		NA		07/31/2008
From: 95-699 Walden Rd																
To: 95-694 Northridge Rd																
(837) Fenton Dr	0.12	100	R									NA		NA		07/17/2008
From: 95-645 Wyndale Rd																
To: Cul-de-Sac																
(838) Cambridge Ave	0.08	49	R									NA		NA		06/30/2008
From: 95-737 College Dr																
To: 95-897; Gap																
(838)	0.08	40	R									NA		NA		06/18/2008
From: 95-866; Gap																
To: 95-839; Gap																
(838)	0.06	30	R									NA		NA		1993
From: 95-816; Gap																
To: Dead End																
(839) Alder St	0.08	80	R									NA		NA		06/18/2008
From: 95-609 Hillman Hwy																
To: 95-838																

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(840) Banner Alley	0.06	160	R			From: SR 91; 95-751					NA			NA		04/29/2008
						To: 95-841 Shasta Rd										
(841) Shasta Rd	0.13	50	R			From: Dead End					NA			NA		04/29/2008
						To: 95-840 Banner Alley										
(842) Amherst Circle	1.45	520	R			From: 95-609 Hillman Hwy					NA			NA		06/30/2008
						To: End Loop										
(843) Burson Lane	0.20	490	R			From: 95-640 Benhams Rd					NA			NA		09/24/2008
						To: 95-633 Reedy Creek Rd										
(844) Old Monroe Rd	0.19	540	R			From: Dead End					NA			NA		05/29/2008
						To: SR 91 Monroe Rd										
(845) Sand Hill Rd	0.11	10	R			From: US 58 Jeb Stuart Hwy					NA			NA		07/02/2008
						To: Dead End										
(846) Summit Dr	0.43	70	R			From: Dead End					NA			NA		07/24/2008
						To: 95-609 Hillman Hwy										
(847) Wayside Lane	0.10	46	R			From: SR 80 Glennbrook Ave					NA			NA		07/24/2008
						To: Dead End										
(848) Briarwood Lane	0.40	330	R			From: US 19; 95-766					NA			NA		09/15/2008
						To: Dead End										
(849) Arrowhead Lane	1.00	60	R			From: 95-878 Minton Lane					NA			NA		07/02/2008
						To: Dead End										
(850) Musick Dr	0.25	60	R			From: Dead End					NA			NA		09/24/2008
						To: 95-633 Reedy Creek Rd										
(851) Murrayfield Dr	0.25	50	R			From: 95-605 Widener Valley Rd					NA			NA		04/21/2008
						To: Dead End										
(852) Princeton Ave	0.22	49	R			From: 95-609 Hillman Hwy					NA			NA		06/18/2008
						To: 95-609 Hillman Hwy										
(853) Bethlehem Rd	0.38	50	R			From: 95-666 Mock Knob Rd					NA			NA		05/27/2008
						To: Dead End										
(854) Bethesda Rd	1.05	110	R			From: Dead End					NA			NA		05/27/2008
						To: 95-666 Mock Knob Rd										
(855) Marys Chapel Rd	0.40	40	R			From: Scott County Line					NA			NA		07/14/2008
						To: 95-630 Marys Chapel Rd; Archery Range Rd										
(856) Robinette Gap Rd	0.50	100	R			From: 95-614 Barnrock Rd					NA			NA		08/22/2008
						To: 95-802 Mendota Rd										
(858) Hollyfield Rd	1.02	170	R			From: US 58 W, Jeb Stuart Hwy					NA			NA		06/18/2008
						To: US 58 E, Jeb Stuart Hwy										
(859) Grassy Ridge Rd	3.50	30	R			From: 95-726 Chestnut Mountain Rd; Chestnut Mountain Rd					NA			NA		04/15/2008
						To: US 58 Jeb Stuart Hwy										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(862) Discovery Rd	0.30	40	R								NA		NA			04/15/2008
(863) Rouse Rd	0.55	110	R								NA		NA			04/21/2008
(865) Itta Bena Rd	0.92	60	R								NA		NA			06/18/2008
(865) Collins Dr	0.20	670	R								NA		NA			06/18/2008
(866) Linden St	0.08	260	R								NA		NA			06/18/2008
(866) Linden St	0.22	140	R								NA		NA			06/18/2008
(867) Jordan Lane	0.03	30	R								NA		NA			07/24/2008
(867) Jordan Lane	0.08	110	R								NA		NA			07/24/2008
(868) Holbrook St	0.11	130	R								NA		NA			07/24/2008
(869) Astor Rd	0.15	70	R								NA		NA			07/10/2008
(869) Astor Rd	1.54	1300	R								NA		NA			09/28/2008
(870) Tree Top Dr	0.73	90	R								NA		NA			07/31/2008
(871) Rafferty Rd	1.88	50	R								NA		NA			04/21/2008
(872) Alum Wells Rd	0.40	3	R								NA		NA			09/24/2008
(873)	0.60	7	R								NA		NA			10/15/2001
(874) Riverbend Dr	0.40	20	R								NA		NA			05/06/2008
(875) Little Rock Rd	0.33	80	R								NA		NA			04/21/2008
(876) Cross Lane	0.20	250	R								NA		NA			09/24/2008
(877)	0.81	NA									NA		NA			
(878) Minton Lane	0.41	70	R								NA		NA			07/02/2008



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(879) Old Trail Rd	0.57	620	R				From: Dead End				NA		NA			07/31/2008
							To: 95-609 Hillman Hwy									
(880) Old Trail Rd	0.30	260	R				From: 95-633 Reedy Creek Rd				NA		NA			09/24/2008
							To: 95-640 Benhams Rd									
(881) Hoot Owl Rd	0.25	100	R				From: Dead End				NA		NA			07/29/2008
							To: 95-700 Rich Valley Rd									
(882) Astor Rd	0.01	290	R				From: 95-869 Astor Rd				NA		NA			07/10/2008
							To: 95-645 Wyndale Rd									
(883) Repass Rd	1.69	400	R				From: 95-611 Providence Rd				NA		NA			10/02/2008
							To: WCL Abingdon									
(884) Montgomery Rd	0.95	140	R				From: Dead End				NA		NA			09/03/2008
							To: 95-674 Denton Valley Rd									
(885) Waters Rd	0.25	60	R				From: US 58 Jeb Stuart Hwy				NA		NA			04/15/2008
							To: Dead End									
(886) Hanger Lane	0.70	60	R				From: 95-753 Washington Spring Rd				NA		NA			04/29/2008
							To: Dead End									
(887) Cardinal Lane	0.20	150	R				From: Dead End				NA		NA			07/24/2008
							To: 95-609 Hillman Hwy									
(888) Logging Camp Rd	0.25	60	R				From: 95-603 Kannarock Rd				NA		NA			04/15/2008
							To: Dead End									
(889) School House Rd	0.15	40	R				From: 95-603 Kannarock Rd				NA		NA			04/15/2008
							To: Dead End									
(890) Butterfly Rd	0.12	60	R				From: US 58 Jeb Stuart Hwy				NA		NA			04/15/2008
							To: Dead End									
(891) Kimberlin Rd	1.30	450	R				From: 95-633 Everett Hagy Rd				NA		NA			09/24/2008
							To: 95-684 Rattle Creek Rd									
(892) Condor Lane	0.50	60	R				From: 95-684 Rattle Creek Rd				NA		NA			09/24/2008
							To: Dead End									
(894) Snapp Siding Lane	0.65	20	R				From: 95-751 Fleet Rd				NA		NA			04/29/2008
							To: Dead End									
(895) Selp Hill Dr	0.25	110	R				From: US 11 Lee Highway				NA		NA			06/30/2008
							To: Dead End									
(897) Arbor St	0.18	60	R				From: 95-609 Hillman Hwy				NA		NA			06/30/2008
							To: Dead End									
(898) Cabin Creek Rd	0.40	80	R				From: 95-684 Fall Hill Rd				NA		NA			06/03/2008
							To: Dead End									
(899) Sawmill Rd	0.85	30	R				From: Dead End				NA		NA			04/15/2008
							To: 95-600 Green Cove Rd									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(900) Cave Creek Rd	0.30	80	R								NA		NA			04/15/2008
(901) Lanier Dr	0.76	480	R								NA		NA			07/22/2008
(902) Farnsworth Rd	0.40	1500	R								NA		NA			09/03/2008
(903) Pickett Lane	0.14	49	R								NA		NA			09/03/2008
(904) Porter Lane	0.10	390	R								NA		NA			07/02/2008
(905) Gale Ave	0.26	160	R								NA		NA			07/14/2008
(905) Saxon Rd	0.08	90	R								NA		NA			07/14/2008
(906) Misty Rd	0.40	100	R								NA		NA			06/11/2008
(907) Piper Rd	0.55	80	R								NA		NA			07/22/2008
(908) Drugan Lane	0.13	20	R								NA		NA			05/27/2008
(909) Applejack Rd	0.45	90	R								NA		NA			07/17/2008
(910) Spring Lake Rd	0.25	80	R								NA		NA			09/24/2008
(910) Spring Lake Rd	0.20	80	R								NA		NA			09/24/2008
(911) Green Springs Church	0.12	170	R								NA		NA			05/27/2008
(913)	0.24	NA									NA		NA			
(914)	0.06	NA									NA		NA			
(915)	0.34	NA									NA		NA			
(919)	0.36	NA									NA		NA			
(920) Brandon Dr	0.17	220	R								NA		NA			07/22/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(923) White Top View Rd	0.59	110	R								NA		NA			07/10/2008
(924)	0.40	NA									NA		NA			
(930)	0.15	NA									NA		NA			
(1010) Hedgerow Hill	0.32	370	R								NA		NA			07/10/2008
(1011) Crabtree Court	0.25	230	R								NA		NA			07/10/2008
(1012) County Cork Lane	0.14	70	R								NA		NA			07/10/2008
(1021) Merrimac Dr	0.28	180	R								NA		NA			09/28/2008
(1022) Sweetland Court	0.13	130	R								NA		NA			06/11/2008
(1028) Heron Circle	0.45	350	R								NA		NA			09/03/2008
(1029) Grey Heron Court	0.05	170	R								NA		NA			09/03/2008
(1030) Colony Lane	0.30	220	R								NA		NA			09/03/2008
(1031)	0.13	NA									NA		NA			
(1040)	0.11	NA									NA		NA			
(1101) Penn Rd	0.15	310	R								NA		NA			07/29/2008
(1102) Penn Rd	0.07	80	R								NA		NA			07/29/2008
(1106) Edgewood Dr	0.11	530	R								NA		NA			07/29/2008
(1106) Edgewood Dr	0.04	150	R								NA		NA			07/29/2008
(1106) Edgewood Dr	0.23	190	R								NA		NA			07/29/2008
(1106) Larwood Lane	0.37	1000	R								NA		NA			07/29/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(1107) Edgewood Dr	0.05	130	R				From: 95-1106 Edgewood Dr				NA			NA		07/29/2008
							To: 95-1106 Edgewood Dr									
(1108) Appleton Dr	0.22	240	R				From: 95-633 Reedy Creek Rd				NA			NA		07/29/2008
							To: 95-1109 Bexley Dr									
(1108) Appleton Dr	0.44	160	R				From: End Loop				NA			NA		07/29/2008
							To: Cul-de-Sac									
(1109) Bexley Dr	0.10	60	R				From: Cul-de-Sac				NA			NA		07/29/2008
							To: 95-1108 Appleton Dr									
(1111) Southern View Rd	0.06	510	R				From: 95-1106 Edgewood Dr				NA			NA		07/29/2008
							To: 95-1112 Pin Oak Circle									
(1111) Southern View Rd	0.07	210	R				From: 95-1112 Pin Oak Circle				NA			NA		07/29/2008
							To: 95-1113 Hamlet Lane									
(1112) Pin Oak Circle	0.24	320	R				From: 95-1111 Southern View Rd				NA			NA		07/29/2008
							To: 95-1113 Hamlet Lane									
(1112) Pin Oak Circle	0.18	180	R				From: 95-1113 Hamlet Lane				NA			NA		07/29/2008
							To: Dead End									
(1113) Hamlet Lane	0.17	160	R				From: 95-1111 Southern View Rd				NA			NA		07/29/2008
							To: 95-1112 Pin Oak Circle									
(1116) Pinebrook Dr	0.15	160	R				From: NCL Bristol				NA			NA		07/09/2008
							To: 95-1117 Oakwind Circle									
(1117) Oakwind Circle	0.31	110	R				From: 95-1116 Pinebrook Dr				NA			NA		07/09/2008
							To: Cul-de-Sac									
(1119) Willow Creek Circle	0.70	220	R				From: NCL Bristol				NA			NA		07/09/2008
							To: End Loop									
(1120) Sharrett Rd	0.36	60	R				From: 95-640 Benhams Rd				NA			NA		07/29/2008
							To: Dead End									
(1121)	0.21	NA					From: 95-1107 WEST				NA			NA		
							To: 95-1107 EAST									
(1130) Pioneer Dr	0.21	200	R				From: Cul-de-Sac				NA			NA		09/28/2008
							To: 95-633 Reedy Creek Rd									
(1131) Tyler Circle	0.06	80	R				From: Cul-de-Sac				NA			NA		09/23/2008
							To: 95-1130 Pioneer Dr									
(1132) Wilson Circle	0.06	40	R				From: Cul-de-Sac				NA			NA		09/23/2008
							To: 95-1130 Pioneer Dr									
(1200) Fig Tree Rd	0.32	180	R				From: Dead End				NA			NA		06/18/2008
							To: 95-757 Government Rd									
(1201) Rambo St	0.20	90	R				From: Dead End				NA			NA		06/18/2008
							To: WCL Damascus									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Damascus</b>																
(1201) Rambo St	0.09	160	R								NA			NA		06/18/2008
(1202) S Beaver Dam Ave	0.20	1200	R								NA			NA		08/12/2008
(1202) S Beaver Dam Ave	0.06	1000	R								NA			NA		08/12/2008
(1202) S Beaver Dam Ave	0.02	720	R								NA			NA		08/12/2008
(1203) Water St	0.09	710	R								NA			NA		08/12/2008
(1203) Water St	0.06	850	R								NA			NA		08/12/2008
(1204) Brook St	0.16	160	R								NA			NA		08/12/2008
(1205) Commerce St	0.05	170	R								NA			NA		08/12/2008
(1206) E Creepers Way	0.07	220	R								NA			NA		08/12/2008
(1206) E Creepers Way	0.07	110	R								NA			NA		08/12/2008
(1207) Trestle St	0.05	200	R								NA			NA		06/23/2008
(1208) Railroad Ave	0.14	120	R								NA			NA		06/23/2008
(1208) Railroad Ave	0.15	180	R								NA			NA		06/23/2008
(1209) E Fifth St	0.06	70	R								NA			NA		06/23/2008
(1209) E Fifth St	0.09	80	R								NA			NA		06/23/2008
(1210) Textile St	0.06	140	R								NA			NA		08/12/2008
(1211) Cotton St	0.06	100	R								NA			NA		08/12/2008
(1212) Orchard Hill Rd	0.41	280	R								NA			NA		06/23/2008
<b>Washington County</b>																
(1212) Orchard Hill Rd	0.63	120	R								NA			NA		06/23/2008
<b>Town of Damascus</b>																
(1213) Fritz St	0.04	60	R								NA			NA		06/23/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Damascus</b>																
(1214) Ena St	0.08	30	R											NA		06/23/2008
(1215) E Fourth St	0.06	90	R											NA		06/23/2008
(1215) E Fourth St	0.06	230	R											NA		06/23/2008
<b>Washington County</b>																
(1215)	0.33	NA												NA		
<b>Town of Damascus</b>																
(1216) E Second St	0.07	40	R											NA		06/23/2008
(1216) E Second St	0.07	200	R											NA		06/23/2008
(1217) E First St	0.03	300	R											NA		06/23/2008
(1217) E First St	0.07	50	R											NA		06/23/2008
(1218) N Bone Hollow Rd	0.17	180	R											NA		06/23/2008
(1219) Hill Crest Ave	0.14	120	R											NA		06/23/2008
(1220) Cemetery Ridge	0.20	80	R											NA		06/23/2008
(1221) Leigh St	0.06	210	R											NA		08/12/2008
(1221) Leigh St	0.06	350	R											NA		06/23/2008
(1222) Imboden St	0.05	20	R											NA		08/12/2008
(1222) Imboden St	0.07	350	R											NA		08/12/2008
(1222) Imboden St	0.07	260	R											NA		06/23/2008
(1223) Reynolds St	0.05	1200	R											NA		08/12/2008
(1223) Reynolds St	0.06	1500	R											NA		08/12/2008
(1224) Clifton St	0.14	200	R											NA		08/12/2008
(1225) Bowlin St	0.17	180	R											NA		08/12/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Damascus</b>																
(1226) Appalachian Trail Dr	0.07	60	R				From: 95-1225 Bowlin St					NA		NA		08/12/2008
							To: 95-1224 Clifton St									
<b>Washington County</b>																
(1227) Ridgeview Dr	0.51	270	R				From: 95-706 Rivermont Rd					NA		NA		07/02/2008
							To: End Loop									
(1230) Drowning Ford Rd	0.25	220	R				From: 95-711 Alvarado Rd					NA		NA		07/22/2008
							To: Dead End									
(1235) Shadowwood Circle	0.39	210	R				From: 95-708 Rhea Valley Rd					NA		NA		07/22/2008
							To: End Loop									
(1240) Mount Calm Dr	0.47	210	R				From: 95-842 Amherst Circle					NA		NA		06/18/2008
							To: 95-1241 Echo Lane									
(1240) Mount Calm Dr	0.40	80	R				From: 95-1241 Echo Lane					NA		NA		06/16/2008
							To: Cul-de-Sac									
(1241) Echo Lane	0.42	70	R				From: 95-1240 Mount Calm Dr					NA		NA		06/16/2008
							To: Cul-de-Sac									
<b>Town of Glade Spring</b>																
(1301) Sycamore St	0.07	200	R				From: Bus SR 91					NA		NA		06/16/2008
							To: 95-1313 Cherry St									
(1301) Sycamore St	0.23	140	R				From: 95-1313 Cherry St					NA		NA		06/16/2008
							To: 95-1304 Sycamore St									
(1302) Curtis Lane	0.07	70	R				From: Bus SR 91					NA		NA		06/16/2008
							To: Dead End									
(1303) Kirkwood St	0.32	220	R				From: SR 91 Maple St					NA		NA		06/16/2008
							To: 95-1304 Sycamore St									
(1303) Kirkwood St	0.08	140	R				From: 95-1304 Sycamore St					NA		NA		06/16/2008
							To: Bus SR 91									
(1304) Sycamore St	0.03	110	R				From: Dead End					NA		NA		06/16/2008
							To: 95-1301 Sycamore St									
(1304) Sycamore St	0.10	150	R				From: 95-1301 Sycamore St					NA		NA		06/16/2008
							To: 95-1303 Kirkwood St									
(1305) Highland Ave	0.17	170	R				From: SR 91 Maple St					NA		NA		06/16/2008
							To: 95-1307 Stadium St									
(1305) Highland Ave	0.15	320	R				From: 95-1307 Stadium St					NA		NA		06/16/2008
							To: Bus SR 91									
(1306) Hemlock St	0.06	120	R				From: 95-1307 Stadium St					NA		NA		06/16/2008
							To: Bus SR 91									
(1306) Hemlock St	0.06	50	R				From: Bus SR 91					NA		NA		06/16/2008
							To: Dead End									
(1307) Stadium St	0.22	160	R				From: 95-1306 Hemlock St					NA		NA		06/16/2008
							To: 95-1311 Mesa Dr									
(1307) Stadium St	0.08	480	R				From: 95-1311 Mesa Dr					NA		NA		06/16/2008
							To: 95-1305 Highland Ave									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Glade Spring</b>																
(1308) Vine St/Holston Hgts	0.06	140	R			From: 95-1310 Holston Hgts						NA		NA		06/16/2008
						To: 95-1311 Mesa Dr										
(1309) Crescent Rd	0.08	1500	R			From: Bus SR 91						NA		NA		11/13/2001
(1309) Crescent Rd	0.29	550	R			From: 95-609; 95-752						NA		NA		06/16/2008
						To: SR 91 Monte Vista Dr										
(1310) Holston Hgts	0.07	390	R			From: SR 91 Maple St						NA		NA		06/16/2008
(1310) Holston Hgts	0.06	270	R			From: 95-1311 Mesa Dr						NA		NA		06/16/2008
(1310) Holston Hgts	0.04	90	R			From: 95-1314 Sweet Briar St						NA		NA		06/16/2008
						To: 95-1308 Vine St/Holston Hgts										
(1311) Mesa Dr	0.09	130	R			From: Dead End						NA		NA		06/16/2008
(1311) Mesa Dr	0.18	160	R			From: 95-1310 Holston Hgts						NA		NA		06/16/2008
(1311) Mesa Dr	0.03	240	R			From: 95-1308 Vine St/Holston Hgts						NA		NA		06/16/2008
						To: 95-1307 Stadium St										
<b>Washington County</b>																
(1312) Stage Coach Rd	0.69	1200	R			From: SR 91 SOUTH						NA		NA		05/29/2008
(1312) Stage Coach Rd	0.38	630	R			From: FR-33 Glove Dr						NA		NA		05/29/2008
(1312) Stage Coach Rd	0.25	590	R			From: 95-1318 Leo "Muscles" Shoals Mem Pk						NA		NA		05/29/2008
						To: 95-1317; SCL Glade Spring										
<b>Town of Glade Spring</b>																
(1312) Stage Coach Rd	0.23	870	R			From: 95-1317; SCL Glade Spring						NA		NA		05/29/2008
						To: SR 91 N, Maple St										
(1313) Cherry St	0.19	180	R			From: SR 91 Maple St						NA		NA		06/16/2008
						To: 95-1301 Sycamore St										
(1314) Sweet Briar St	0.09	150	R			From: Dead End						NA		NA		06/16/2008
						To: 95-1310 Holston Hgts										
<b>Washington County</b>																
(1315) Medallion Dr	0.07	190	R			From: SR 91						NA		NA		06/16/2008
(1315) Columbine Lane	0.12	40	R			From: 95-1316 S, Huckleberry Dr						NA		NA		06/16/2008
(1316) Huckleberry Dr	0.23	160	R			From: 95-1316 N, Huckleberry Dr						NA		NA		06/16/2008
(1316) Huckleberry Dr	0.23	160	R			From: 95-1315 S, Columbine Lane; Medallion Dr						NA		NA		05/29/2008
(1316) Huckleberry Dr	0.07	180	R			From: 95-1315 N, Columbine Lane						NA		NA		05/29/2008
						To: SR 91; SCL Glade Spring										
<b>Town of Glade Spring</b>																
(1317) Olive St	0.14	70	R			From: 95-1312; SCL Glade Spring						NA		NA		06/16/2008
						To: Dead End										



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(1318) Leo "Muscles" Shoals M	0.15	60	R								NA			NA		05/29/2008
(1319) Ferndale Lane	0.23	49	R								NA			NA		05/29/2008
(1320) Croweville Dr	0.34	90	R								NA			NA		05/29/2008
<b>Town of Glade Spring</b>																
(1321) Spring Hill Dr	0.53	440	R								NA			NA		06/16/2008
(1322)	0.20	NA									NA			NA		
(1323) Mimosa St	0.12	80	R								NA			NA		06/16/2008
(1324)	0.19	NA									NA			NA		
<b>Washington County</b>																
(1325) Graceland Lane	0.50	180	R								NA			NA		06/16/2008
<b>Town of Glade Spring</b>																
(1326)	0.19	NA									NA			NA		
<b>Washington County</b>																
(1401) Shepard Lane	0.17	170	R								NA			NA		05/27/2008
(1402) Athens Dr	0.30	170	R								NA			NA		05/27/2008
(1405) Harbour Light Circle	0.37	80	R								NA			NA		05/27/2008
(1407)	0.34	NA									NA			NA		
(1422) Fantasy Dr	0.17	200	R								NA			NA		07/24/2008
(1423) Quintana St	0.17	120	R								NA			NA		07/24/2008
(1424) Crimson St	0.26	200	R								NA			NA		07/24/2008
(1425) Briscoe Dr	0.26	180	R								NA			NA		07/24/2008
(1426)	0.73	NA									NA			NA		

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(1427)	0.10	NA					From: 95-675					NA		NA		
							To: 95-1426									
(1442) Whitney Lane	0.46	90	R				From: 95-664 Aven Lane					NA		NA		06/11/2008
							To: Cul-de-Sac									
(1445) Moonlight Bay Rd	0.18	110	R				From: Cul-de-Sac					NA		NA		05/27/2008
							To: 95-670 Denton Valley Rd									
(1446) Crosswinds Dr	0.31	60	R				From: Begin Loop					NA		NA		05/27/2008
							To: 95-1445 Moonlight Bay Rd									
(1450) Brynwood Dr	0.07	920	R				From: 95-649 Highpoint Rd					NA		NA		06/09/2008
							To: 95-1453 Four Seasons Dr									
(1450) Brynwood Dr	0.07	710	R				From: 95-1453 Four Seasons Dr					NA		NA		06/09/2008
							To: 95-1454 Ivy Dr									
(1450) Brynwood Dr	0.19	470	R				From: 95-1454 Ivy Dr					NA		NA		06/09/2008
							To: 95-1455 Autumn Rd									
(1450) Brynwood Dr	0.06	360	R				From: 95-1455 Autumn Rd					NA		NA		06/09/2008
							To: 95-1456 Woodway Rd									
(1450) Brynwood Dr	0.26	140	R				From: 95-1456 Woodway Rd					NA		NA		06/09/2008
							To: 95-1452 Heather Dr									
(1451) Willow Lane	0.19	160	R				From: 95-1454 Ivy Dr					NA		NA		07/24/2008
							To: 95-1455 Autumn Rd									
(1452) Heather Dr	0.08	180	R				From: 95-1453 Four Seasons Dr					NA		NA		07/24/2008
							To: 95-1454 Ivy Dr									
(1452) Heather Dr	0.20	170	R				From: 95-1454 Ivy Dr					NA		NA		07/24/2008
							To: 95-1455 Autumn Rd									
(1452) Heather Dr	0.35	120	R				From: 95-1455 Autumn Rd					NA		NA		06/09/2008
							To: 95-1450 Brynwood Dr									
(1452) Heather Dr	0.03	40	R				From: 95-1450 Brynwood Dr					NA		NA		06/09/2008
							To: Dead End									
(1453) Four Seasons Dr	0.12	280	R				From: 95-1452 Heather Dr					NA		NA		07/24/2008
							To: 95-1450 Brynwood Dr									
(1454) Ivy Dr	0.06	60	R				From: 95-1452 Heather Dr					NA		NA		07/24/2008
							To: 95-1451 Willow Lane									
(1454) Ivy Dr	0.06	190	R				From: 95-1451 Willow Lane					NA		NA		07/24/2008
							To: 95-1450 Brynwood Dr									
(1455) Autumn Rd	0.06	60	R				From: 95-1452 Heather Dr					NA		NA		06/09/2008
							To: 95-1451 Willow Lane									
(1455) Autumn Rd	0.06	100	R				From: 95-1451 Willow Lane					NA		NA		06/09/2008
							To: 95-1450 Brynwood Dr									
(1456) Woodway Rd	0.18	180	R				From: 95-1450 Brynwood Dr					NA		NA		06/09/2008
							To: 95-1452 Heather Dr									
(1460) Lyle Lane	0.21	110	R				From: 95-648 Sinking Creek Rd					NA		NA		06/09/2008
							To: 95-1461 Lyle Lane									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(1461) Lyle Lane	0.07	70	R								NA			NA		06/09/2008
(1462) Lone Eagle Dr	0.27	430	R								NA			NA		05/27/2008
(1463) Peregrine Dr	0.15	340	R								NA			NA		05/27/2008
(1464) Kestrel Dr	0.30	190	R								NA			NA		05/27/2008
(1464) Kestrel Dr	0.05	NA									NA			NA		
(1465) Raven Dr	0.06	220	R								NA			NA		05/27/2008
(1466) Osprey Ridge Rd	0.13	50	R								NA			NA		05/27/2008
(1466) Osprey Ridge Rd	0.17	50	N								NA			NA		05/27/2008
(1490) Stone Dr	0.12	300	R								NA			NA		07/24/2008
(1490) Stone Dr	0.08	280	R								NA			NA		07/24/2008
(1491) Ashley Circle	0.04	60	R								NA			NA		07/24/2008
(1492) Abbie Lane	0.05	90	R								NA			NA		07/24/2008
(1500) Ibex Dr	0.28	110	R								NA			NA		09/03/2008
(1501) Merman St	0.06	490	R								NA			NA		09/30/2008
(1501) Merman St	0.27	370	R								NA			NA		09/30/2008
(1502) Moulin St	0.28	470	R								NA			NA		09/30/2008
(1502) Mary St	0.43	460	R								NA			NA		09/30/2008
(1502) Elliot St	0.18	490	R								NA			NA		09/30/2008
(1502) Chantilly Way	0.19	910	R								NA			NA		09/30/2008
(1503) Mercedes Dr	0.54	440	R								NA			NA		09/30/2008
(1503) Mercedes Dr	0.05	480	R								NA			NA		09/30/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(1504) Mary St	0.16	250	R				From: 95-1502 Elliot St; Mary St					NA		NA		09/30/2008
							To: 95-1503 Mercedes Dr									
(1505) Richardson Ave	0.18	270	R				From: 95-1502 Moulin St					NA		NA		09/30/2008
							To: 95-1503 Mercedes Dr									
(1505) Richardson Ave	0.07	100	R				From: 95-1503 Mercedes Dr					NA		NA		09/30/2008
							To: Dead End									
(1506) Hall St	0.11	60	R				From: US 58 ALT; NCL Abingdon					NA		NA		09/30/2008
							To: Dead End									
(1507) Jennifer Dr	0.08	80	R				From: 95-670; 95-1514					NA		NA		09/30/2008
							To: 95-1509 Jessica Lane									
(1508) Church St	0.06	770	R				From: 95-681 Woodland Hills Rd					NA		NA		09/30/2008
							To: 95-1502 Mary St; Moulin St									
(1509) Jessica Lane	0.14	60	R				From: Cul-de-Sac					NA		NA		09/15/2008
							To: 95-1507 Jennifer Dr									
(1509) Jessica Lane	0.13	110	R				From: 95-1507 Jennifer Dr					NA		NA		09/03/2008
							To: Cul-de-Sac									
(1510) Green Village Dr	0.41	80	R				From: Begin Loop					NA		NA		09/03/2008
							To: End Loop									
(1510) Green Village Dr	0.11	290	R				From: 95-692 Whites Mill Rd					NA		NA		07/24/2008
							To: End Loop									
(1511) Stone Mountain Rd	0.19	360	R				From: 95-1513 Litton Rd					NA		NA		07/24/2008
							To: 95-1513 Litton Rd									
(1511) Stone Mountain Rd	0.86	400	R				From: Begin Loop					NA		NA		07/24/2008
							To: US 19 Porterfield Hwy									
(1511) Stone Mountain Rd	0.16	790	R				From: US 19 Porterfield Hwy					NA		NA		09/15/2008
							To: 95-670 Spoon Gap Rd									
(1512) Grahams Dr	0.25	150	R				From: 95-670 Spoon Gap Rd					NA		NA		09/15/2008
							To: Cul-de-Sac									
(1513) Litton Rd	0.23	160	R				From: Dead End					NA		NA		09/15/2008
							To: 95-1511 Stone Mountain Rd									
(1514) Whites Point Dr	0.12	110	R				From: Cul-de-Sac					NA		NA		07/09/2008
							To: 95-1515 Sophie Dr									
(1514) Whites Point Dr	0.07	300	R				From: 95-1515 Sophie Dr					NA		NA		07/09/2008
							To: 95-670 Spoon Gap Rd									
(1515) Sophie Dr	0.12	190	R				From: 95-1514 Whites Point Dr					NA		NA		07/09/2008
							To: Cul-de-Sac									
(1516) Keys Dr	0.12	60	R				From: 95-1517 Steinman Rd					NA		NA		09/15/2008
							To: Cul-de-Sac									
(1517) Steinman Rd	0.33	240	R				From: 95-766 Rustic Lane					NA		NA		09/15/2008
							To: 95-1516 Keys Dr									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(1517) Steinman Rd	0.07	200	R			From: 95-1516 Keys Dr					NA			NA		09/15/2008
(1517) Quail Ridge Way	0.68	110	R			From: 95-1518 Delano Dr					NA			NA		09/15/2008
						To: Cul-de-Sac										
(1518) Delano Dr	0.25	220	R			From: 95-1517 Quail Ridge Way; Steinman Rd					NA			NA		09/15/2008
						To: Cul-de-Sac										
(1519) Heritage Dr	0.28	180	R			From: 95-1521 Essex Dr					NA			NA		06/11/2008
						To: 95-1520 Westwood Dr										
(1520) Westwood Dr	0.19	170	R			From: 95-1543 Hortenstine Place					NA			NA		06/11/2008
(1520) Westwood Dr	0.07	540	R			From: 95-1525 McCary Dr					NA			NA		06/11/2008
(1520) Westwood Dr	0.07	980	R			From: 95-1523 Oakwood Dr					NA			NA		06/11/2008
(1520) Westwood Dr	0.09	1100	R			From: 95-1519 Heritage Dr					NA			NA		06/11/2008
(1520) Westwood Dr	0.18	1700	R			From: 95-1522 Johnson Dr					NA			NA		06/11/2008
						To: 95-647 Old Jonesboro Rd										
(1521) Essex Dr	0.25	480	R			From: 95-678 Vances Mill Rd					NA			NA		09/15/2008
(1521) Essex Dr	0.07	490	R			From: 95-1543 Hortenstine Place					NA			NA		09/15/2008
(1521) Essex Dr	0.07	850	R			From: 95-1542 Duncan Place					NA			NA		07/10/2008
(1521) Essex Dr	0.07	960	R			From: 95-1525 McCary Dr					NA			NA		06/11/2008
(1521) Essex Dr	0.08	1400	R			From: 95-1523 Oakwood Dr					NA			NA		06/11/2008
(1521) Essex Dr	0.07	1200	R			From: 95-1519 Heritage Dr					NA			NA		06/11/2008
(1521) Essex Dr	0.07	1500	R			From: 95-1522 Johnson Dr					NA			NA		07/10/2008
						To: 95-647 Old Jonesboro Rd										
(1522) Johnson Dr	0.27	290	R			From: 95-1521 Essex Dr					NA			NA		06/11/2008
						To: 95-1520 Westwood Dr										
(1523) Oakwood Dr	0.43	100	R			From: Dead End					NA			NA		06/11/2008
(1523) Oakwood Dr	0.29	240	R			From: 95-1521 Essex Dr					NA			NA		06/11/2008
						To: 95-1520 Westwood Dr										
(1524) Westminster Ave	0.14	80	R			From: Dead End					NA			NA		10/02/2008
						To: 95-647 Old Jonesboro Rd										
(1525) McCary Dr	0.58	180	R			From: Begin Loop					NA			NA		06/11/2008
(1525) McCary Dr	0.22	380	R			From: End Loop					NA			NA		06/11/2008
						To: 95-1521 Essex Dr										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(1525) McCary Dr	0.28	160	R				95-1521 Essex Dr				NA			NA		07/10/2008
(1525) McCary Dr	0.09	60	R				95-1520 Westwood Dr				NA			NA		07/10/2008
							Dead End									
(1526) Pleasant View Dr	0.48	150	R				Begin Loop				NA			NA		07/10/2008
(1526) Pleasant View Dr	0.08	300	R				End Loop				NA			NA		07/10/2008
							95-647 Old Jonesboro Rd									
(1527) Woodcliffe Dr	0.05	600	R				95-645 Wyndale Rd				NA			NA		09/30/2008
(1527) Woodcliffe Dr	0.21	400	R				95-1528 Southwood Dr				NA			NA		09/30/2008
(1527) Woodcliffe Dr	0.07	410	R				95-1530 Eastwood Dr				NA			NA		09/30/2008
							95-681 Woodland Hills Rd									
(1528) Southwood Dr	0.09	280	R				95-1527 Woodcliffe Dr				NA			NA		09/30/2008
(1528) Southwood Dr	0.06	130	R				95-1529 Middlewood Dr				NA			NA		09/30/2008
							95-1531 Southwood Dr									
(1529) Middlewood Dr	0.19	120	R				95-1528 Southwood Dr				NA			NA		09/30/2008
							95-1530 Eastwood Dr									
(1530) Eastwood Dr	0.10	140	R				95-1527 Woodcliffe Dr				NA			NA		09/30/2008
(1530) Eastwood Dr	0.06	140	R				95-1529 Middlewood Dr				NA			NA		09/30/2008
							95-1531 Southwood Dr									
(1531) Southwood Dr	0.19	130	R				95-1528 Southwood Dr				NA			NA		09/30/2008
(1531) Southwood Dr	0.07	180	R				95-1530 Eastwood Dr				NA			NA		09/30/2008
							95-681; 95-9864									
(1532) Greenevers Ct	0.17	260	R				95-1534 Landfall Ct				NA			NA		09/30/2008
							95-681 Woodland Hills Rd									
(1533)	0.05	520	R				US 19 Porterfield Hwy				NA			NA		09/15/2008
							95-766 Rustic Lane									
(1534) Landfall Ct	0.11	140	R				Cul-de-Sac				NA			NA		09/30/2008
(1534) Landfall Ct	0.08	140	N				95-1532 Greenevers Ct				NA			NA		09/30/2008
							Cul-de-Sac									
(1535) Steeple Chase Rd	0.24	350	R				95-647 Old Jonesboro Rd				NA			NA		10/02/2008
							95-1536 Triple Crown Dr									
(1536) Triple Crown Dr	0.43	380	R				95-1535 Steeple Chase Rd				NA			NA		10/02/2008
(1536) Triple Crown Dr	0.18	190	R				95-1538 Hunt Club Rd				NA			NA		10/02/2008
							Dead End									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(1538) Hunt Club Rd	0.24	300	R				From: 95-1536 Triple Crown Dr				NA			NA		10/02/2008
							To: Cul-de-Sac									
(1539) Stirrup Dr	0.29	70	R				From: 95-1538 S, Hunt Club Rd				NA			NA		10/02/2008
							To: 95-1538 N, Hunt Club Rd									
(1540) Jeffrey Dr	0.08	110	R				From: 95-1541 Amelia				NA			NA		09/15/2008
							To: 95-678 Vances Mill Rd									
(1541) Amelia	0.14	90	R				From: Cul-de-Sac				NA			NA		09/15/2008
							To: 95-1540 Jeffrey Dr									
(1542) Duncan Place	0.12	40	R				From: 95-1521 Essex Dr				NA			NA		07/10/2008
							To: Cul-de-Sac									
(1543) Hortensine Place	0.30	150	R				From: 95-1521 Essex Dr				NA			NA		07/10/2008
							To: 95-1520 Westwood Dr									
(1544) Avondale Rd	0.45	140	R				From: 95-1546 Galen Dr				NA			NA		10/02/2008
							To: 95-1545 Judith Way									
(1544) Avondale Rd	0.18	300	R				From: 95-1544 Avondale Rd				NA			NA		10/02/2008
							To: 95-647 Old Jonesboro Rd									
(1545) Judith Way	0.23	110	R				From: 95-1544 Avondale Rd				NA			NA		10/02/2008
							To: Cul-de-Sac									
(1546) Galen Dr	0.22	120	R				From: 95-1544 Avondale Rd				NA			NA		10/02/2008
							To: 95-1544 Avondale Rd									
(1547) John Ashley Dr	0.16	120	R				From: 95-670 Spoon Gap Rd				NA			NA		10/02/2008
							To: Cul-de-Sac									
(1548) Paddock Place	0.10	110	R				From: Cul-de-Sac				NA			NA		10/02/2008
							To: 95-1536 Triple Crown Dr									
(1549) Trotters Lane	0.26	160	R				From: Cul-de-Sac				NA			NA		10/02/2008
							To: 95-1536 Triple Crown Dr									
(1550) Windsor Dr	0.18	100	R				From: Cul-de-Sac				NA			NA		10/02/2008
							To: 95-647 Old Jonesboro Rd									
(1551) Sterling Dr	0.50	80	R				From: Cul-de-Sac				NA			NA		09/15/2008
							To: 95-678 Vances Mill Rd									
(1552) Black Oak Lane	0.04	60	R				From: Cul-de-Sac				NA			NA		09/15/2008
							To: 95-1551 Sterling Dr									
(1553)	0.08	NA					From: 95-645 Wyndale Rd				NA			NA		
							To: 95-1554									
(1554)	0.04	NA					From: Cul-de-Sac				NA			NA		
							To: 95-1553									
(1554)	0.13	NA					From: 95-1553				NA			NA		
							To: Cul-de-Sac									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(1555) Worthing Way	0.40	430	R				From: US 19 Porterfield Hwy				NA			NA		09/15/2008
							To: 95-848 Briarwood Lane									
(1556) Sheffield Court	0.24	290	R				From: Cul-de-Sac				NA			NA		09/15/2008
							To: 95-1555 Worthing Way									
(1557) Chatham Court	0.08	130	R				From: Cul-de-Sac				NA			NA		09/15/2008
							To: 95-1555 Worthing Way									
(1558)	0.15	NA					From: Dead End				NA			NA		
							To: 95-681 Woodland Hills Rd									
(1559) Denham Dr	0.17	220	R				From: 95-702 Baugh Lane				NA			NA		09/30/2008
							To: Cul-de-Sac									
(1560) Old Timber Rd	0.44	90	R				From: 95-1502 Moulin St				NA			NA		09/30/2008
							To: 95-1505 Richardson Ave									
(1561) Fern Circle	0.04	80	R				From: Cul-de-Sac				NA			NA		09/30/2008
							To: 95-1560 Old Timber Rd									
(1562)	0.21	NA					From: Cul-de-Sac				NA			NA		
							To: 95-883									
(1570) Josh Allen Dr	0.30	220	R				From: SR 75 Green Spring Rd				NA			NA		06/11/2008
							To: Cul-de-Sac									
(1571) Carol Jane Lane	0.09	100	R				From: 95-1570 Josh Allen Dr				NA			NA		06/11/2008
							To: Cul-de-Sac									
(1575) Millbrooke Dr	0.11	100	R				From: 95-678 Vances Mill Rd				NA			NA		06/11/2008
							To: 95-1543 Hortenstine Place									
(1576) Lauralee Ct	0.07	120	R				From: Dead End				NA			NA		06/11/2008
							To: 95-1575 Millbrooke Dr									
(1577) Doris Kay Court	0.05	80	R				From: 95-1576 Lauralee Ct				NA			NA		07/10/2008
							To: Cul-de-Sac									
(1580)	0.23	NA					From: Cul-de-Sac				NA			NA		
							To: 95-678									
(1581)	0.05	NA					From: 95-1580				NA			NA		
							To: Dead End									
(1585)	0.20	NA					From: Cul-de-Sac				NA			NA		
							To: 95-670 Spoon Gap Rd									
(1586)	0.11	NA					From: Cul-de-Sac				NA			NA		
							To: 95-1585									
(1700) Hearl Dr	0.12	120	R				From: Cul-de-Sac				NA			NA		07/10/2008
							To: 95-869 Astor Rd									
(1701) Mosby Ave	0.11	220	R				From: 95-625 Bordwine Rd				NA			NA		07/09/2008
							To: 95-1703 Central Ave									



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(1701) Mosby Ave	0.09	400	R				From: 95-1703 Central Ave					NA		NA		07/09/2008
(1701) Mosby Ave	0.07	200	R				From: 95-1704 Siesta Ave					NA		NA		07/09/2008
							To: 95-1702 Skyland Ave									
(1702) Skyland Ave	0.15	150	R				From: 95-1703 Central Ave					NA		NA		07/09/2008
(1702) Skyland Ave	0.17	90	R				From: 95-1701 Mosby Ave					NA		NA		07/09/2008
							To: 95-807 Cole Lane									
(1703) Central Ave	0.13	120	R				From: 95-1702 Skyland Ave					NA		NA		07/09/2008
(1703) Central Ave	0.10	140	R				From: 95-1704 Siesta Ave					NA		NA		07/09/2008
							To: 95-1701 Mosby Ave									
(1704) Siesta Ave	0.06	170	R				From: 95-625 Bordwine Rd					NA		NA		07/09/2008
(1704) Siesta Ave	0.10	100	R				From: 95-1703 Central Ave					NA		NA		07/09/2008
							To: 95-1701 Mosby Ave									
(1704) Siesta Ave	0.15	140	R				From: 95-807 Cole Lane					NA		NA		07/09/2008
							To: 95-1706 Rim Rd									
(1705) Serenade Place	0.07	230	R				From: 95-1706 Rim Rd					NA		NA		07/09/2008
(1705) Serenade Place	0.20	320	R				From: 95-1727 Lundy Lane					NA		NA		07/31/2008
							To: US 11 Lee Highway									
(1706) Rim Rd	0.15	60	R				From: Dead End					NA		NA		07/31/2008
(1706) Rim Rd	0.09	140	R				From: 95-1705 Serenade Place					NA		NA		07/31/2008
							To: 95-1721 Ridgewood Rd									
(1706) Rim Rd	0.03	40	R				From: 95-1721 Ridgewood Rd					NA		NA		07/31/2008
							To: Dead End									
(1707) Carson Lane	0.11	90	R				From: Dead End					NA		NA		05/29/2008
(1707) Carson Lane	0.08	150	R				From: 95-1711 Blue Spruce Rd					NA		NA		05/29/2008
							To: 95-1708 Baytree Rd									
(1707) Carson Lane	0.02	210	R				From: 95-1708 Baytree Rd					NA		NA		05/29/2008
							To: 95-1710 Fairview Rd									
(1707) Carson Lane	0.05	170	R				From: 95-1710 Fairview Rd					NA		NA		05/29/2008
							To: 95-1708 Baytree Rd									
(1707) Carson Lane	0.03	210	R				From: 95-1708 Baytree Rd					NA		NA		05/29/2008
							To: FR-21 Majestic Dr									
(1708) Baytree Rd	0.20	60	R				From: 95-1707 Carson Lane					NA		NA		05/29/2008
							To: 95-1707 Carson Lane									
(1709) Blue Spruce Rd	0.08	110	R				From: 95-1711 Blue Spruce Rd					NA		NA		05/29/2008
							To: 95-1710 Fairview Rd									
(1709) Blue Spruce Rd	0.10	300	R				From: 95-1710 Fairview Rd					NA		NA		05/29/2008
							To: FR-21 Majestic Dr									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(1710) Fairview Rd	0.11	80	R								NA			NA		05/29/2008
(1711) Blue Spruce Rd	0.12	70	R								NA			NA		05/29/2008
(1712) Old Dominion Rd	0.40	2400	R								NA			NA		09/17/2008
(1712) Old Dominion Rd	0.10	1800	R								NA			NA		09/17/2008
(1712) Old Dominion Rd	0.07	1400	R								NA			NA		09/17/2008
(1712) Old Dominion Rd	0.13	980	R								NA			NA		09/17/2008
(1712) Old Dominion Rd	0.09	900	R								NA			NA		09/17/2008
(1712) Old Dominion Rd	0.08	760	R								NA			NA		09/17/2008
(1712) Old Dominion Rd	0.07	750	R								NA			NA		09/17/2008
(1712) Old Dominion Rd	0.07	320	R								NA			NA		09/17/2008
(1712) Old Dominion Rd	0.04	210	R								NA			NA		09/17/2008
(1712) Old Dominion Rd	0.08	260	R								NA			NA		09/17/2008
(1712) Old Dominion Rd	0.08	290	R								NA			NA		09/17/2008
(1713) Wilderness Rd	0.21	240	R								NA			NA		09/19/2008
(1713) Wilderness Rd	0.28	160	R								NA			NA		09/19/2008
(1713) Wilderness Rd	0.11	340	R								NA			NA		09/19/2008
(1713) Wilderness Rd	0.08	570	R								NA			NA		09/19/2008
(1714) Cavalier Circle	0.05	90	R								NA			NA		09/19/2008
(1715) Trojan Dr	0.13	1400	R								NA			NA		09/23/2008
(1715) Trojan Dr	0.07	900	R								NA			NA		09/23/2008
(1716) Battle Hill Dr	0.05	680	R								NA			NA		09/23/2008
(1716) Battle Hill Dr	0.10	270	R								NA			NA		09/23/2008
(1717) Industrial Park Rd	0.48	3800	G	92%	1%	1%	2%	5%	0%	C	0.165	F	0.655	4200	G	2009

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(1717) Industrial Park Rd	0.80	3500	G	92%	1%	1%	2%	5%	0%	F	0.174	F	0.659	3800	G	2009
						From: 95-1729 Greenbriar Lane										
(1717) Industrial Park Rd	1.08	1900	G	92%	1%	1%	2%	5%	0%	F	0.121	F	0.526	2000	G	2009
						From: 95-1728 Bristol Compressors Ent										
(1717) Industrial Park Rd	0.25	1300	G	92%	1%	1%	2%	5%	0%	F	0.133	F	0.649	1400	G	2009
						From: 1.08 MW 95-1728										
						To: 95-645 Wallace Pike										
(1718) Westinghouse Rd	0.62	1900	R									NA		NA		06/09/2008
						From: US 11 Lee Highway										
(1718) Westinghouse Rd	0.22	1700	R									NA		NA		06/09/2008
						From: 95-1741 Mahogany Dr										
						To: 95-1745 Oak Park Dr										
(1719) Wood Howell Rd	0.16	200	R									NA		NA		09/23/2008
						From: Dead End										
						To: US 11 Lee Highway										
(1720) Lowry Hills Rd	0.17	190	R									NA		NA		09/17/2008
						From: 95-1712 Old Dominion Rd										
						To: Dead End										
(1721) Ridgewood Rd	0.11	110	R									NA		NA		07/31/2008
						From: 95-1706 Rim Rd										
						To: Dead End										
(1722) Lynn St	0.17	150	R									NA		NA		09/23/2008
						From: 95-1715 Trojan Dr										
						To: 95-1716 Battle Hill Dr										
(1723) Battle Hill Dr	0.25	520	R									NA		NA		07/31/2008
						From: US 11 Lee Highway										
						To: Dead End										
(1724) Prestonwood Rd	0.07	130	R									NA		NA		07/09/2008
						From: US 11 Lee Highway										
(1724) Prestonwood Rd	0.08	10	R									NA		NA		07/09/2008
						From: 95-1725 Peaceful Lane										
						To: Dead End										
(1725) Peaceful Lane	0.05	30	R									NA		NA		07/09/2008
						From: Dead End										
(1725) Peaceful Lane	0.15	40	R									NA		NA		07/09/2008
						From: 95-1724 Prestonwood Rd										
						To: Dead End										
(1726) Helen Lane	0.07	220	R									NA		NA		07/09/2008
						From: 95-1725 Peaceful Lane										
						To: US 11 Lee Highway										
(1727) Lundy Lane	0.10	100	R									NA		NA		07/31/2008
						From: Dead End										
(1727) Lundy Lane	0.10	110	R									NA		NA		07/31/2008
						From: 95-1705 Serenade Place										
						To: Dead End										
(1728)	0.04	1300	R									NA		NA		07/10/2008
						From: Dead End										
						To: 95-1717 Industrial Park Rd; Gap										
(1728)	0.41	1300	R									NA		NA		07/10/2008
						From: Dead End; Gap										
						To: 95-1717 Industrial Park Rd										
(1729) Greenbriar Dr	0.20	120	R									NA		NA		07/10/2008
						From: Dead End										
(1729) Greenbriar Dr	0.45	370	R									NA		NA		07/10/2008
						From: 95-1746 Dover Circle										
						To: 95-1717 Industrial Park Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(1730) Plantation Rd	0.07	110	R			From: 95-1713 Wilderness Rd					NA		NA			09/19/2008
(1730) Plantation Rd	0.28	90	R			To: 95-1712 N, Old Dominion Rd					NA		NA			09/19/2008
(1730) Plantation Rd	0.07	240	R			From: 95-1712 S, Old Dominion Rd					NA		NA			09/19/2008
(1730) Plantation Rd	0.14	260	R			To: 95-1734 Williamsburg Circle					NA		NA			09/19/2008
(1731) Plantation Rd	0.40	280	R			From: 95-1731 Plantation Rd					NA		NA			09/19/2008
(1731) Plantation Rd						To: 95-1735 Constitution Row					NA		NA			09/19/2008
(1732) Monticello Dr	0.42	200	R			From: 95-1712 MID					NA		NA			09/19/2008
(1732) Monticello Dr	0.21	220	R			To: 95-1712 E, Old Dominion Rd					NA		NA			09/23/2008
(1732) Monticello Dr	0.38	280	R			From: 95-1738 Piedmont Circle					NA		NA			09/23/2008
(1733) Mount Vernon Dr	0.05	50	R			To: 95-1712 W, Old Dominion Rd					NA		NA			09/19/2008
(1734) Williamsburg Circle	0.05	70	R			From: Cul-de-Sac					NA		NA			09/19/2008
(1735) Constitution Row	0.06	260	R			To: 95-1730 Plantation Rd					NA		NA			09/19/2008
(1736) Terra Cota Circle	0.07	90	R			From: 95-1713 Wilderness Rd					NA		NA			09/19/2008
(1736) Terra Cota Circle	0.14	140	R			To: 95-1731 Plantation Rd					NA		NA			09/23/2008
(1737) Strada Circle	0.06	70	R			From: 95-1712 W, Old Dominion Rd					NA		NA			09/23/2008
(1738) Piedmont Circle	0.07	70	R			To: 95-1737 Strada Circle					NA		NA			09/23/2008
(1739) Yamaha Circle	0.07	120	R			From: Cul-de-Sac					NA		NA			07/10/2008
(1740) Orion Ave	0.25	240	R			To: 95-1717 Industrial Park Rd					NA		NA			07/10/2008
(1741) Mahogany Dr	0.08	70	R			From: Dead End					NA		NA			06/09/2008
(1741) Mahogany Dr	0.01	240	R			To: 95-1748 Eggers Place					NA		NA			06/09/2008
(1741) Mahogany Dr	0.34	50	R			From: 95-1742 E, Mary Lee Dr					NA		NA			06/09/2008
(1741) Mahogany Dr	0.07	40	R			To: 95-1742 W, Mary Lee Dr					NA		NA			06/09/2008
						From: End Loop					NA		NA			06/09/2008
						To: 95-1743 Dogwood Dr					NA		NA			06/09/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(1741) Mahogany Dr	0.08	290	R			From: 95-1743 Dogwood Dr					NA			NA		06/09/2008
(1741) Mahogany Dr	0.28	190	R			From: 95-1747 Cashmere Court					NA			NA		06/09/2008
(1741) Mahogany Dr	0.15	540	R			From: Begin Loop					NA			NA		06/09/2008
(1742) Mary Lee Dr	0.16	49	R			From: 95-1718 Westinghouse Rd					NA			NA		06/09/2008
(1742) Mary Lee Dr	0.06	60	R			From: 95-1741 W, Mahogany Dr					NA			NA		06/09/2008
(1743) Dogwood Dr	0.23	30	R			From: 95-1743 Dogwood Dr					NA			NA		06/09/2008
(1744) Bonher Rd	0.05	60	R			From: 95-1742 Mary Lee Dr					NA			NA		09/23/2008
(1745) Oak Park Dr	0.26	660	R			From: 95-1732 Monticello Dr					NA			NA		06/09/2008
(1745) Oak Park Dr	0.22	220	R			From: Cul-de-Sac					NA			NA		06/09/2008
(1746) Dover Circle	0.12	90	R			From: 95-1718 Westinghouse Rd					NA			NA		07/10/2008
(1747) Cashmere Court	0.08	80	R			From: Cul-de-Sac					NA			NA		06/09/2008
(1748) Eggers Place	0.21	60	R			From: 95-1741 Mahogany Dr					NA			NA		06/09/2008
(1750) Beech Circle	0.05	400	R			From: Cul-de-Sac					NA			NA		07/02/2008
(1751) Beech Circle Rd	0.05	170	R			From: US 58 Jeb Stuart Hwy					NA			NA		07/02/2008
(1751) Beech Circle Rd	0.45	120	R			From: 95-1751 Beech Circle Rd					NA			NA		07/02/2008
(1752) Beech Circle	0.10	70	R			From: 95-1752 Beech Circle					NA			NA		07/02/2008
(1753) Beech Hideaway	0.08	30	R			From: 95-1750 Beech Circle					NA			NA		07/02/2008
(1760) Woodstone Circle	0.67	350	R			From: Cul-de-Sac					NA			NA		07/09/2008
(1761) Flame Leaf Dr	0.76	170	R			From: 95-1751 Beech Circle Rd					NA			NA		07/09/2008
(1769) Lynn St	0.06	70	R			From: US 11 Lee Highway					NA			NA		09/23/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(1770) Ironwood Loop	0.07	270	R				From: 95-645 Wyndale Rd					NA		NA		07/09/2008
							To: 95-1771 Ironwood Loop									
(1771) Ironwood Loop	0.56	100	R				From: 95-1770 Ironwood Loop					NA		NA		09/28/2008
							To: 95-1770 End Loop									
(1772) Windbreak Lane	0.09	80	R				From: 95-1771 Ironwood Loop					NA		NA		09/28/2008
							To: Cul-de-Sac									
(1780) Peaceful Valley Rd	0.37	260	R				From: 95-1782 Peaceful Valley Rd					NA		NA		09/28/2008
							To: 95-645 Wyndale Rd									
(1781) Cloudview Rd	0.54	70	R				From: Dead End					NA		NA		09/28/2008
							To: 95-1780 Peaceful Valley Rd									
(1782) Peaceful Valley Rd	0.77	290	R				From: 95-645 Wallace Pike					NA		NA		09/28/2008
							To: 95-1780 Peaceful Valley Rd									
(1801) Upland Dr	0.08	270	R				From: 95-1802 Camp Comfort Heights					NA		NA		07/22/2008
							To: US 11 Lee Highway									
(1802) Camp Comfort Heights	0.08	50	R				From: Dead End					NA		NA		07/22/2008
							To: 95-1801 Upland Dr									
(1802) Camp Comfort Heights	0.11	60	R				From: Dead End					NA		NA		07/22/2008
							To: Dead End									
(1805) Ashley Hills Circle	0.38	240	R				From: Begin Loop					NA		NA		07/02/2008
							To: End Loop									
(1805) Ashley Hills Circle	0.10	250	R				From: 95-677					NA		NA		09/28/2008
							To: Dead End									
(1810) Eden Lane	0.06	80	R				From: Dead End					NA		NA		07/22/2008
							To: 95-1815 Macedonia Rd									
(1810) Eden Lane	0.25	190	R				From: 95-677 Watauga Rd					NA		NA		09/28/2008
							To: Cul-de-Sac									
(1811) Whiteridge Dr	0.28	110	R				From: Cul-de-Sac					NA		NA		07/02/2008
							To: 95-677 Watauga Rd									
(1812) Breckenridge Court	0.20	46	R				From: Cul-de-Sac					NA		NA		07/09/2008
							To: 95-1811 Whiteridge Dr									
(1815) Macedonia Rd	0.07	190	R				From: 95-1810 Eden Lane					NA		NA		07/14/2008
							To: 95-1818 Wexmouth Dr									
(1815) Macedonia Rd	0.07	200	R				From: 95-1816 W, Trinity Dr					NA		NA		07/14/2008
							To: 95-1819 Halifax Dr									
(1815) Macedonia Rd	0.06	140	R				From: 95-1819 Halifax Dr					NA		NA		07/09/2008
							To: 95-1816 E, Trinity Dr									
(1815) Macedonia Rd	0.10	170	R				From: 95-1817 Wexmouth Dr					NA		NA		07/14/2008
							To: 95-677 Watauga Rd									
(1815) Macedonia Rd	0.24	280	R				From: 95-677 Watauga Rd					NA		NA		07/17/2008
							To: 95-677 Watauga Rd									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
(1816) Trinity Dr	0.09	100	R			From: 95-1817 Wexmouth Dr					NA			NA		07/09/2008
(1816) Trinity Dr	0.20	90	R			From: 95-1815 W, Macedonia Rd					NA			NA		07/04/2008
						To: 95-1815 E, Macedonia Rd										
(1817) Wexmouth Dr	0.07	120	R			From: 95-1818 Wexmouth Dr					NA			NA		09/28/2008
(1817) Wexmouth Dr	0.07	280	R			From: 95-1816 Trinity Dr					NA			NA		09/28/2008
(1817) Wexmouth Dr	0.11	290	R			From: 95-1819 Halifax Dr					NA			NA		07/09/2008
						To: 95-1815 Macedonia Rd										
(1818) Wexmouth Dr	0.11	110	R			From: 95-1815 Macedonia Rd					NA			NA		07/14/2008
						To: 95-1817 Wexmouth Dr										
(1819) Halifax Dr	0.10	190	R			From: 95-1817 Wexmouth Dr					NA			NA		09/28/2008
						To: 95-1815 Macedonia Rd										
(1820)	0.24	NA				From: 95-1815 Macedonia Rd					NA			NA		
						To: Cul-de-Sac										
(9408) Damascus Middle Sch	0.15	410	R			From: Damascus Elem Sch					NA			NA		07/02/2008
						To: 95-757 Government Rd										
(9409) Meadowview Elem Sch	0.10	390	R			From: SR 80 Glennbrook Ave					NA			NA		07/02/2008
						To: Meadowview Sch										
(9410) Greendale Elem Sch	0.15	220	R			From: 95-700 Rich Valley Rd					NA			NA		07/09/2008
						To: Greendale Elem Sch										
(9411)	0.15	490	R			From: 95-645 Wallace Pike					NA			NA		09/28/2008
						To: Wallace Elem Sch										
(9415) Rhea Valley Elem Sch	0.14	520	R			From: 95-677 Watauga Rd					NA			NA		09/28/2008
						To: Watauga Elem Sch										
(9416) Valley Institute Elem Sc	0.30	320	R			From: Rhea Valley Sch					NA			NA		07/02/2008
						To: 95-708 Rhea Valley Rd										
(9680)	0.20	290	R			From: N V Inst					NA			NA		05/29/2008
						To: US 58 Gate City Hwy										
(9681)	0.10	90	R			From: Dead End					NA			NA		09/03/2008
						To: SR 80 Hayters Gap Rd										
(9683)	0.10	130	R			From: 95-802 Mendota Rd					NA			NA		09/23/2008
						To: 95-802 Mendota Rd										
(9767)	0.10	400	R			From: John Battle High School					NA			NA		09/23/2008
(9767)	0.10	1100	R			From: 0.10 ME School					NA			NA		09/23/2008
(9767)	0.40	1100	R			From: 0.20 ME School					NA			NA		09/23/2008
						To: US 11 Lee Highway										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Washington County</b>																
9768	0.13	460	R								NA			NA		09/23/2008
9863	0.15	590	R								NA			NA		09/23/2008
9864	0.17	380	R								NA			NA		09/03/2008
9865	0.13	380	R								NA			NA		09/03/2008
<b>Town of Glade Spring</b>																
9919	0.25	390	R								NA			NA		05/29/2008
<b>City of Bristol</b>																
1 Benham Rd	0.10	5000	G	99%	0%	1%	0%	0%	0%	F	0.091	F	0.647	5400	G	2009
2 Goodson St	0.36	2800	G	97%	0%	1%	1%	0%	0%	C	0.094	F	0.578	3100	G	2009
3 Island St	1.01	NA									NA			NA		
3 Island St	0.85	NA									NA			NA		
3 Island St	0.12	NA									NA			NA		
3 Island St	0.38	NA									NA			NA		
4 Osborne St	0.56	NA									NA			NA		
5 Commonwealth Ave Ext	0.33	3100	G	99%	0%	1%	0%	0%	0%	C	0.092	F	0.611	3400	G	2009
6 Glenway Ave	0.42	3100	G	99%	0%	0%	0%	0%	0%	C	0.099	F	0.501	3400	G	2009
8 Pittstown Rd	0.45	2900	G	99%	0%	1%	0%	0%	0%	C	0.093	F	0.633	3100	G	2009
9 Randolph Ave	0.22	3100	G	99%	0%	1%	0%	0%	0%	F	0.095	F	0.528	3400	G	2009
9 Randolph Ave	0.51	3900	G	99%	0%	1%	0%	0%	0%	C	0.094	F	0.510	4200	G	2009
10 Rhode Island Rd	0.35	1400	G	97%	1%	1%	0%	1%	0%	C	0.108	F	0.62	1500	G	2009
11 Spurgeon Ln	0.12	4400	G	99%	0%	1%	0%	0%	0%	F	0.088	F	0.508	4800	G	2009



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Bristol</b>																
(12/107) Texas St	0.49	2000	G	98%	1%	1%	0%	0%	0%	C	0.101	F	0.602	2100	G	2009
(13/102) Vance St	0.13	2300	G	99%	0%	1%	0%	0%	0%	C	0.096	F	0.52	2500	G	2009
(13/107) Vance St	0.32	NA									NA			NA		
(13/107) Page St	0.12	NA									NA			NA		
(14/102) Catherine St	0.58	NA									NA			NA		
(15/102)	0.23	NA									NA			NA		
(3300/102) State St	0.55	15000	G	98%	0%	1%	0%	1%	0%	C	0.080	F	0.519	16000	G	2009
(3300/102) State St	0.67	14000	G	98%	0%	1%	0%	1%	0%	F	0.086	F		16000	G	2009
(3300/102) State St	0.43	10000	G	98%	0%	1%	0%	1%	0%	F	0.086	F	0.501	11000	G	2009
(3301/107) Bob Morrison Blvd	0.45	2900	G	98%	0%	1%	1%	1%	0%	C	0.096	F	0.581	3100	G	2009
(3305/102) Piedmont Ave	0.05	3900	G	99%	0%	1%	0%	0%	0%	F	0.093	F	0.633	4200	G	2009
(3305/102) Piedmont Ave	0.15	2000	G	99%	0%	1%	0%	0%	0%	C	0.116	F	0.582	2200	G	2009
(3305/107) Piedmont Ave	0.15	4100	G	99%	0%	1%	0%	0%	0%	F	0.1	F	0.589	4500	G	2009
(3307/102) Moore St	0.41	810	G	99%	0%	0%	0%	0%	0%	C	0.126	F		880	G	2009
(3307/102) Moore St	0.43	1500	G	99%	0%	0%	0%	0%	0%	F	0.087	F	0.608	1600	G	2009
(3308/102) Fairview St	0.27	3000	G	96%	1%	2%	1%	0%	0%	F	0.1	F	0.602	3300	G	2009
(3308/107) Massachusetts Ave	0.37	2000	G	96%	1%	2%	1%	0%	0%	C	0.11	F	0.597	2200	G	2009
(3308/102) Massachusetts Ave	0.15	2000	N	96%	1%	2%	1%	0%	0%	N	0.11	N	0.597	2200	N	2009
(3308/102) Kings Mill Pike	0.46	3600	G	97%	1%	1%	1%	1%	0%	F	0.099	F	0.518	3900	G	2009
(3308/102) Kings Mill Pike	1.12	5600	G	97%	1%	1%	1%	1%	0%	C	0.096	F	0.559	6100	G	2009
(3308/102) Kings Mill Rd	0.36	6700	G	97%	1%	1%	1%	1%	0%	F	0.095	F	0.639	7300	G	2009

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Bristol</b>																
3312 102 W Valley Dr	1.00	1400	G			From: Piedmont Ave					0.096	F	0.513	1500	G	2009
3312 102 E Valley Dr	0.56	6100	G			From: US 11 Lee Highway					0.093	F	0.56	6600	G	2009
3312 102 E Valley Dr	0.72	3700	G			From: Old Abingdon Hwy					0.088	F	0.501	4000	G	2009
						To: Kingsmill Pike										
3314 102 Island Rd	2.01	2800	G	98%	1%	1%	0%	0%	0%	F	0.108	F	0.527	3000	G	2009
						From: 102-3319 Wallace Pike										
3314 102 Island Rd	0.31	3700	G	98%	1%	1%	0%	0%	0%	C	0.098	F	0.563	4100	G	2009
						From: Wallace Pike										
						To: US 11 Lee Highway										
3318 102 Old Airport Rd	0.96	8400	G	94%	1%	1%	1%	2%	1%	F	0.091	F	0.6	9100	G	2009
						From: 102-3308 King Mill Pike										
3318 102 Old Airport Rd	0.98	8400	G	94%	1%	1%	1%	2%	1%	C	0.086	F	0.55	9100	G	2009
						From: Bonham Rd										
						To: I-81										
3318 102 Old Airport Rd	0.20	16000	G	94%	1%	1%	1%	2%	1%	F	0.086	F	0.522	17000	G	2009
						From: I-81 Exit 7										
						To: US 11 Lee Hwy										
3319 102 Wallace Pike	0.33	1900	G	98%	1%	1%	0%	0%	0%	C	0.096	F	0.665	2100	G	2009
						From: Island Rd										
						To: NCL Bristol										
3320 102 Old Abingdon Hwy	1.27	3500	G	97%	0%	1%	1%	1%	0%	C	0.113	F	0.621	3800	G	2009
						From: Valley Dr										
						To: US 11 Lee Highway										
3321 102 Clear Creek Rd	0.13	4800	G	97%	0%	1%	1%	1%	0%	F	0.092	N	0.554	5200	G	2009
						From: US 11 Lee Highway										
						To: NCL Bristol										
3323 102 Peters St	0.28	2100	G	98%	0%	1%	0%	0%	0%	C	0.097	F	0.512	2200	G	2009
						From: W State St										
						To: US 11 Euclid Ave										
3325 102 Piedmont Ave	0.30	1700	G	99%	0%	1%	0%	0%	0%	F	0.12	F	0.61	1800	G	2009
						From: US 11 Euclid Ave										
3325 102 Piedmont Ave	0.16	1500	G	99%	0%	1%	0%	0%	0%	F	0.107	F	0.532	1700	G	2009
						From: 102-6 Glenway Ave										
						To: 102-3312 Valley Dr										
3326 102 W Mary St	0.45	2900	G	98%	1%	1%	0%	0%	0%	C	0.101	F	0.546	3100	G	2009
						From: Piedmont Ave										
3326 102 W Mary St	0.14	4600	G	98%	1%	1%	0%	0%	0%	F	0.100	F	0.616	5000	G	2009
						From: Truck US 11 Randall St										
3326 102 W Mary St	0.09	4600	N	98%	1%	1%	0%	0%	0%	N	0.100	N	0.616	5000	N	2009
						From: Goodson St										
						To: Fairview St										
3328 102 Bonham Rd	0.32	6600	G	99%	0%	1%	0%	0%	0%	F	0.103	F	0.543	7200	G	2009
						From: Old Airport Rd										
3328 102 Bonham Rd	0.45	9000	G	99%	0%	1%	0%	0%	0%	C	0.098	F	0.533	9700	G	2009
						From: I-81										
						To: US 11 Lee Highway										
<b>Town of Abingdon</b>																
1 140 VHCC Dr	0.63	2100	G			From: SR 140 Jonesboro Rd					0.117	F	0.644	2100	G	2009
						To: Faculty Parking										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Town of Abingdon</b>																	
② Partnership Circle <small>140</small>	0.10	1600	G	From: 140-1 VHCC Dr				0.13	F	0.659	1600	G	2009	To: VHCCollege Parking Lot			
				From: WCL Abingdon										To: US 11 Main St			
③ <small>140</small>	1.07	NA	From: US 11 Main St				NA	To: STANLEY STREET									
			From: 140-3003 Valley St					To: US 11 Main St									
④ <small>140</small>	0.19	NA	From: US 11 Lee Hwy				NA	To: VALLEY ST									
			From: 140-3003 Valley St					To: US 11 Main St									
⑥ Court St <small>140</small>	0.08	NA	From: US 11 Lee Hwy				NA	To: VALLEY ST									
			From: 140-3003 Valley St					To: US 11 Main St									
③002 Cummings St <small>140</small>	0.08	6200	G	99%	0%	0%	0%	0%	0%	F	0.093	F	0.526	6700	G	2009	
																	From: Russell Rd; ALT 58
③003 Valley St <small>140</small>	0.72	9900	G	99%	0%	0%	0%	0%	0%	C	0.093	F	0.568	11000	G	2009	
																	From: Court St
③003 Valley St <small>140</small>	0.14	6700	G	99%	0%	0%	0%	0%	0%	F	0.097	F	0.630	7300	G	2009	
																	From: US 11 Main St
③004 Tanner St <small>140</small>	0.08	1500	G	99%	0%	0%	0%	0%	0%	F	0.087	F	0.571	1700	G	2009	
																	From: Whites Mill Rd
③004 Whites Mill Rd <small>140</small>	0.87	2500	G	99%	0%	0%	0%	0%	0%	C	0.092	F	0.523	2700	G	2009	
																	From: US 11; Lee Hwy
③005 Hillman Hwy <small>140</small>	1.35	4300	G	99%	0%	0%	0%	0%	0%	C	0.095	F	0.58	4600	G	2009	
																	From: 140-3005 Hillman Hwy
③006 Tunnel Street/Old Saltw <small>140</small>	0.08	1700	G	99%	0%	0%	0%	0%	0%	F	0.101	F	0.693	1800	G	2009	
																	From: Sugar Hollow Rd
US 11		11000	G	96%	1%	1%	2%	1%	0%	C	0.092	F	0.524	11000	G	2009	
US 11		10000	G	96%	0%	1%	1%	2%	0%	C	0.1	F	0.57	10000	G	2009	
<b>Washington County</b>																	
Chester St		260	G	From: Glenway Ave				0.118	F	0.553	280	G	2009	To: Arlington Ave			
				From: Shawnee Rd										To: Sherwood Dr			
Cheyenne Rd		140	G	From: Newton St				NA	To: Tennessee State Line								
				From: Cherry Lane					To: Cedar Lane								
Daniel St		470	G	From: Moore St				0.119	F	0.605	530	G	2009	To: Russell St			
				From: Prospect Ave										To: Arlington Ave			
Jefferson Dr		320	G	From: Prospect Ave				NA	To: Arlington Ave								
				From: Prospect Ave					To: Arlington Ave								
Lester St		490	G	From: Prospect Ave				NA	To: Arlington Ave								
				From: Prospect Ave					To: Arlington Ave								
Pearl St		80	G	From: Prospect Ave				NA	To: Arlington Ave								
				From: Prospect Ave					To: Arlington Ave								

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Washington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>City of Bristol</b>																	
Poplar St		70	G				From: Oakview Dr				NA			70	G	2009	
							To: Meadow Dr										
Spring Branch Rd		40	G				From: Overlake Dr				NA			47	G	2009	
							To: Vale Dr										
<b>Town of Abingdon</b>																	
Augusta Dr		470	G				From: Sawgrass Circle				0.102	F	0.53	520	G	2009	
							To: Winterham Dr										
Bradley St		1300	G				From: Preston St				0.104	F	0.558	1400	G	2009	
							To: Fuller St										
Fairway Dr		480	G				From: Bogey Dr				0.113	F	0.626	520	G	2009	
							To: Dead End										
Oak Hill St		220	G				From: Hillside Dr				0.124	F	0.613	240	G	2009	
							To: Stonewall Heights										