

**2010**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**38**

Grayson County  
Town of Fries  
Town of Independence  
Town of Troutdale

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## Publication Notes

### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA: Quality of AADT:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC: Quality of Classification Data:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

## Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
16 Jefferson Hwy	From: North Carolina State Line															
	Grayson County	4.06	1100	G	89%	1%	1%	1%	8%	0%	C	0.099	F	0.556	1200	G
16 58 Troutdale Hwy	From: US 58 Troutdale Hwy															
	Grayson County	3.99	1600	G	89%	1%	1%	1%	8%	0%	F	0.093	F	0.515	1700	G
16 Troutdale Hwy	From: US 58 Volney															
	Grayson County	5.66	1100	G	89%	1%	1%	1%	8%	0%	F	0.098	F	0.522	1200	G
16 Troutdale Hwy	From: US 58 Highlands Pkwy															
	Town of Troutdale (Maint: 38)	2.26	1100	G	89%	1%	1%	1%	8%	0%	F	0.101	F	0.540	1200	G
16 Troutdale Hwy	From: WCL Troutdale															
	Grayson County	0.82	1100	G	89%	1%	1%	1%	8%	0%	F	0.102	F	0.818	1100	G
21 221 New River Pkwy	From: Smyth County Line															
	Grayson County	3.39	1900	G	92%	0%	1%	0%	6%	0%	C	0.096	F		2000	G
21 221	From: North Carolina State Line															
	Town of Independence (Maint: 38)	0.47	1900	N	92%	0%	1%	0%	6%	0%	N	0.096	N		2000	N
21	From: SCL Independence															
	Town of Independence (Maint: 38)	1.64	1900	A	97%	0%	1%	1%	1%	0%	C	0.118	A	0.581	2000	A
21	From: US 58 Main St															
	Grayson County	8.72	1900	N	97%	0%	1%	1%	1%	0%	N	0.118	N	0.581	2000	N
21 Elk Creek Pkwy	From: NCL Independence															
	Grayson County	1.45	1600	G	97%	0%	1%	1%	1%	0%	F	0.098	F	0.509	1600	G
21 Elk Creek Pkwy	From: 38-791 Country Ln															
	Grayson County	1.37	1400	G	97%	0%	1%	1%	1%	0%	F	0.091	F	0.561	1500	G
48 Blue Ridge Parkway	From: 38-805 Spring Valley Rd															
	Grayson County (Maint: US )	1.13	560	O								NA			NA	
48 Blue Ridge Parkway	From: Wythe County Line															
	Grayson County (Maint: US )	3.56	560	O								NA			NA	
58 Highlands Pkwy; Jeb Stuart Hwy	From: North Carolina State Line															
	Grayson County	9.57	670	G	95%	0%	1%	2%	1%	0%	F	0.101	F	0.511	700	G
58 Highlands Pkwy	From: SR 362 Grayson Highlands State Park															
	Grayson County	3.76	480	G	95%	0%	1%	2%	1%	0%	F	0.13	F	0.516	500	G
58 Highlands Pkwy	From: 38-740 North of Rugby															
	Grayson County	3.99	710	G	95%	0%	1%	2%	1%	0%	F	0.100	F	0.696	740	G
58 16 Troutdale Hwy	From: SR 16 Troutdale Hwy															
	Grayson County	3.99	1600	G	89%	1%	1%	1%	8%	0%	F	0.093	F	0.515	1700	G
	From: SR 16 Highlands Pkwy															
	To: SR 16 Jefferson Hwy															

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: SR 16 Jefferson Hwy																
58 Wilson Hwy	Grayson County	3.79	1900	G	90%	1%	2%	3%	5%	0%	F	0.090	F	0.556	2000	G
To: 38-711 Fox Creek Rd																
From: 38-711 Fox Creek Rd																
58 Wilson Hwy	Grayson County	8.04	2500	G	90%	1%	2%	3%	5%	0%	C	0.094	F	0.704	2700	G
To: WCL Independence																
From: WCL Independence																
58 W Main St	Town of Independence (Maint: 38)	0.86	2500	N	90%	1%	2%	3%	5%	0%	N	0.094	N	0.704	2700	N
To: US 21 Independence Ave																
From: US 21 Independence Ave																
58 221 E Main St	Town of Independence (Maint: 38)	1.20	7300	G	92%	1%	1%	1%	4%	0%	F	0.11	F	0.63	7700	G
To: ECL Independence																
From: ECL Independence																
58 221 Grayson Pkwy	Grayson County	1.55	7300	N	92%	1%	1%	1%	4%	0%	N	0.11	N	0.63	7700	N
To: SR 274 Riverside Dr																
From: SR 274 Riverside Dr																
58 221 Grayson Pkwy	Grayson County	8.68	5400	G	92%	1%	1%	1%	4%	0%	C	NA		5600	G	
To: SR 94 Riverside Dr																
From: SR 94 Riverside Dr																
58 221 Grayson Pkwy	Grayson County	1.36	8700	G	92%	1%	1%	1%	4%	0%	F	0.094	F		9100	G
To: WCL Galax																
From: WCL Galax																
From: North Carolina State Line																
89 Skyline Hwy	Grayson County	4.89	5200	G	97%	0%	1%	0%	2%	0%	C	0.089	F		5500	G
To: SCL Galax																
From: SCL Galax																
From: North Carolina State Line																
93 Wilson Hwy	Grayson County	0.92	760	G	86%	0%	3%	7%	4%	0%	C	0.102	F	0.554	790	G
To: US 58 Near Mouth Of Wilson																
From: US 58 Near Mouth Of Wilson																
From: US 58 West of Galax																
94 Riverside Dr	Grayson County	4.22	2000	G	96%	0%	1%	1%	2%	0%	C	0.108	F	0.676	2100	G
To: SR 274 Riverside Dr																
From: SR 274 Riverside Dr																
From: 38-805 Southwest of Fries Spring Valley																
94 Scenic Rd	Grayson County	2.05	2000	G	96%	1%	1%	0%	1%	0%	F	0.109	F	0.699	2100	G
To: WCL Fries																
From: WCL Fries																
94 Scenic Rd	Town of Fries (Maint: 38)	0.48	2000	N	96%	1%	1%	0%	1%	0%	N	0.092	N	0.571	2100	N
To: 38-1001 W Main St																
From: 38-1001 W Main St																
94 Scenic Rd	Town of Fries (Maint: 38)	0.56	2000	G	96%	1%	1%	0%	1%	0%	F	0.095	F	0.573	2100	G
To: NCL Fries																
From: NCL Fries																
94	Grayson County	0.63	2000	N	96%	1%	1%	0%	1%	0%	N	0.095	N	0.573	2100	N
To: Carroll County Line																
From: Carroll County Line																
From: ECL Galax																
97 Pipers Gap Rd	Grayson County	0.78	2600	G	98%	0%	1%	1%	0%	0%	C	0.09	F		2700	G
To: Carroll County Line																
From: Carroll County Line																
From: North Carolina State Line																
221 21 New River Pkwy	Grayson County	3.39	1900	G	92%	0%	1%	0%	6%	0%	C	0.096	F		2000	G
To: CL Independence																
From: CL Independence																



Virginia Department of Transportation  
 Traffic Engineering Division  
 2010  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Grayson Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: CL Independence															
221 21	Town of Independence (Maint: 38)	0.47	1900	N	92%	0%	1%	0%	6%	0%	N	0.096	N	2000	N	
	To: US 58 INDEPENDENCE															
	From: US 58 INDEPENDENCE															
221 58	E Main St Town of Independence (Maint: 38)	1.20	7300	G	92%	1%	1%	1%	4%	0%	F	0.11	F	7700	G	
	To: CL Independence															
	From: CL Independence															
221 58	Grayson Pkwy Grayson County	1.55	7300	N	92%	1%	1%	1%	4%	0%	N	0.11	N	7700	N	
	To: SR 274 East of Independence															
	From: SR 274 East of Independence															
221 58	Grayson Pkwy Grayson County	8.68	5400	G	92%	1%	1%	1%	4%	0%	C	NA		5600	G	
	To: SR 94 WEST OF GALAX															
	From: SR 94 WEST OF GALAX															
221 58	Grayson Pkwy Grayson County	1.36	8700	G	92%	1%	1%	1%	4%	0%	F	0.094	F	9100	G	
	To: WCL Galax															
	From: WCL Galax															
	From: US 58 Grayson Pkwy															
274	Riverside Dr Grayson County	7.36	880	G	96%	0%	1%	1%	2%	0%	F	0.133	F	0.805	920	G
	To: SR 94 Scenic Rd; Riverside Dr															

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Grayson County</b>																	
(F685)	0.23	NA															
(F686)	0.13	NA															
(732 17)	Lincoln Rd	0.40	20	R										NA	11/28/2007		
(600)		0.30	60	R										NA	11/08/2005		
(600)		2.30	90	R										NA	11/08/2005		
(600)	Whitetop Rd	3.00	150	G	94%	1%	0%	4%	2%	0%	C	0.151	F	0.524	150	G	2010
(601)	Flat Ridge Rd	7.43	200	G	96%	0%	2%	1%	1%	0%	F	0.175	F	0.557	210	G	2010
(601)	Old Bridle Creek Rd	1.32	190	G	96%	0%	2%	1%	1%	0%	F	0.111	F	0.773	200	G	2010
(601)	Old Bridle Creek Rd	3.60	270	G	96%	0%	2%	1%	1%	0%	F	0.118	F	0.7	290	G	2010
(601)	Old Bridle Creek Rd	1.84	290	G	96%	0%	2%	1%	1%	0%	C	0.134	F	0.806	300	G	2010
(601)	Old Bridle Creek Rd	1.62	100	G	96%	0%	2%	1%	1%	0%	F	0.204	F	0.512	100	G	2010
(601)	Cox Chapel Rd	1.41	160	G	98%	0%	1%	1%	0%	0%	C	0.111	F	0.588	170	G	2010
(601)	Cox Chapel Rd	0.96	150	G	96%	0%	2%	1%	1%	0%	F	0.157	F	0.622	150	G	2010
(601)	Cox Chapel Rd	0.25	90	R										NA	NA	02/17/2006	
(602)		0.50	80	R										NA	NA	02/10/2006	
(602)	Brush Creek Rd	3.30	120	G	92%	3%	1%	3%	1%	0%	C	0.115	F	0.533	130	G	2010
(603)	Fairwood Rd	1.90	200	G	97%	1%	1%	1%	1%	0%	F	0.134	F	0.509	210	G	2010
(603)	Fairwood Rd	2.87	200	G	97%	1%	1%	1%	1%	0%	F	0.121	F	0.617	210	G	2010
<b>Town of Troutdale</b>																	
(603)	Fairwood Dr	1.00	310	G	97%	1%	1%	1%	1%	0%	C	0.115	F	0.605	330	G	2010
(603)	Fairwood Rd	0.85	260	R										NA	NA	12/29/2005	
<b>Grayson County</b>																	
(603)	Ripshin Rd	1.60	260	N										NA	NA	12/29/2005	

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(603) Ripshin Rd	2.00	60	R								NA			NA		01/06/2006
(603) Ripshin Rd	2.00	45	R								NA			NA		01/06/2006
(603) Lostlake Rd	1.90	80	R								NA			NA		01/06/2006
(604) Jerusalem Rd	0.10	70	R								NA			NA		02/07/2006
(604) Jerusalem Rd	0.90	30	R								NA			NA		02/07/2006
(604) Jerusalem Rd	0.60	60	R								NA			NA		02/07/2006
(604) Jerusalem Rd	1.00	50	R								NA			NA		02/07/2006
(604) Rabbit Hollow Rd	4.60	90	G	98%	1%	1%	0%	0%	0%	F	0.134	F	0.8	90	G	2010
(604) Liberty Hill	1.10	310	G	98%	1%	1%	0%	0%	0%	C	0.111	F	0.639	320	G	2010
(604)	0.20	540	R								NA			NA		02/10/2006
(605)	0.60	280	R								NA			NA		1999
(605)	0.20	140	R								NA			NA		1999
(606) Water Wheel Rd	0.54	240	G	96%	2%	1%	1%	0%	0%	C	0.113	F	0.5	250	G	2010
(606)	1.05	110	R								NA			NA		1999
(606)	0.15	90	R								NA			NA		1999
(606)	0.75	80	R								NA			NA		1999
(606)	0.65	30	R								NA			NA		1999
(606)	0.35	NA									NA			NA		
<b>Town of Fries</b>																
(606)	0.15	5	R								NA			NA		1995
(606) Fries Rd	0.18	3100	G	98%	0%	1%	1%	0%	0%	C	0.096	F		3300	G	2010
<b>Grayson County</b>																
(607) Meadow Creek Rd	3.00	170	G	97%	2%	1%	0%	0%	0%	F	0.135	F	0.651	180	G	2010
(607) Meadow Creek Rd	1.70	820	G	97%	2%	1%	0%	0%	0%	F	0.105	F	0.798	860	G	2010

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(607) Meadow Creek Rd	1.40	420	G	97%	2%	1%	0%	0%	0%	F	0.148	F	0.609	440	G	2010
			From: 38-618 Mt Vale Rd													
(607) Meadow Creek Rd	1.62	330	G	97%	2%	1%	0%	0%	0%	C	0.128	F	0.651	340	G	2010
			From: 38-617 White Pine Rd													
(607)	0.12	240	R									NA		NA		1999
			From: US 58 Grayson Pkwy Dead End													
(607) Fries Rd	0.26	990	G	96%	1%	1%	1%	0%	0%	C	0.091	F	0.606	1000	G	2010
			From: NCL Galax													
			To: Carroll County Line													
(608) Coal Creek Rd	1.10	350	G	97%	1%	1%	1%	0%	0%	C	0.098	F	0.541	370	G	2010
			From: SR 97; Carroll County Line													
			To: Carroll County Line													
(609)	2.60	100	R									NA		NA		07/12/2002
			From: Blue Ridge Pkwy													
(609)	0.30	70	R									NA		NA		07/12/2002
			From: 38-799													
(609)	2.20	140	R									NA		NA		1999
			From: 38-613													
			To: Carroll County Line													
(610)	0.50	340	R									NA		NA		1999
			From: 38-785													
			To: SR 89 Skyline Hwy													
(611) Caty Sage	1.50	130	R									NA		NA		02/01/2006
			From: US 21													
(611) Pheasant Run Lane	1.00	110	R									NA		NA		01/24/2006
			From: 38-668 Big Ridge Rd													
(611) Stones Chapel Rd	0.80	60	R									NA		NA		01/24/2006
			From: 38-665 Stones Chapel Rd													
(611)	1.30	80	R									NA		NA		06/11/2002
			From: 38-664 Serenity Rd													
(611) Caty Sage	1.20	80	R									NA		NA		02/01/2006
			From: 38-662													
(611) Caty Sage	0.70	140	R									NA		NA		02/01/2006
			From: 38-671 Mt Zion Rd													
			To: 38-658 Comers Rock Rd													
(612)	1.20	70	R									NA		NA		07/12/2002
			From: Blue Ridge Pkwy													
			To: Carroll County Line													
(613) Edmonds Rd	1.56	1500	G	95%	0%	2%	2%	1%	0%	F	0.085	F	0.572	1600	G	2010
			From: 38-615 Savannah Rd; North Carolina State Line													
			To: 38-785 Fishers Gap Rd													
(613) Edmonds Rd	1.14	1400	G	95%	0%	2%	2%	1%	0%	C	0.093	F	0.516	1400	G	2010
			From: 38-785 Fishers Gap													
			To: SR 89 Skyline Hwy													
(613)	2.41	470	R									NA		NA		1999
			From: 38-609													
(614)	0.40	220	R									NA		NA		1999
			From: 38-659 Tiny Wood Lane; Valley View Rd													
			To: US 21; 38-791													
(615)	1.30	130	R									NA		NA		07/16/2002
			From: Dead End													
(615) Savannah Rd	3.10	480	G	87%	1%	4%	6%	3%	0%	C	0.095	F	0.571	510	G	2010
			From: 38-624 Delhart Rd													
			To: 38-613 Edmonds Rd; North Carolina State Line													

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(616)	2.00	230	R											NA		07/16/2002
(617)	1.20	170	R											NA		1999
(617)	0.70	150	R											NA		07/16/2002
(618)	0.60	590	R											NA		1999
(619)	0.80	320	R											NA		1999
(619)	1.49	90	R											NA		07/16/2002
(620) Round Hill Circle	0.21	20	R											NA		02/10/2006
(621)	0.70	110	R											NA		07/16/2002
(622)	2.00	130	R											NA		07/16/2002
(622) Delhart Rd	1.70	830	G	97%	0%	1%	1%	0%	0%	F	0.130	F	0.601	870	G	2010
(622) Delhart Rd	0.90	730	G	97%	0%	1%	1%	0%	0%	F	0.135	F	0.533	760	G	2010
(622) Delhart Rd	1.50	820	G	97%	0%	1%	1%	0%	0%	F	0.137	F	0.535	860	G	2010
(622) Delhart Rd	0.70	900	G	97%	0%	1%	1%	0%	0%	C	0.122	F	0.591	950	G	2010
(623)	3.04	140	R											NA		1999
(623)	0.31	60	R											NA		1999
(623) Beech Grove Ln	1.09	590	G	97%	0%	1%	1%	0%	0%	C	0.097	F	0.517	620	G	2010
(624) Delhart Rd	1.30	1100	G								0.096	F	0.52	1100	G	2010
(624) Crossroads Dr	3.30	460	G								0.114	F	0.703	490	G	2010
(624)	0.38	560	R											NA		1999
(625)	0.20	4	R											NA		1991
(625)	0.50	8	R											NA		07/16/2002

Virginia Department of Transportation  
 Traffic Engineering Division  
 2010  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Grayson County</b>																	
(625)	0.45	20	R													07/16/2002	
(625)	0.45	50	R													07/16/2002	
(625)	1.60	110	R													07/16/2002	
(626)	1.60	50	R													1999	
(626)	1.51	60	R													1999	
(626)	0.10	70	R													1999	
(626)	2.49	480	R													1999	
(626)	Old Baywood Rd	0.30	610	G	97%	1%	1%	0%	1%	0%	C	0.136	F	0.671	640	G	2010
(626)		3.40	210	R													1999
(626)	Old Baywood Rd	0.09	1200	G	97%	1%	1%	0%	1%	0%	F	0.112	F	0.58	1200	G	2010
(627)	0.25	30	R														1999
(628)	1.90	20	R														1999
(628)	0.50	NA															
(629)	3.20	30	R														1999
(629)	0.20	40	R														1999
(629)	1.02	50	R														1999
(629)	0.22	50	R														1999
(630)	0.16	47	R														1999
(631)	0.03	200	R														1999
(631)	0.92	160	R														06/06/2002
(631)	1.70	30	R														06/06/2002
(631)	1.30	20	R														06/06/2002
(631)	0.55	40	R														06/06/2002

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(631)	1.20	90	R								NA		NA			06/06/2002
(632)	0.12	2	R								NA		NA			1999
(632)	1.01	40	R								NA		NA			1999
(632)	1.70	110	R								NA		NA			1999
(633)	0.80	50	R								NA		NA			07/16/2002
(633)	0.85	60	R								NA		NA			07/16/2002
(634)	1.80	130	R								NA		NA			06/06/2002
(634)	1.40	330	R								NA		NA			1999
(634) Beech Grove Ln	0.10	530	G	98%	1%	1%	0%	0%	0%	C	0.115	F	0.742	560	G	2010
(634)	1.40	130	R								NA		NA			1999
(634)	2.30	100	R								NA		NA			05/29/2002
(634)	0.30	150	R								NA		NA			1999
(634)	0.40	140	R								NA		NA			05/29/2002
(634)	0.20	110	R								NA		NA			1999
(634) Water Wheel Rd	1.07	390	G	91%	1%	1%	4%	3%	0%	C	0.109	F	0.630	410	G	2010
(634) Water Wheel Rd	0.19	200	G	91%	1%	1%	4%	3%	0%	F	0.164	F	0.603	210	G	2010
(634) Water Wheel Rd	0.50	190	G	91%	1%	1%	4%	3%	0%	F	0.125	F	0.558	200	G	2010
(635)	0.50	9	R								NA		NA			06/06/2002
(635)	1.70	120	R								NA		NA			06/06/2002
(636)	0.15	170	R								NA		NA			1999
(636) Haystack Rd	0.39	770	G	96%	1%	1%	1%	0%	0%	C	0.15	F	0.573	810	G	2010
(636) Rock Chimney rd	0.94	220	G	98%	2%	0%	0%	0%	0%	C	0.133	F	0.5	230	G	2010
(636) Beach Grove Ln	0.70	660	G	96%	1%	1%	1%	0%	0%	F	0.119	F	0.629	690	G	2010

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(636)	0.80	340	R											NA		1999
(636)	0.50	110	R											NA		06/06/2002
(636)	0.20	70	R											NA		06/06/2002
(636)	1.00	50	R											NA		06/06/2002
(636)	1.06	5	R											NA		06/06/2002
(637)	1.60	40	R											NA		06/06/2002
(637)	1.40	40	R											NA		06/06/2002
(638)	1.70	260	R											NA		05/29/2002
(638)	0.20	120	R											NA		05/29/2002
(638)	0.50	150	R											NA		05/29/2002
(638)	0.80	460	R											NA		05/29/2002
(639)	0.40	220	R											NA		1999
(639)	0.90	70	R											NA		05/29/2002
(640)	0.80	40	R											NA		05/29/2002
(640)	0.90	40	R											NA		05/29/2002
(640)	2.30	130	R											NA		05/29/2002
(640)	0.15	340	R											NA		1999
(640) Greenville Rd	0.59	550	G	95%	0%	1%	2%	2%	0%	F	0.107	F	0.606	580	G	2010
(640) Greenville Rd	0.15	830	G	95%	0%	1%	2%	2%	0%	C	0.11	F	0.594	870	G	2010
(641)	1.60	180	R											NA		05/29/2002
(641)	1.42	110	R											NA		05/29/2002
(641)	0.88	8	R											NA		05/29/2002
(642)	0.94	80	R											NA		05/29/2002



Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(642)	0.06	90	R			From: 38-823					NA			NA		05/29/2002
						To: 38-606										
(643)	1.07	320	R			From: 38-619					NA			NA		1999
						To: WCL Galax										
(644) Winding Rd	0.40	670	G	98%	0%	1%	0%	0%	0%	C	0.095	F	0.58	700	G	2010
						From: 38-605 Eagle Bottom										
(644) Winding Rd	0.12	620	G	98%	0%	1%	0%	0%	0%	F	0.136	F	0.776	650	G	2010
						To: 38-770 Quarry Rd										
(644) Winding Rd	0.49	300	G	98%	0%	1%	0%	0%	0%	F	0.141	F	0.566	310	G	2010
						From: 38-647 Stevens Creek										
						To: 38-647 Stevens Creek Rd										
(644)	1.43	200	R			From: 38-644					NA			NA		1999
						To: 38-604 Liberty Hill; Rabbit Hollow Rd										
(644)	0.04	170	R			From: 38-855 Crusader Lane					NA			NA		02/10/2006
						To: 38-645										
(644)	0.40	100	R			From: 38-645					NA			NA		02/10/2006
						To: Dead End										
(645)	0.40	80	R			From: 38-644					NA			NA		02/10/2006
						To: Dead End										
(646)	2.60	350	R			From: 38-648					NA			NA		1999
						To: 38-604 Rabbit Hollow Rd										
(647) Stevens Creek Rd	0.70	240	G	95%	1%	1%	2%	0%	0%	F	0.137	F	0.547	250	G	2010
						From: 38-759 Cattle Dr										
(647) Stevens Creek Rd	0.70	310	G	95%	1%	1%	2%	0%	0%	C	0.123	F	0.585	320	G	2010
						From: 38-644 Winding Rd										
(647) Stevens Creek Rd	0.50	250	G	95%	1%	1%	2%	0%	0%	F	0.128	F	0.566	260	G	2010
						From: 38-770 Quarry Rd										
(647) Stevens Creek Rd	0.40	390	G	95%	1%	1%	2%	0%	0%	F	0.136	F	0.65	410	G	2010
						To: 38-604 Liberty Hill										
(648)	0.10	90	R			From: SR 94 S, Scenic Rd					NA			NA		1999
						To: SR 94 N, Scenic Rd										
(648)	1.40	400	R			From: 38-805 Spring Valley Rd					NA			NA		1999
						To: 38-805 S, Spring Valley Rd										
(649)	3.25	180	R			From: 38-713					NA			NA		1999
						To: 38-805 MID										
(649)	0.70	240	R			From: 38-805 N, Spring Valley Rd					NA			NA		05/07/2002
						To: 38-646										
(650)	0.45	20	R			From: Dead End					NA			NA		02/10/2006
						To: 38-660 W, Carsonville Rd										
(650)	1.76	40	R			From: 38-660 E, Carsonville Rd					NA			NA		02/10/2006
						To: 1.76 MN 38-660 Carsonville Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Grayson County</b>																	
(650)	0.11	50	R													02/10/2006	
(650)	0.15	48	R													02/10/2006	
(650)	1.28	70	R													02/10/2006	
(651)	0.32	90	R													02/10/2006	
(651)	0.77	48	R													02/10/2006	
(651)	0.11	80	R													02/10/2006	
(651)	Leafwood Rd	0.70	120	R												02/07/2006	
(651)	Leafwood Rd	0.70	30	R												02/07/2006	
(652)	Briar Patch Mtn Rd	3.60	60	R												02/07/2006	
(653)	Arrowhead Dr	4.60	30	R												02/10/2006	
(654)	Peach Bottom Rd	2.30	150	G	96%	0%	2%	2%	1%	0%	C	0.107	F	0.667	150	G	2010
(654)	Peach Bottom Rd	1.40	80	G	96%	0%	2%	2%	1%	0%	F	0.174	F	0.667	80	G	2010
(654)	Peach Bottom Rd	2.20	80	G	96%	0%	2%	2%	1%	0%	F	0.147	F	0.63	90	G	2010
(654)	Peach Bottom Rd	2.60	70	G	96%	0%	2%	2%	1%	0%	F	0.162	F	0.539	80	G	2010
(654)	Hines Branch Rd	1.00	80	R													02/07/2006
(654)		2.30	47	R													05/07/2002
(655)		3.00	50	R													02/07/2006
(656)		0.20	60	R													02/07/2006
(656)		1.60	30	R													02/07/2006
(656)	Pilgrim Fork Rd	0.40	90	R													02/07/2006
(657)	Wagon Wheel Rd	1.20	130	R													01/24/2006
(657)	Wagon Wheel Rd	0.69	80	R													01/24/2006

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(657)	0.51	40	R			From: 0.69 ME 38-791					NA			NA		01/24/2006
						To: 38-656 Pilgrim Fork Rd										
(658) Flatridge Rd	2.08	160	G	92%	0%	4%	4%	0%	0%	F	0.127	F	0.714	170	G	2010
						From: SR 16 Troutdale Hwy										
(658) Flatridge Rd	2.10	190	G	92%	0%	4%	4%	0%	0%	F	0.134	F	0.571	200	G	2010
						From: 38-731 W, Rockbridge										
(658) Flatridge Rd	3.58	140	G	92%	0%	4%	4%	0%	0%	C	0.116	F	0.5	140	G	2010
						From: 38-733 Pine Branch Rd										
(658) Comers Rock Rd	3.23	50	G	92%	0%	4%	4%	0%	0%	F	0.185	F	0.6	50	G	2010
						From: 38-672 S, Honey Grove Ln										
(658) Comers Rock Rd	3.60	170	G	92%	0%	4%	4%	0%	0%	F	0.143	F	0.98	170	G	2010
						From: 38-672 S Honey Grove Rd										
(658) Comers Rock Rd	2.10	300	G	92%	1%	2%	3%	2%	0%	F	0.107	F	0.8	310	G	2010
						From: 38-673 E Hillandale Rd										
(658) Comers Rock Rd	0.20	330	G	92%	1%	2%	3%	2%	0%	F	0.101	F	0.623	350	G	2010
						From: 38-673 East Hillandale Ln										
(658) Comers Rock Rd	2.59	490	G	92%	1%	2%	3%	2%	0%	F	0.109	F	0.618	510	G	2010
						From: 38-670 Laurel View Rd										
(658) Comers Rock Rd	2.70	1100	G	92%	1%	2%	3%	2%	0%	C	0.096	F	0.644	1100	G	2010
						From: 38-672 North Blue Spring Rd										
(658) Comers Rock Rd	2.59	490	G	92%	1%	2%	3%	2%	0%	F	0.109	F	0.618	510	G	2010
						From: 38-611 Mt Zion										
(658) Comers Rock Rd	2.70	1100	G	92%	1%	2%	3%	2%	0%	C	0.096	F	0.644	1100	G	2010
						From: 38-611 Mt Zion Rd										
(659) Valley View Rd	0.70	170	R			From: 38-663 Caty Sage					NA			NA		01/24/2006
						To: US 21 Elk Creek Pkwy										
(659) Tiny Wood Lane	0.20	40	R			From: 38-658 Comers Rock Rd					NA			NA		01/24/2006
						To: 38-614										
(659) Hunters Lane	1.95	180	R			From: 38-614					NA			NA		01/24/2006
						To: 38-791 WEST										
(659) Hunters Lane	0.30	30	R			From: 38-791 WEST					NA			NA		01/24/2006
						To: 1.95 MS 38-791 WEST										
(660) Carsonville Rd	3.30	430	G	97%	1%	1%	1%	1%	0%	F	0.121	F	0.726	450	G	2010
						From: US 21 Elk Creek Pkwy										
(660) Carsonville Rd	3.78	290	G	97%	1%	1%	1%	1%	0%	F	0.121	F	0.689	300	G	2010
						From: 38-654 E, Hines Branch Rd; Peach Bottom Rd										
(660) Carsonville Rd	1.09	350	G	97%	1%	1%	1%	1%	0%	F	0.125	F	0.612	360	G	2010
						From: 38-654 E, Hines Branch Rd										
(660) Carsonville Rd	2.60	670	G	97%	1%	1%	1%	1%	0%	C	0.107	F	0.708	710	G	2010
						From: 38-650 East, Springwood Ln										
(661)	0.25	170	R			From: 38-650 E Springwood Ln					NA			NA		1999
						To: 38-691 Pine Mtn Rd										
(662) Logans Lane	0.80	30	R			From: SR 274 Riverside Dr					NA			NA		01/19/2006
						To: Dead End										
(662) Falls Rd	0.04	50	R			From: 38-728 Dormitory Lane; Oakhill Rd					NA			NA		01/19/2006
						To: Dead End										
(662) Falls Rd	0.20	70	R			From: 38-668 S, Big Ridge Rd					NA			NA		02/01/2006
						To: 38-668 N, Big Ridge Rd										
						From: 38-668 N, Big Ridge Rd					NA			NA		02/01/2006
						To: 38-673 S, Bethel Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(662) Little Rd	0.30	20	R				From: 38-673 S, Bethel Rd				NA			NA		01/19/2006
(662) Falls Rd	2.00	40	R				From: 38-673 N, Falls Rd				NA			NA		01/19/2006
(662) Falls Rd	0.30	70	R				From: 38-664 Serenity Rd				NA			NA		01/19/2006
(662) Falls Rd	1.26	50	R				From: 38-670 Laurel View Rd				NA			NA		02/01/2006
(662)	0.13	70	R				From: 1.26 MN 38-670 Laurel View Rd				NA			NA		01/27/2006
(662)	1.60	280	R				From: 38-611 W, Caty Sage 38-611 E, Caty Sage				NA			NA		01/27/2006
(663) Caty Sage Rd	1.15	170	R				From: 38-658 Comers Rock Rd				NA			NA		01/22/2006
(663) Caty Sage Rd	2.10	140	R				From: 38-662 To: 38-665 Stones Chapel Rd				NA			NA		01/27/2006
(664) Serenity Rd	0.05	50	R				From: 38-662 Falls Rd				NA			NA		01/27/2006
(664) Serenity Rd	2.50	49	R				From: 38-764 Sweet Water Rd To: 38-611 Stones Chapel Rd				NA			NA		01/27/2006
(665) Stones Chapel Rd	0.20	70	R				From: 38-611 Stones Chapel Rd; Pheasant Run Lane				NA			NA		01/24/2006
(665) Stones Chapel Rd	2.20	180	R				From: 38-864 Flag Pond Lane				NA			NA		01/24/2006
(665) Stones Chapel Rd	0.90	290	R				From: 38-663 Caty Sage Rd To: 38-658 Comers Rock Rd				NA			NA		01/24/2006
(666) Willow Shade Lane	0.40	40	R				From: Dead End To: US 21				NA			NA		02/01/2006
(667) Salom Lane	0.25	20	R				From: US 21 To: Dead End				NA			NA		02/01/2006
(668) Big Ridge Rd	1.60	30	R				From: 38-658 Comers Rock Rd To: 38-662 W, Falls Rd; Logans Lane				NA			NA		01/19/2006
(668) Big Ridge Rd	0.70	70	R				From: 38-662 E, Falls Rd To: 38-673 Falls Rd				NA			NA		01/19/2006
(668) Big Ridge Rd	1.00	70	R				From: 38-673 Falls Rd To: 38-764 Sweet Water Rd				NA			NA		01/19/2006
(668) Big Ridge Rd	2.20	130	R				From: 38-764 Sweet Water Rd To: 38-611 Pheasant Run Lane; Caty Sage				NA			NA		01/19/2006
(669)	3.10	120	R				From: Dead End To: 38-825 Sugar Camp Lane				NA			NA		02/01/2006
(670) Laurel View Rd	0.50	30	R				From: 38-658 Comers Rock Rd To: 0.50 ME 38-658 Comers Rock Rd				NA			NA		01/27/2006
(670) Laurel View Rd	1.30	20	R				From: 0.50 ME 38-658 Comers Rock Rd To: 38-662 Falls Rd				NA			NA		01/27/2006

Virginia Department of Transportation  
 Traffic Engineering Division  
 2010  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(671) Mt Zion Rd	1.29	80	R			From: 38-658 Comers Rock Rd					NA			NA		02/01/2006
(671) Mt Zion Rd	0.21	90	R			To: 1.29 ME 38-658 Comers Rock Rd					NA			NA		02/01/2006
(672) Blue Spring Rd	0.05	30	R			From: 38-611 Caty Sage					NA			NA		01/22/2006
(672) Blue Spring Rd	0.05	30	R			To: 38-658 Flatridge Rd					NA			NA		01/22/2006
(672) Honey Grove Rd	0.20	80	R			From: 0.05 MN 38-658 Flatridge Rd					NA			NA		01/12/2006
(672) Honey Grove Rd	0.20	80	R			To: 38-768					NA			NA		01/12/2006
(672) Wilburns Mill Rd	1.10	20	R			From: 38-674 S, Roberts Cove Rd					NA			NA		01/12/2006
(672) Roberts Cove Rd	0.30	45	R			To: 38-674 N, Roberts Cove Rd					NA			NA		01/12/2006
(672) Roberts Cove Rd	0.80	47	R			From: 38-674 N, Roberts Cove Rd					NA			NA		01/27/2006
(672) Roberts Cove Rd	0.80	47	R			To: 0.80 MN 38-674 Roberts Cove Rd					NA			NA		01/27/2006
(672) Blue Spring Rd	1.70	30	R			From: Jefferson Forest Bndy					NA			NA		01/27/2006
(672) Blue Spring Rd	3.30	20	R			To: 38-675					NA			NA		01/27/2006
(672) Blue Spring Rd	1.30	20	R			From: 38-675					NA			NA		01/27/2006
(672) Blue Spring Rd	1.30	20	R			To: 38-798					NA			NA		01/27/2006
(672) Blue Spring Rd	2.90	20	R			From: 38-798					NA			NA		01/27/2006
(672) Blue Spring Rd	2.90	20	R			To: 38-658 Comers Rock Rd					NA			NA		01/27/2006
(673) Hillandale Lane	1.00	40	R			From: Dead End					NA			NA		01/19/2006
(673) Hillandale Lane	1.00	40	R			To: 38-658 W, Comers Rock Rd					NA			NA		01/19/2006
(673) Bethel Rd	1.20	60	R			From: 38-658 E, Comers Rock Rd					NA			NA		01/19/2006
(673) Bethel Rd	1.20	60	R			To: 38-662 S, Little Rd; Falls Rd					NA			NA		01/19/2006
(673) Falls Rd	0.40	30	R			From: 38-662 N, Falls Rd; Little Rd					NA			NA		01/19/2006
(673) Falls Rd	0.40	30	R			To: 38-668 Big Ridge Rd					NA			NA		01/19/2006
(674) Roberts Cove Rd	1.65	70	R			From: 38-768					NA			NA		01/12/2006
(674) Roberts Cove Rd	1.65	70	R			To: 38-672 S, Roberts Cove Rd; Wilburns Mill Rd					NA			NA		01/12/2006
(674) Roberts Cove Rd	1.80	20	R			From: 38-672 N, Roberts Cove Rd					NA			NA		01/12/2006
(674) Roberts Cove Rd	1.80	20	R			To: 38-658 Comers Rock Rd					NA			NA		01/12/2006
(675) Panther Creek Rd	1.20	30	R			From: 38-601 Flat Ridge Rd					NA			NA		01/06/2006
(675) Panther Creek Rd	1.20	30	R			To: 38-846 W, Cornflower Rd					NA			NA		01/06/2006
(675) Glen Wood Rd	0.40	20	R			From: 38-846 W, Cornflower Rd					NA			NA		01/06/2006
(675) Glen Wood Rd	0.80	20	R			To: 38-676 Glenwood Rd					NA			NA		01/06/2006
(675) Glen Wood Rd	0.80	20	R			From: 38-676 Glenwood Rd					NA			NA		01/06/2006
(675) Glen Wood Rd	0.80	20	R			To: 38-603 Lostlake Rd					NA			NA		01/27/2006
(675) Glen Wood Rd	1.55	20	R			From: 38-603 Lostlake Rd					NA			NA		01/27/2006
(675) Glen Wood Rd	1.55	20	R			To: 38-846 E, Cornflower Rd					NA			NA		01/22/2006
(675) Glen Wood Rd	1.55	20	R			From: 38-846 E, Cornflower Rd					NA			NA		01/22/2006
(675) Glen Wood Rd	1.55	20	R			To: 38-672 Blue Spring Rd; Roberts Cove Rd					NA			NA		01/22/2006
(676) Chestnut Ridge Rd	0.20	30	R			From: 38-677 Razor Ridge Rd					NA			NA		01/04/2006
(676) Chestnut Ridge Rd	0.20	30	R			To: 38-762 Hunt Club Rd					NA			NA		01/04/2006
(676) Chestnut Ridge Rd	3.90	50	R			From: 38-762 Hunt Club Rd					NA			NA		01/04/2006
(676) Chestnut Ridge Rd	3.90	50	R			To: 38-601 S, Flat Ridge Rd					NA			NA		01/04/2006

Virginia Department of Transportation  
 Traffic Engineering Division  
 2010  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(676) Glenwood Rd	1.30	48	R											NA		01/04/2006
(677) Razor Ridge Rd	0.20	120	R											NA		01/04/2006
(677) Razor Ridge Rd	1.10	110	R											NA		01/04/2006
(677) Razor Ridge Rd	0.90	100	R											NA		01/04/2006
(677) Razor Ridge Rd	1.80	80	R											NA		01/04/2006
(677) Razor Ridge Rd	1.20	70	R											NA		01/04/2006
(678) Fox Ridge	2.10	60	R											NA		02/24/2006
(678) Fox Creek Rd	3.20	130	G	92%	0%	4%	3%	1%	0%	C	0.163	F	0.75	130	G	2010
(679) Buck Mountain Rd	2.40	50	R											NA		01/12/2006
(680) Little Fox Creek	2.20	70	R											NA		01/12/2006
(680) Grubbs Chapel	1.10	47	R											NA		01/12/2006
(681) Rose Hill Rd	0.95	210	R											NA		02/24/2006
(681) Rose Hill Rd	1.30	120	R											NA		02/24/2006
(682)	1.00	110	R											NA		02/24/2006
(682)	0.85	70	R											NA		02/24/2006
(683) Twin Oaks Rd	1.00	40	R											NA		02/24/2006
(684)	1.04	90	R											NA		06/13/2002
(684)	0.29	210	R											NA		06/13/2002
(684)	0.82	280	R											NA		1999
<b>Town of Independence</b>																
(684) Elliott Place	0.25	320	R											NA		1999
(684) Pinehurst St	0.22	160	R											NA		1999

Virginia Department of Transportation  
 Traffic Engineering Division  
 2010  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Independence</b>																
(685) Power House Rd	0.74	670	R				From: US 58, E Main St					NA		NA		1999
(685) Power House Rd	0.14	700	R				To: 38-1140					NA		NA		1999
							From: ECL Independence									
<b>Grayson County</b>																
(685)	0.91	700	N				From: ECL Independence					NA		NA		1999
(685)	0.60	150	R				To: 38-686; 38-687					NA		NA		06/04/2002
(685)	0.20	200	R				From: 38-688					NA		NA		06/04/2002
(685)	1.20	160	R				To: 38-888					NA		NA		1999
(686)	1.80	140	R				From: SR 274 Riverside Dr					NA		NA		06/04/2002
(686)	0.30	30	R				To: 38-654 W, Peach Bottom Rd					NA		NA		06/04/2002
(686)							From: 38-654 E, Peach Bottom Rd									
(687)	1.10	220	R				To: Dead End					NA		NA		1999
(687)	0.30	100	R				From: 38-685; 38-686					NA		NA		1999
(687)							To: 38-688					NA		NA		06/04/2002
(687)	0.10	70	R				From: 38-689 SOUTH					NA		NA		06/04/2002
(687)	1.70	60	R				To: 38-689 NORTH					NA		NA		06/04/2002
(688)	0.80	60	R				From: 38-691					NA		NA		06/04/2002
(689)	1.50	90	R				To: 38-685					NA		NA		06/04/2002
(689)	1.00	30	R				From: 38-687					NA		NA		06/04/2002
(690) Tarny Wood Lane	0.30	20	R				To: 38-691					NA		NA		02/28/2006
(691)	0.50	140	R				From: Dead End					NA		NA		1999
(691)	1.40	150	R				To: SR 274 Riverside Dr					NA		NA		1999
(691)	1.50	140	R				From: 38-689					NA		NA		06/04/2002
(691)	0.10	150	R				To: 38-687					NA		NA		06/04/2002
(691)	0.80	40	R				From: 38-687					NA		NA		06/04/2002
(691)	1.10	430	R				To: 38-692 WEST					NA		NA		1999
(691)							From: 38-692 EAST					NA		NA		06/04/2002
(691)							To: 38-694					NA		NA		1999
							From: 38-660 Carsonville Rd									

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Grayson County</b>																	
(692)	0.70	190	R				From: 38-694					NA		NA		1999	
							To: 38-691 WEST										
(692)	1.30	220	R				From: 38-691 EAST					NA		NA		1999	
							To: SR 274 Riverside Dr										
(693)	0.14	110	R				From: US 58 Grayson Pkwy					NA		NA		1999	
							To: 0.14 MN US 58										
(693)	1.06	70	R				From: SR 274 Riverside Dr					NA		NA		06/06/2002	
							To: SR 274 Riverside Dr										
(694)	0.80	120	R				From: 38-654 Peach Bottom Rd					NA		NA		06/04/2002	
							To: 38-692										
(694)	1.20	200	R				From: 38-691					NA		NA		1999	
							To: 38-654 Peach Bottom Rd										
(695)	3.30	160	R				From: 38-691					NA		NA		1999	
							To: 38-691										
(696)	Summerfield Rd	0.40	50	R			From: Dead End					NA		NA		02/07/2006	
							To: 38-654 N, Peach Bottom Rd										
(696)	Summerfield Rd	1.50	30	R			From: 38-654 S, Peach Bottom Rd					NA		NA		02/07/2006	
							To: 38-830 Dandelion Lane										
(696)	Summerfield Rd	1.70	80	R			From: 38-660 Carsonville Rd					NA		NA		02/07/2006	
							To: 38-660 Carsonville Rd										
(697)	1.19	620	R				From: US 21					NA		NA		03/02/2006	
							To: 38-763										
(697)	1.90	130	R				From: 38-765					NA		NA		03/02/2006	
							To: 38-765										
(697)	0.40	80	R				From: 38-698					NA		NA		03/02/2006	
							To: 38-698										
(697)	1.10	80	R				From: 38-700					NA		NA		03/02/2006	
							To: 38-700										
(698)	0.90	120	R				From: 38-697					NA		NA		03/02/2006	
							To: 38-715										
(698)	0.57	390	R				From: US 58 Grayson Pkwy					NA		NA		03/02/2006	
							To: US 58 Grayson Pkwy										
(699)	0.80	10	R				From: Dead End					NA		NA		03/02/2006	
							To: 38-700										
(700)	1.00	90	R				From: 38-706 Pennford Rd					NA		NA		02/24/2006	
							To: 38-702 NORTH										
(700)	0.40	60	R				From: 38-705					NA		NA		02/28/2006	
							To: 38-705										
(700)	0.60	130	R				From: 38-702 S, Horseford Lane					NA		NA		02/28/2006	
							To: 38-702 S, Horseford Lane										
(700)	2.00	90	R				From: 38-701					NA		NA		02/28/2006	
							To: 38-701										
(700)	0.80	120	R				From: North Carolina State Line					NA		NA		03/02/2006	
							To: North Carolina State Line										



Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(700)	2.60	90	R											NA		03/02/2006
(700)	0.80	60	R											NA		03/02/2006
(700)	0.10	46	R											NA		03/02/2006
(700)	0.40	30	R											NA		03/02/2006
(700)	0.20	10	R											NA		03/02/2006
(701)	0.24	10	R											NA		02/28/2006
(701)	0.10	90	R											NA		1999
(701)	0.49	110	R											NA		1999
(701)	0.05	90	R											NA		1999
(701)	1.96	50	R											NA		02/28/2006
(701)	0.50	70	R											NA		07/26/2002
(701)	0.10	10	R											NA		02/28/2006
(701)	1.80	80	R											NA		03/02/2006
(702)	Horseford Lane	0.20	30	R										NA		02/28/2006
(702)		1.90	270	R										NA		02/28/2006
(702)		1.41	460	R										NA		02/28/2006
<b>Town of Independence</b>																
(702)		0.56	460	N										NA		02/28/2006
<b>Grayson County</b>																
(703)		0.80	240	R										NA		1999
(703)	Hardin Rd	1.10	300	R										NA		02/28/2006
(704)		0.60	NA											NA		
(704)		0.20	30	R										NA		07/26/2002
(705)		0.93	60	R										NA		02/28/2006

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Grayson County</b>																	
(706)	1.25	20	R													07/26/2002	
(706)	0.15	50	R													02/24/2006	
(706)	Pennford Rd	1.90	210	R												02/24/2006	
(706)		0.60	48	R												02/24/2006	
(707)		0.12	10	R												07/16/2002	
(708)		1.88	190	R												02/17/2006	
(708)	Potato Creek Rd	0.31	80	R												02/17/2006	
(708)	Potato Creek Rd	0.39	80	R												02/17/2006	
(708)	Potato Creek Rd	2.24	60	G	95%	0%	3%	1%	1%	0%	C	0.156	F	0.667	70	G	2010
(708)		0.66	80	R												02/17/2006	
(708)		3.59	40	R												02/17/2006	
(709)		0.50	20	R												02/17/2006	
(710)		0.80	20	R												02/17/2006	
(711)		0.80	60	R												06/25/2002	
(711)	Fox Ridge Rd	2.10	300	G	92%	0%	3%	5%	1%	0%	C	0.124	F	0.564	320	G	2010
(711)		0.20	120	R												02/24/2006	
(711)		2.10	60	R												02/24/2006	
(711)		1.00	160	R												02/28/2006	
(711)	Gold Hill Rd	1.60	90	R												02/17/2006	
(711)		3.60	220	R												02/24/2006	
(712)		0.70	20	R												02/17/2006	
(712)		0.30	30	R												02/12/2006	

Virginia Department of Transportation  
 Traffic Engineering Division  
 2010  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(713)	0.20	20	R								NA			NA		05/07/2002
(713)	1.00	90	R								NA			NA		05/07/2002
(714)	0.70	70	R								NA			NA		02/24/2006
(715)	1.20	130	R								NA			NA		03/02/2006
(715)	3.08	120	R								NA			NA		07/26/2002
(715)	0.12	90	R								NA			NA		03/02/2006
(716)	1.00	60	R								NA			NA		02/17/2006
(717)	0.25	80	R								NA			NA		02/10/2006
(718) Deacon Rd	0.20	80	R								NA			NA		02/17/2006
(719)	0.20	90	R								NA			NA		02/17/2006
(720)	2.10	260	R								NA			NA		1999
(720)	0.50	160	R								NA			NA		1999
(721)	1.13	70	R								NA			NA		12/08/2005
(721)	1.00	30	R								NA			NA		12/08/2005
(721)	0.30	30	R								NA			NA		07/09/2002
(721)	1.80	50	R								NA			NA		12/08/2005
(721)	0.60	60	R								NA			NA		12/08/2005
(722)	1.65	48	R								NA			NA		12/08/2005
(722)	1.20	20	R								NA			NA		07/09/2002
(722)	1.05	120	R								NA			NA		12/01/2005
(723)	0.50	110	R								NA			NA		12/01/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(723)	3.20	46	R											NA		12/01/2005
(724)	0.85	30	R											NA		1999
(724)	0.05	10	R											NA		1999
(725) Tucker Rd	0.80	160	G	88%	0%	1%	10%	0%	0%	F	0.148	F	0.608	170	G	2010
(725) Grassy Creek Rd	2.70	180	G	88%	0%	1%	10%	0%	0%	F	0.156	F	0.697	190	G	2010
(725) Grassy Creek Rd	0.80	280	G	88%	0%	1%	10%	0%	0%	F	0.150	F	0.630	290	G	2010
(725) Grassy Creek Rd	1.04	440	G	88%	0%	1%	10%	0%	0%	C	0.127	F	0.638	460	G	2010
(725)	0.16	290	R											NA		12/08/2005
(726) White Top Gap Rd	1.22	120	G	96%	0%	3%	1%	0%	0%	C	0.153	F	0.611	120	G	2010
(726)	1.60	220	R											NA		11/08/2005
(727) Pine Branch Rd	1.10	45	R											NA		01/10/2006
(727)	2.10	30	R											NA		01/10/2006
(727) Pine Branch Rd	0.20	20	R											NA		01/10/2006
(727) Kindreck Rd	0.30	60	R											NA		01/10/2006
(728) Oakhill Rd	0.45	310	R											NA		01/10/2006
(728) Dormitory Lane	0.05	70	R											NA		01/10/2006
(728) Oakhill Rd	0.70	60	R											NA		01/10/2006
(728) Oakhill Rd	0.20	70	R											NA		01/10/2006
(728) Oakhill Rd	1.80	120	R											NA		01/10/2006
(729)	0.20	10	R											NA		02/01/2006
(729)	0.68	70	R											NA		02/01/2006
(729) Cloverdale Lane	0.32	120	R											NA		02/01/2006

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(730) Low Gap Rd	0.90	70	R			From: 38-740					NA			NA		12/29/2005
						To: SR 16 Troutdale Hwy										
(731) Rockbridge	2.60	70	R			From: 38-658 W, Flatridge Rd					NA			NA		01/12/2006
						To: 38-775 Guffey Branch Lane										
(731) Rockbridge	0.30	30	R			From: 38-794 Rabbit Fork Rd					NA			NA		01/12/2006
						To: 38-658 E, Flatridge Rd										
(731) Rabbit Fork Rd	1.00	50	R			From: 38-603 Ripshin Rd					NA			NA		01/12/2006
						To: 38-762 Country View										
(732) Laurel Creek Rd	0.90	40	R			From: 38-727 Kindreck Rd; Pine Branch Rd					NA			NA		01/04/2006
						To: 38-677 Razor Ridge Rd										
(732) Country View Rd	1.30	20	R			From: 38-727 Kindreck Rd; Pine Branch Rd					NA			NA		01/04/2006
						To: 38-658 Flatridge Rd										
(733) Pine Branch Rd	2.80	40	R			From: US 58 Troutdale Hwy					NA			NA		01/10/2006
						To: 38-835										
(734) Chestnut Grove Rd	1.08	80	R			From: 38-735					NA			NA		01/10/2006
						To: 38-736 Wallens Creek Rd										
(734) Chestnut Grove Rd	0.70	70	R			From: 38-736 Wallens Creek Rd					NA			NA		01/10/2006
						To: 38-658 Flatridge Rd										
(734) Chestnut Grove Rd	1.10	80	R			From: SR 16 Troutdale Hwy					NA			NA		01/10/2006
						To: 38-734 Chestnut Grove Rd										
(735)	1.29	190	R			From: SR 16 S; 38-738					NA			NA		01/10/2006
						To: SR 16 N; 38-740										
(736) Wallens Creek Rd	1.30	46	R			From: SR 16 N; 38-740					NA			NA		12/29/2005
						To: 1.00 MN SR 16 N										
(736) Wallens Creek Rd	1.00	80	R			From: 38-734 Chestnut Grove Rd					NA			NA		12/29/2005
						To: SR 16 Troutdale Hwy										
(736)	0.50	30	R			From: SR 16 Troutdale Hwy					NA			NA		12/29/2005
						To: 38-658 Flatridge Rd										
(737)	1.00	130	R			From: 38-740					NA			NA		06/26/2002
						To: SR 16; 38-730										
(738) Little Wilson Rd	1.50	160	R			From: 38-603 Fairwood Rd					NA			NA		12/29/2005
						To: 38-836 Polter Rd										
(739) Rocky Hollow Rd	3.85	90	R			From: SR 16 S, Troutdale Hwy					NA			NA		06/21/2002
						To: SR 16 N, Troutdale Hwy										
(739)	0.85	110	R			From: SR 16 N, Troutdale Hwy					NA			NA		06/21/2002
						To: 38-677 Razor Ridge Rd										
(739) Hazelwood Rd	0.90	50	R			From: 38-677 Razor Ridge Rd					NA			NA		12/29/2005
						To: 38-658 Flatridge Rd										
(739)	0.20	150	R			From: 38-658 Flatridge Rd					NA			NA		06/21/2002
						To: 38-658 Flatridge Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Grayson County</b>																	
(740)	2.70	90	R									NA		NA		12/01/2005	
(740)	0.40	100	R									NA		NA		12/01/2005	
(740)	0.70	140	R									NA		NA		06/25/2002	
(741)	Homestead Rd	3.70	30	R								NA		NA		12/29/2005	
(742)		2.60	120	R								NA		NA		07/09/2002	
(742)		1.40	50	R								NA		NA		11/16/2005	
(743)	Rugby Rd	2.60	200	G	99%	0%	0%	0%	1%	0%	F	0.118	F	0.592	210	G	2010
(743)	Rugby Rd	0.20	270	G	99%	0%	0%	0%	1%	0%	F	0.118	F	0.677	290	G	2010
(743)	Rugby Rd	0.40	250	G	99%	0%	0%	0%	1%	0%	F	0.12	F	0.556	260	G	2010
(743)	Rugby Rd	0.70	240	G	99%	0%	0%	0%	1%	0%	C	0.117	F	0.621	250	G	2010
(744)		0.30	40	R								NA		NA		12/01/2005	
(744)		2.80	40	R								NA		NA		12/01/2005	
(745)		2.50	210	R								NA		NA		07/09/2002	
(745)		0.70	50	R								NA		NA		12/08/2005	
(745)		0.30	30	R								NA		NA		12/08/2005	
(746)		0.50	20	R								NA		NA		11/16/2005	
(746)		0.90	60	R								NA		NA		11/16/2005	
(747)		0.20	100	R								NA		NA		11/16/2005	
(748)		1.00	20	R								NA		NA		11/16/2005	
(748)		0.40	40	R								NA		NA		11/16/2005	
(748)		1.00	100	R								NA		NA		07/09/2002	

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(749)	0.90	48	R								NA		NA			11/16/2005
(750)	0.74	300	R								NA		NA			07/09/2002
(750)	1.26	160	R								NA		NA			11/16/2005
(751)	0.27	60	R								NA		NA			11/08/2005
(751)	0.93	90	R								NA		NA			11/16/2005
(751)	1.00	210	R								NA		NA			11/16/2005
(751) Stirgill Rd	1.10	470	G	99%	0%	1%	0%	0%	0%	C	0.091	F	0.587	490	G	2010
(752)	0.25	80	R								NA		NA			05/14/2002
(753)	0.90	40	R								NA		NA			11/08/2005
(753)	1.30	220	R								NA		NA			11/08/2005
(754) Old Park Rd	0.80	360	G	98%	0%	1%	0%	0%	0%	C	0.106	F	0.605	380	G	2010
(755)	0.75	40	R								NA		NA			11/08/2005
(755)	1.75	110	R								NA		NA			11/08/2005
(755) Old Park Rd	1.50	210	G	98%	0%	1%	0%	1%	0%	C	0.13	F	0.5	230	G	2010
(755)	0.40	100	R								NA		NA			11/08/2005
(756)	1.20	60	R								NA		NA			07/26/2002
(756)	0.40	40	R								NA		NA			07/26/2002
(757)	0.40	120	R								NA		NA			07/26/2002
<b>Town of Fries</b>																
(758) Hilltown Rd	0.20	1200	G	99%	0%	1%	0%	0%	0%	C	0.087	F	0.625	1200	G	2010
<b>Grayson County</b>																
(759)	0.80	170	R								NA		NA			05/14/2002

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(760) Liberty Hill Rd	0.30	100	G	96%	0%	From: 38-604 Jerusalem Rd				C	0.15	F	0.688	100	G	2010
(760)	0.08	8	R			From: 38-777 Liberty Hill Rd						NA		NA		04/22/2002
						To: Dead End										
(761)	0.08	70	R			From: 38-701						NA		NA		07/26/2002
						To: 38-757										
(762) Hunt Club Rd	0.50	20	R			From: 38-676 Chestnut Ridge Rd						NA		NA		01/04/2006
(762)	0.86	50	R			From: 38-677 Razor Ridge Rd						NA		NA		06/21/2002
(762) Country View	0.14	40	R			From: 0.86 MN 38-677 Razor Ridge Rd						NA		NA		01/04/2006
						To: 38-732 Country View Rd; Laurel Creek Rd										
(763)	0.60	40	R			From: 38-756						NA		NA		07/26/2002
(763)	0.80	170	R			From: 38-757						NA		NA		07/26/2002
						To: 38-697										
(764) Sweet Water Rd	1.50	20	R			From: 38-668 Big Ridge Rd						NA		NA		01/19/2006
						To: 38-664 Serenity Rd										
(765)	1.26	170	R			From: 38-697						NA		NA		07/26/2002
						To: 38-888										
(766)	1.00	20	R			From: 38-708 WEST						NA		NA		02/17/2006
(766)	0.90	30	R			From: 38-852 Fox Wood Lane						NA		NA		02/17/2006
						To: 38-708 EAST										
(767)	2.54	280	R			From: SR 16 Jefferson Hwy						NA		NA		06/27/2002
						To: US 58 Wilson Hwy										
(768)	1.70	100	R			From: 38-672 Wilburns Mill Rd; Blue Spring Rd						NA		NA		06/18/2002
(768)	0.35	180	R			From: 38-674 Roberts Cove Rd						NA		NA		06/18/2002
						To: 38-601 Flat Ridge Rd										
(769)	2.50	60	R			From: SR 16 Jefferson Hwy						NA		NA		12/08/2005
						To: 38-721										
(770) Quarry Rd	0.58	240	G	97%	2%	From: 38-644 Winding Rd				C	0.107	F	0.539	250	G	2010
						To: 38-647 Stevens Creek Rd										
(771)	0.50	20	R			From: North Carolina State Line						NA		NA		11/08/2005
						To: 38-753										
(772)	1.00	290	R			From: 38-720						NA		NA		07/12/2002
						To: Dead End										
(773) Issac Lane	0.52	47	R			From: 38-651						NA		NA		02/10/2006
						To: Dead End										



Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(774)	0.81	120	R								NA			NA		05/29/2002
(775) Guffey Branch Lane	0.05	9	R								NA			NA		01/06/2006
(776)	0.30	30	R								NA			NA		02/07/2006
(777) Liberty Hill Rd	0.50	120	G	96%	0%	3%	1%	0%	0%	C	0.137	F	0.647	120	G	2010
(778) Camp Moxley Lane	0.22	20	R								NA			NA		02/01/2006
(779)	0.50	40	R								NA			NA		06/06/2002
(780)	0.45	190	R								NA			NA		05/29/2002
(780)	0.10	210	R								NA			NA		05/29/2002
(781)	0.10	10	R								NA			NA		05/29/2002
(782)	1.00	46	R								NA			NA		11/16/2005
(783)	1.25	150	R								NA			NA		11/16/2005
(783)	0.75	60	R								NA			NA		11/16/2005
(784)	0.50	20	R								NA			NA		1995
(785)	1.25	220	R								NA			NA		07/12/2002
(785)	1.70	250	R								NA			NA		07/12/2002
(786)	0.25	220	R								NA			NA		07/12/2002
(786)	0.25	60	R								NA			NA		07/12/2002
(787)	0.30	110	R								NA			NA		07/12/2002
(787)	2.52	100	R								NA			NA		07/12/2002
(787)	0.13	120	R								NA			NA		07/12/2002

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(788)	0.31	60	R			From: 38-649					NA			NA		05/14/2002
						To: Dead End										
(789)	0.50	20	R			From: 38-745					NA			NA		07/09/2002
						To: Dead End										
(790)	0.60	70	R			From: Blue Ridge Pkwy					NA			NA		07/12/2002
						To: 38-613; 38-804										
(791)	1.30	350	R			From: 38-658 Comers Rock Rd					NA			NA		05/03/2002
						To: US 21; 38-614										
(791)	1.00	110	R			From: 38-657 Wagon Wheel Rd					NA			NA		04/22/2002
						To: 38-658 Comers Rock Rd										
(792) Gem Stream Rd	3.00	45	R			From: 38-658 Comers Rock Rd					NA			NA		01/24/2006
						To: 38-791										
(793)	0.05	10	R			From: Dead End					NA			NA		01/06/2006
						To: 38-601 Flat Ridge Rd										
(794) Rabbit Fork Rd	1.10	60	R			From: 38-731 Rabbit Fork Rd; Rockbridge					NA			NA		01/06/2006
						To: 38-795										
(794) Prim Rose Lane	0.05	70	R			From: 38-858					NA			NA		01/06/2006
						To: 38-601 Flat Ridge Rd										
(794) Rockbridge Rd	0.25	40	R			From: Dead End					NA			NA		01/06/2006
						To: 38-794 Prim Rose Lane; Rabbit Fork Rd										
(795)	0.50	8	R			From: US 58 Troutdale Hwy					NA			NA		06/13/2002
						To: 38-728 Oakhill Rd; Dormitory Lane										
(796) Fishers Rd	1.70	30	R			From: US 58 Highlands Pkwy					NA			NA		01/10/2006
						To: 38-746										
(797)	2.10	80	R			From: 38-748					NA			NA		11/16/2005
						To: 38-672 Blue Spring Rd; Blue Spring Rd										
(797)	0.70	49	R			From: Smyth County Line					NA			NA		11/16/2005
						To: 38-613										
(798)	0.50	20	R			From: 38-609					NA			NA		01/27/2006
						To: Carroll County Line										
(799)	0.60	140	R			From: 38-636					NA			NA		07/12/2002
						To: Dead End										
(799)	0.50	80	R			From: US 58 Wilson Hwy					NA			NA		07/12/2002
						To: 0.50 MN US 58										
(800)	0.10	20	R			From: Dead End					NA			NA		06/06/2002
						To: US 58 Wilson Hwy										
(801)	0.50	100	R			From: 0.50 MN US 58					NA			NA		02/24/2006
						To: Dead End										
(801)	0.33	60	R			From: Dead End					NA			NA		02/24/2006
						To: Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(802)	0.10	220	R									NA		NA		03/02/2006
<b>Town of Independence</b>																
(802)	0.63	220	N									NA		NA		03/02/2006
<b>Grayson County</b>																
(803) Hardwood Lane	0.50	40	R									NA		NA		02/24/2006
(804)	1.50	80	R									NA		NA		07/12/2002
(805) Spring Valley Rd	1.20	330	G	93%	0%	3%	3%	0%	0%	F	0.097	F	0.657	350	G	2010
(805) Spring Valley Rd	3.19	300	G	93%	0%	3%	3%	0%	0%	F	0.114	F	0.623	310	G	2010
(805) Spring Valley Rd	1.00	280	G	93%	0%	3%	3%	0%	0%	F	0.118	F	0.515	290	G	2010
(805) Spring Valley Rd	0.75	290	G	93%	0%	3%	3%	0%	0%	F	0.108	F	0.594	300	G	2010
(805) Spring Valley Rd	0.85	280	G	93%	0%	3%	3%	0%	0%	C	0.112	F	0.75	300	G	2010
(805) Spring Valley Rd	2.45	380	G	93%	0%	3%	3%	0%	0%	F	0.111	F	0.767	400	G	2010
(805) Spring Valley Rd	0.20	1200	G	93%	0%	3%	3%	0%	0%	F	0.135	F	0.554	1200	G	2010
(805) Spring Valley Rd	0.55	1600	G	94%	2%	2%	0%	2%	0%	F	0.119	F	0.551	1700	G	2010
(805) Spring Valley Rd	0.78	1500	G	94%	2%	2%	0%	2%	0%	C	0.112	F	0.631	1500	G	2010
(805) Spring Valley Rd	0.17	1500	G	94%	2%	2%	0%	2%	0%	F	0.101	F	0.637	1500	G	2010
(806)	0.50	20	R									NA		NA		07/09/2002
(807)	0.35	40	R									NA		NA		12/01/2005
(808) Rocky Falls Lane	0.50	50	R									NA		NA		02/24/2006
(809)	1.05	310	R									NA		NA		05/17/2002
(810)	0.70	70	R									NA		NA		05/29/2002
(811)	1.00	40	R									NA		NA		02/24/2006

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(812)	0.20	48	R											NA		11/16/2005
(813)	0.12	140	R											NA		1995
(814)	0.13	30	R											NA		06/04/2002
(815)	0.43	140	R											NA		05/14/2002
(815) Tanglewood Rd	0.03	470	G	96%	1%	2%	1%	0%	0%	C	0.144	F	0.528	490	G	2010
(815)	0.30	210	R											NA		05/14/2002
(816)	0.15	410	R											NA		05/14/2002
(817)	0.26	50	R											NA		12/01/2005
(817)	0.74	6	R											NA		12/01/2005
(817)	0.40	5	R											NA		1995
(818)	0.15	130	R											NA		02/07/2006
(818) Mountain Music Lane	0.35	60	R											NA		02/07/2006
(819)	0.11	520	R											NA		07/12/2002
(820)	0.17	50	R											NA		06/13/2002
(821) Fairview Rd	1.42	370	G	99%	0%	0%	0%	0%	0%	F	0.132	F	0.509	390	G	2010
(821) Fairview Rd	0.59	660	G	99%	0%	0%	0%	0%	0%	F	0.102	F	0.561	700	G	2010
(821) Fairview Rd	0.61	1100	G	99%	0%	0%	0%	0%	0%	C	0.1	F	0.812	1200	G	2010
(822)	0.27	40	R											NA		05/14/2002
(823)	0.26	40	R											NA		1995
(824)	0.57	210	R											NA		1995

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(825) Sugar Camp Lane	0.10	120	R				US 21				NA			NA		02/01/2006
(825) Sugar Camp Lane	0.20	60	R				38-669				NA			NA		02/01/2006
							38-611 Caty Sage									
(826) Orchid Lane	1.00	120	R				Dead End				NA			NA		02/24/2006
							38-711									
<b>Town of Troutdale</b>																
(827) Auburn Lane	0.13	60	R				Dead End				NA			NA		02/17/2006
							38-603 Fairwood Rd									
<b>Grayson County</b>																
(828)	0.50	130	R				38-750				NA			NA		11/16/2005
							Dead End									
(829)	0.40	40	R				Dead End				NA			NA		07/12/2002
							SR 89 S, Skyline Hwy									
(829)	0.35	20	R				SR 89 N, Skyline Hwy				NA			NA		07/12/2002
							Blue Ridge Pkwy									
(830) Dandelion Lane	0.20	7	R				Dead End				NA			NA		02/07/2006
							38-696 Summerfield Rd									
(831) Hidden Valley Lane	0.85	100	R				US 21				NA			NA		02/01/2006
							Dead End									
(832) Grassy Know Lane	0.60	10	R				38-728 Oakhill Rd				NA			NA		02/24/2006
							Dead End									
(833) Knob Fork Lane	0.42	30	R				38-650				NA			NA		02/10/2006
							Dead End									
(834)	0.33	10	R				US 58 Troutdale Hwy				NA			NA		02/17/2006
							US 58 Troutdale Hwy									
(835)	0.44	100	R				SR 16 Troutdale Hwy				NA			NA		06/25/2002
							38-734 Chestnut Grove Rd									
(836) Polter Rd	0.58	40	R				38-739 Rocky Hollow Rd				NA			NA		12/29/2005
							SR 16 Troutdale Hwy									
<b>Town of Troutdale</b>																
(837) Timberline Rd	0.22	300	R				SR 16 Troutdale Hwy				NA			NA		06/21/2002
							38-603 Fairwood Rd									
<b>Grayson County</b>																
(838)	0.79	8	R				Dead End				NA			NA		01/17/2006
							SR 93 Wilson Hwy									
(839) Rock Quarry Lane	0.62	30	R				38-658 Comers Rock Rd				NA			NA		01/27/2006
							Dead End									
(840) Nightingale Lane	0.44	30	R				Cul-de-Sac				NA			NA		12/29/2005
							SR 16 Troutdale Hwy									

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(841)	0.10	470	R				38-626					NA		NA		07/16/2002
(841)	0.20	320	R				US 58 Grayson Pkwy					NA		NA		07/16/2002
(841)	0.21	210	R				0.20 MN US 58					NA		NA		07/16/2002
(842)	1.00	80	R				Dead End					NA		NA		05/14/2002
(843)	0.25	90	R				38-805 Spring Valley Rd					NA		NA		06/04/2002
(844)	0.40	80	R				Dead End					NA		NA		02/24/2006
(845) Mahogany Lane	0.15	7	R				38-711 Gold Hill Rd					NA		NA		01/06/2006
(846) Cornflower Rd	1.00	20	R				38-601 Flat Ridge Rd					NA		NA		01/06/2006
(847)	0.03	50	R				38-675 Glen Wood Rd; Panther Creek Rd					NA		NA		06/21/2002
(847)	0.11	50	R				38-603 Fairwood Rd					NA		NA		06/21/2002
(848)	0.08	40	R				0.03 MN 38-603 Fairwood Rd					NA		NA		05/14/2002
(849)	0.26	40	R				Dead End					NA		NA		06/04/2002
(849)	0.09	80	R				38-644 Freedom Lane					NA		NA		06/04/2002
(850)	0.03	NA					Dead End					NA		NA		
(850)	0.22	60	R				38-870					NA		NA		07/12/2002
(851)	0.75	50	R				38-785					NA		NA		07/16/2002
(852) Fox Wood Lane	1.00	6	R				Dead End					NA		NA		02/17/2006
(853)	0.30	80	R				38-648					NA		NA		05/14/2002
(854)	0.25	80	R				SR 89 Skyline Hwy					NA		NA		07/12/2002
(855) Crusader Lane	0.05	40	R				Dead End					NA		NA		02/10/2006
							38-644									

Virginia Department of Transportation  
 Traffic Engineering Division  
 2010  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(856)	0.40	170	R				From: North Carolina State Line					NA		NA		12/08/2005
							To: SR 16 Jefferson Hwy									
(857)	Shale Hollow Lane	0.75	60	R			From: Dead End					NA		NA		02/07/2006
							To: 38-818 Mountain Music Lane									
(858)		0.20	70	R			From: 38-794 Rockbridge Rd; Prim Rose Lane					NA		NA		06/13/2002
							To: 38-601 Flat Ridge Rd									
(859)		0.21	80	R			From: Dead End					NA		NA		07/12/2002
							To: 38-786									
(860)		0.27	30	R			From: SR 94 Scenic Rd					NA		NA		05/14/2002
							To: Dead End									
(861)	Willow Oak Lane	0.10	30	R			From: US 21 Elk Creek Pkwy					NA		NA		01/24/2006
							To: Dead End									
(862)		0.20	90	R			From: 38-821 Fairview Rd					NA		NA		07/12/2002
							To: Dead End									
(863)		0.10	70	R			From: 38-648					NA		NA		05/14/2002
							To: 0.10 MS 38-648									
(863)		0.10	70	R			From: Dead End					NA		NA		05/14/2002
							To: Dead End									
(864)	Flag Pond Lane	0.50	40	R			From: Dead End					NA		NA		01/24/2006
							To: 38-665 Stones Chapel Rd									
(865)		0.50	340	R			From: 38-619					NA		NA		07/12/2002
							To: 38-819									
(866)		0.10	60	R			From: Dead End					NA		NA		05/14/2002
							To: 38-644									
(867)		0.12	60	R			From: SR 94 Scenic Rd					NA		NA		05/14/2002
							To: Dead End									
(868)		0.18	30	R			From: Dead End					NA		NA		05/29/2002
							To: 38-634									
(869)		0.39	40	R			From: Dead End					NA		NA		05/29/2002
							To: 38-641									
(870)		0.20	60	R			From: 38-850					NA		NA		07/12/2002
							To: Dead End									
(871)		0.50	60	R			From: Dead End					NA		NA		05/14/2002
							To: 38-813									
(872)	Sunbow Lane	0.10	40	R			From: US 21					NA		NA		02/01/2006
							To: Dead End									
(873)		0.35	40	R			From: Dead End					NA		NA		07/12/2002
							To: SR 89 Skyline Hwy									

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(874)	0.12	90	R				From: 38-660 Carsonville Rd				NA			NA		05/29/2002
							To: Dead End									
(875)	0.70	60	R				From: US 58 Highlands Pkwy				NA			NA		02/01/2006
							To: Dead End									
(876)	0.19	40	R				From: Dead End				NA			NA		06/21/2002
							To: SR 16 Troutdale Hwy									
(877)	0.22	130	R				From: 38-805 Spring Valley Rd				NA			NA		05/14/2002
							To: Dead End									
(878)	0.65	90	R				From: US 58 Highlands Pkwy				NA			NA		11/08/2005
							To: Dead End									
(879)	0.10	30	R				From: 38-723				NA			NA		07/09/2002
							To: Dead End									
(880)	0.40	40	R				From: Dead End				NA			NA		05/29/2002
							To: 38-639									
(881)	0.10	60	R				From: 38-805 Spring Valley Rd				NA			NA		05/07/2002
							To: Dead End									
(882)	1.50	410	R				From: SR 94 Riverside Dr				NA			NA		05/29/2002
							To: WCL Galax									
(883)	0.27	20	R				From: Dead End				NA			NA		06/13/2002
							To: 38-684									
(884)	0.28	70	R				From: 38-613 Edmonds Rd				NA			NA		07/12/2002
							To: Dead End									
(885)	0.20	20	R				From: 38-742				NA			NA		11/16/2005
							To: Dead End									
(886)	0.34	270	R				From: 38-785				NA			NA		07/12/2002
							To: SR 89 Skyline Hwy									
(887)	0.08	20	R				From: 38-726				NA			NA		11/08/2005
							To: Dead End									
(888)	0.07	45	R				From: US 58 E, Grayson Pkwy				NA			NA		07/18/2002
							To: 0.07 MS US 58									
(888)	0.30	45	R				From: 38-765				NA			NA		07/18/2002
							To: 38-765									
(888)	0.15	170	R				From: US 58 W, Grayson Pkwy				NA			NA		06/04/2002
							To: US 58 W, Grayson Pkwy									
(888)	0.01	170	R				From: 0.01 MN US 58				NA			NA		06/04/2002
							To: 0.01 MN US 58									
(888)	1.14	70	R				From: 38-685				NA			NA		06/04/2002
							To: 38-685									
(889)	0.12	10	R				From: 38-817				NA			NA		07/09/2002
							To: Dead End									



Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(890)	0.25	40	R				From: 38-849					NA		NA		06/04/2002
							To: Dead End									
(891)	0.50	20	R				From: 38-805 Spring Valley Rd					NA		NA		02/07/2006
							To: Dead End									
(892) Bear Hollow Lane	0.15	40	R				From: 38-651					NA		NA		02/10/2006
							To: Dead End									
(893)	0.22	20	R				From: 38-634 Water Wheel Rd					NA		NA		05/29/2002
							To: Dead End									
(894) Pumpkin Lane	0.64	30	R				From: Dead End					NA		NA		02/01/2006
							To: 38-729 Cloverdale Lane									
(895) Archery Lane	0.22	70	R				From: 38-658 Comers Rock Rd					NA		NA		02/01/2006
							To: Dead End									
(896)	0.24	40	R				From: SR 274 Riverside Dr					NA		NA		05/29/2002
							To: Dead End									
(897)	0.17	70	R				From: Dead End					NA		NA		05/14/2002
							To: 38-900									
(897)	0.04	140	R				From: 38-805 Spring Valley Rd					NA		NA		05/14/2002
							To: 38-805 Spring Valley Rd									
(898)	0.53	70	R				From: 38-9465					NA		NA		07/12/2002
							To: Dead End									
(899)	0.15	70	R				From: US 58 Wilson Hwy					NA		NA		06/13/2002
							To: Cul-de-Sac									
(900)	0.04	70	R				From: 38-897					NA		NA		05/14/2002
							To: Dead End									
(905)	0.14	90	R				From: 38-821 Fairview Rd					NA		NA		07/12/2002
							To: Dead End									
(906)	0.18	NA					From: 38-791					NA		NA		
							To: Dead End									
(907)	0.30	50	R				From: 38-607 Meadow Creek Rd					NA		NA		1999
							To: Dead End									
(908)	0.08	NA					From: Dead End					NA		NA		
							To: 38-813									
(909)	0.11	40	R				From: Dead End					NA		NA		07/16/2002
							To: 38-626									
(910)	0.15	100	R				From: Dead End					NA		NA		07/16/2002
							To: 38-626									
(914)	0.12	40	R				From: Dead End					NA		NA		06/04/2002
							To: 38-685									

Virginia Department of Transportation  
 Traffic Engineering Division  
 2010  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(915)	0.20	90	R											NA		06/04/2002
(916)	0.15	40	R											NA		05/29/2002
(920)	0.12	47	R											NA		1999
(923) Pareo Point Lane	0.10	20	R											NA		01/27/2006
(930)	0.31	30	R											NA		02/01/2006
(940)	0.22	170	R											NA		1995
(940)	0.28	60	R											NA		1995
(941)	0.37	NA												NA		
(942)	0.16	NA												NA		
(950) Rocky Top Lane	0.53	45	R											NA		02/10/2006
<b>Town of Fries</b>																
(1001) W Main St	0.21	3000	G	98%	0%	1%	0%	0%	0%	F	0.096	F	0.565	3200	G	2010
(1001) W Main St	0.51	2600	G	98%	1%	1%	0%	0%	0%	C	0.095	F	0.623	2700	G	2010
(1001) E Main St	0.61	3500	G	98%	0%	1%	0%	0%	0%	C	0.108	F	0.591	3700	G	2010
<b>Grayson County</b>																
(1002)	0.45	280	R											NA		05/17/2002
(1003)	0.09	110	R											NA		05/17/2002
(1003)	0.11	20	R											NA		05/17/2002
(1004)	0.30	90	R											NA		05/17/2002
<b>Town of Fries</b>																
(1005)	0.12	370	R											NA		05/17/2002
(1006)	0.09	90	R											NA		05/17/2002

Virginia Department of Transportation  
 Traffic Engineering Division  
 2010  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Fries</b>																
(1006)	0.08	130	R								NA		NA			05/17/2002
(1007)	0.05	140	R								NA		NA			05/17/2002
(1007)	0.10	110	R								NA		NA			05/17/2002
<b>Grayson County</b>																
(1008)	0.12	60	R								NA		NA			05/17/2002
(1009)	0.05	60	R								NA		NA			1999
<b>Town of Fries</b>																
(1010)	0.04	1300	R								NA		NA			05/17/2002
(1011) Carroll	0.13	140	R								NA		NA			05/17/2002
(1012)	0.29	430	R								NA		NA			05/17/2002
(1013) Lee Dr	0.19	50	G	98%	0%	1%	0%	0%	0%	F	0.119	F	60	G		2010
<b>Grayson County</b>																
(1015)	0.22	70	R								NA		NA			07/12/2002
(1020)	0.24	110	R								NA		NA			06/04/2002
<b>Town of Independence</b>																
(1100) Wolf Ave	0.03	8	R								NA		NA			1995
(1101) Davis St	0.24	1100	R								NA		NA			1995
(1101) Davis St	0.10	740	R								NA		NA			1995
(1102) Hackler Lane	0.15	720	R								NA		NA			1995
(1103) Edgewood Dr	0.34	110	R								NA		NA			1995
(1103) Edgewood Dr	0.12	60	R								NA		NA			1999
(1104)	0.08	70	R								NA		NA			1995

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Independence</b>																
(1105)	0.23	450	R				From: US 58, E Main St					NA		NA		1995
							To: 38-1108 Hillcrest									
(1106) Lonesome Ave	0.05	600	R				From: US 58, E Main St					NA		NA		1995
							To: 38-1101 Davis St									
(1107) Circle Dr	0.02	20	R				From: 38-1105					NA		NA		1995
							To: 38-1108 Hillcrest									
(1108) Hillcrest	0.34	100	R				From: 38-685 Power House Rd					NA		NA		1995
							To: Dead End									
(1109) Carpenter St	0.13	90	R				From: US 21					NA		NA		1995
							To: 38-1123									
(1109) Carpenter St	0.05	49	R				From: 38-1123					NA		NA		1999
							To: Dead End									
(1110)	0.05	8	R				From: 38-1108 Hillcrest					NA		NA		1995
							To: Dead End									
(1111) Library St	0.14	280	R				From: US 21					NA		NA		1995
							To: 38-802									
(1112) Moore St	0.06	49	R				From: US 21					NA		NA		1999
							To: Dead End									
(1113) Hawkins Lane	0.07	30	R				From: US 58, W Main St					NA		NA		1999
							To: Dead End									
(1114) Anders St	0.07	130	R				From: 38-1122 Grayson Ave					NA		NA		1995
							To: 38-685 Power House Rd									
(1115) Miles St	0.26	110	R				From: US 21					NA		NA		1995
							To: Dead End									
(1116) Colonial Dr	0.05	50	R				From: 38-684 Pinehurst St					NA		NA		1995
							To: Dead End									
(1117) Meadow View Dr	0.10	110	R				From: 38-1120 Round Hill Rd					NA		NA		1995
							To: US 21									
(1118) Mill Ave	0.10	180	R				From: Dead End					NA		NA		1995
							To: US 58, E Main St									
(1119)	0.47	830	R				From: Dead End					NA		NA		1995
							To: US 58, E Main St									
(1120) Round Hill Rd	0.07	10	R				From: Dead End					NA		NA		1995
							To: 38-1130									
(1120) Round Hill Rd	0.15	60	R				From: 38-1130					NA		NA		1995
							To: 38-684 Elliott Place									
(1121)	0.10	70	R				From: US 58, E Main St					NA		NA		1995
							To: Dead End									

Virginia Department of Transportation  
 Traffic Engineering Division  
 2010  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Independence</b>																
(1122) Grayson Ave	0.14	350	R			From: US 58, E Main St					NA			NA		1995
						To: 38-685 Power House Rd										
(1123)	0.20	100	R			From: Dead End					NA			NA		1995
						To: US 21										
(1124)	0.26	1200	R			From: US 58, E Main St					NA			NA		1995
						To: 38-685 Power House Rd										
(1125)	0.06	30	R			From: 38-1140					NA			NA		1995
						To: Dead End										
<b>Grayson County</b>																
(1126)	0.45	280	R			From: US 21 New River Pkwy					NA			NA		07/26/2002
						To: Dead End										
(1127)	0.25	100	R			From: 38-1126					NA			NA		1995
						To: Dead End										
(1128)	0.05	20	R			From: 38-1127					NA			NA		07/26/2002
						To: Dead End										
(1129)	0.35	110	R			From: Dead End					NA			NA		07/26/2002
						To: 38-1126										
<b>Town of Independence</b>																
(1130)	0.09	10	R			From: 38-1120 Round Hill Rd					NA			NA		1995
						To: Dead End										
(1131) Anvil Rock Rd	0.21	30	R			From: 38-1101 Davis St					NA			NA		1999
						To: 0.21 MN 38-1101 Davis St										
(1131) Anvil Rock Rd	0.20	6	R			From: Dead End					NA			NA		1995
						To: Dead End										
(1132) Williams St	0.16	60	R			From: 38-802 Hilltop Dr					NA			NA		1995
						To: Dead End										
(1133) Poplar Ave	0.06	7	R			From: 38-1101 Davis St					NA			NA		1991
						To: Dead End										
(1134)	0.24	180	R			From: Dead End					NA			NA		1995
						To: 38-1119										
(1134)	0.22	70	R			From: Dead End					NA			NA		1995
						To: Dead End										
<b>Grayson County</b>																
(1135)	0.10	110	R			From: Dead End					NA			NA		1995
						To: 38-685										
<b>Town of Independence</b>																
(1136)	0.09	250	R			From: US 21					NA			NA		1995
						To: Dead End										
(1137) Courthouse Ave	0.04	190	R			From: US 58, E Main St					NA			NA		1995
						To: 38-1101 Davis St										

Virginia Department of Transportation  
 Traffic Engineering Division  
 2010  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Independence</b>																
(1138) Anderson St	0.09	70	R			From: US 21					NA			NA		1995
						To: Dead End										
(1139)	0.17	220	R			From: 38-802 SOUTH					NA			NA		1995
						To: 38-802 NORTH										
(1140)	0.34	NA				From: 38-1124					NA			NA		
						To: 38-685 Power House Rd										
(1141)	0.07	NA				From: 38-1140					NA			NA		
						To: Dead End										
<b>Grayson County</b>																
(1145)	0.40	110	R			From: 38-636 S. Beach Grove Ln					NA			NA		06/06/2002
						To: 38-636 N. Beach Grove Ln										
<b>Town of Troutdale</b>																
(1201) High County Ln	0.13	140	R			From: 38-603 Fairwood Rd					NA			NA		06/21/2002
						To: Dead End										
(1202) Woodland Lane	0.43	30	R			From: Dead End					NA			NA		12/29/2005
						To: 38-603 Fairwood Dr										
<b>Grayson County</b>																
(9175) School Lane	0.13	180	R			From: Elk Creek Elem School					NA			NA		01/27/2006
						To: 38-658 Comers Rock Rd										
<b>Town of Independence</b>																
(9176)	0.11	950	R			From: Independence High					NA			NA		1995
						To: US 58 E Main St										
<b>Grayson County</b>																
(9465)	0.19	180	R			From: 38-821 Fairview Rd					NA			NA		1991
						To: Fairview Elem School										
(9512)	0.08	120	R			From: Springvalley Elem Sch					NA			NA		1991
						To: 38-649										
(9513)	0.18	140	R			From: Wood Elem Sch					NA			NA		1995
						To: 38-636										
(9916)	0.06	80	R			From: Flatridge Elem Sch					NA			NA		1995
						To: 38-601 Flat Ridge Rd										
(9966)	0.05	90	R			From: Bridge Creek Elem Sch					NA			NA		1991
						To: 38-601 Bridge Creek Rd										
(9968)	0.06	120	R			From: Mt Rogers High Sch					NA			NA		1991
						To: US 58 Highlands Pkwy										