

**2013**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**41**

Halifax County  
Town of South Boston  
Town of Halifax  
Town of Scottsburg  
Town of Virgilina

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## Publication Notes

### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA: Quality of AADT:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC: Quality of Classification Data:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems

- North  
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

## Special Routes

- Bus  
 Bus - Business Route  
Bypass - Bypass Route  
Truck - Truck Route
- ALT  
 ALT - Alternate Route  
Wye - Wye Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
34 Hodges St	From: North Main St	Town of South Boston	0.54	2000	G	98%	1%	1%	0%	0%	0%	C	NA	2200	G		
	To: US 360 John Randolph Blvd																
40 Stage Coach Rd	From: Pittsylvania County Line	Halifax County	4.16	720	G	86%	2%	2%	1%	9%	0%	F	NA	770	G		
	To: 41-638 Bull Creek Rd																
40 Stage Coach Rd	From: US 501 North of Halifax	Halifax County	5.96	800	G	91%	1%	1%	1%	6%	0%	C	0.083	F	0.546	810	G
	To: US 501 Halifax																
40 501 L P Bailey Memorial Hwy	From: Campbell County Line	Halifax County	0.97	4700	G	90%	1%	1%	1%	8%	0%	C	0.081	F	0.553	4800	G
	To: North Carolina State Line																
49 96 Florence Ave	From: SR 96 Seventh St	Town of Virgilina (Maint: 41)	0.13	1600	G	91%	1%	1%	1%	6%	0%	F	0.095	F	0.519	1600	G
	To: SR 96 Florence Ave																
49 Seventh St	From: ECL Virgilina	Town of Virgilina (Maint: 41)	0.47	680	G	91%	1%	1%	1%	6%	0%	C	0.094	F	0.563	690	G
	To: Mecklenburg County Line																
49	From: Pittsylvania County Line	Halifax County	2.05	680	N	91%	1%	1%	1%	6%	0%	N	0.094	N	0.563	690	N
	To: Mecklenburg County Line																
57 Chatham Rd	From: 41-844 Tune Trail	Halifax County	3.53	660	G	89%	1%	1%	1%	8%	0%	F	0.087	F	0.526	670	G
	To: 41-845 Ed Mason Lane																
57 Chatham Rd	From: 41-676 Asbury Church Rd	Halifax County	1.64	940	G	89%	1%	1%	1%	8%	0%	C	0.085	F	0.611	960	G
	To: SR 360 Mountain Rd																
57 Chatham Rd	From: SR 360 Mountain Rd	Halifax County	3.62	1200	G	89%	1%	1%	1%	8%	0%	F	0.086	F	0.528	1300	G
	To: Pittsylvania County Line																
58 360 Philpott Rd	From: SR 119 Delila	Halifax County	4.06	1700	G	94%	1%	2%	0%	3%	0%	C	0.08	F	0.624	1700	G
	To: SR 119 Calvary Rd																
58 360 Philpott Rd	From: 41-658 Turbeville Rd	Halifax County	3.48	8500	G	85%	1%	1%	1%	13%	0%	F	0.071	F	0.514	8400	G
	To: 41-658 Turbeville Rd; Melon Rd																
58 360 Philpott Rd	From: US 501 Huell Matthews Hwy	Halifax County	6.58	8800	G	85%	1%	1%	1%	13%	0%	F	0.069	F	0.605	8800	G
	To: US 501 Huell Matthews Hwy																
58 360 Philpott Rd	From: ECL South Boston	Halifax County	9.25	8200	A	85%	1%	1%	1%	12%	0%	C	0.1	A	0.57	8300	A
	To: US 501 Huell Matthews Hwy																
58 360 Bill Tuck Hwy	From: ECL South Boston	Town of South Boston	0.18	13000	G	85%	1%	1%	1%	12%	0%	F	0.082	F	0.55	13000	G
	To: US 360 John Randolph Blvd																
58 360 Bill Tuck Hwy	From: US 360 John Randolph Blvd	Halifax County	0.52	13000	N	85%	1%	1%	1%	12%	0%	N	0.082	N	0.55	13000	N
	To: US 360 John Randolph Blvd																

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
58 Bill Tuck Hwy	From: US 360 John Randolph Blvd															
	Halifax County	5.00	7000	G	85%	1%	1%	1%	12%	0%	F	0.073	F	0.562	7000	G
58 Bill Tuck Hwy	To: 41-601 Rockchoal Rd															
	From: 41-601 Buckshoal Rd															
58 Bill Tuck Hwy	Halifax County	5.57	5300	G	85%	1%	1%	1%	12%	0%	F	0.071	F	0.525	5400	G
	To: Mecklenburg County Line															
92 Clover Rd	From: Charlotte County Line															
	Halifax County	4.19	450	G	93%	2%	1%	1%	3%	0%	C	NA		460	G	
92 Clover Rd	To: NCL Clover															
	From: Clover (Maint: 41)															
92 Clover Rd	From: 41-746; 41-1001															
	From: Clover (Maint: 41)															
92 Clover Rd	From: SCL Clover															
	Halifax County	0.80	450	N	93%	2%	1%	1%	3%	0%	N	NA		460	N	
96 Virgilina Rd	To: US 360 South of Clover															
	From: US 501 S of Cluster Springs															
96	Halifax County	7.11	1300	G	84%	1%	1%	1%	13%	0%	C	0.092	F	0.544	1400	G
	To: WCL Virgilina															
96	From: Town of Virgilina (Maint: 41)															
	Town of Virgilina (Maint: 41)	0.59	1300	N	84%	1%	1%	1%	13%	0%	N	0.092	N	0.544	1400	N
96 49 Florence Ave	To: N SR 49															
	From: Town of Virgilina (Maint: 41)															
96 49 Florence Ave	From: North Carolina State Line															
	Town of Virgilina (Maint: 41)	0.13	1600	G	91%	1%	1%	1%	6%	0%	F	0.095	F	0.519	1600	G
119 Calvary Rd	To: North Carolina State Line															
	Halifax County	3.08	670	G	88%	0%	1%	1%	11%	0%	C	0.125	F	0.571	690	G
129 North Main St	To: US 58 Philpott Rd															
	From: US 501 P; Wilborn Ave; Main St															
129 North Main St	Town of South Boston	0.09	2900	G	97%	1%	1%	1%	1%	0%	F	0.096	F	0.809	3100	G
	To: US 501 Broad St															
129 North Main St	From: Town of South Boston															
	Town of South Boston	0.38	4500	G	97%	1%	1%	1%	1%	0%	C	0.092	F	0.5	4800	G
129 North Main St	To: SR 34 Hodges St															
	From: Town of South Boston															
129 North Main St	From: Town of South Boston															
	Town of South Boston	0.16	5500	G	97%	1%	1%	1%	1%	0%	F	0.099	F	0.508	5800	G
129 North Main St	To: Edmunds St															
	From: Town of South Boston															
129 North Main St	From: Town of South Boston															
	Town of South Boston	0.19	6100	G	99%	1%	0%	0%	0%	0%	F	0.093	F	0.549	6500	G
129 North Main St	To: College St															
	From: Town of South Boston															
129 North Main St	From: Town of South Boston															
	Town of South Boston	0.63	5800	G	99%	1%	0%	0%	0%	0%	F	0.096	F	0.59	6200	G
129 North Main St	To: Hamilton Blvd															
	From: Town of South Boston															
129 North Main St	From: Town of South Boston															
	Town of South Boston	0.88	10000	G	99%	1%	0%	0%	0%	0%	C	0.096	F	0.508	11000	G
129 Old Halifax Rd	To: NCL South Boston															
	From: Halifax County															
129 Old Halifax Rd	From: Halifax County															
	Halifax County	0.85	14000	G	99%	0%	0%	0%	0%	0%	C	0.086	F	0.507	14000	G
129 Old Halifax Rd	To: US 501 Centerville															



Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW		
							2Axle	3+Axle	1Trail	2Trail								
		From:	US 501 P; Main St															
304	Seymour Dr	Town of South Boston	0.08	2500	G	97%	1%	1%	1%	0%	F	NA		2700	G			
		To:	US 501 Broad St															
304	Seymour Dr	Town of South Boston	0.38	3000	G	97%	1%	1%	1%	0%	C	0.091	F	0.585	3200	G		
		To:	Marshall St															
304	Seymour Dr	Town of South Boston	0.25	2600	G	97%	1%	1%	1%	0%	F	NA		2800	G			
		To:	US 360 John Randolph Blvd															
		From:	SR 360 Bethel Rd															
344	Scottsburg Rd	Halifax County	1.58	1100	G	91%	0%	1%	2%	6%	0%	F	0.084	F	0.576	1100	G	
		To:	NCL Scottsburg															
344		Town of Scottsburg (Maint: 41)	0.75	1100	N	91%	0%	1%	2%	6%	0%	N	0.084	N	0.576	1100	N	
		To:	41-720 Green Level Rd															
344	McDonald Rd	Town of Scottsburg (Maint: 41)	0.42	700	G	91%	0%	1%	2%	6%	0%	C	0.090	F	0.625	720	G	
		To:	ECL Scottsburg															
344		Halifax County	7.35	700	N	91%	0%	1%	2%	6%	0%	N	0.090	N	0.625	720	N	
		To:	Staunton River State Park															
344	McDonald Rd	Halifax County	2.18	200	G	91%	0%	1%	2%	6%	0%	F	0.125	F	0.698	210	G	
		To:	End of Route															
		From:	SR 360 Mountain Rd															
349	Edmunds Blvd	Town of Halifax (Maint: 41)	0.12	690	G	96%	2%	1%	0%	0%	0%	C	0.135	F	0.631	700	G	
		To:	US 501 Main St															
		From:	Pittsylvania County Line															
360 58	Philpott Rd	Halifax County	3.48	8500	G	85%	1%	1%	1%	13%	0%	F	0.071	F	0.514	8400	G	
		To:	SR 119 Delila															
360 58	Philpott Rd	Halifax County	6.58	8800	G	85%	1%	1%	1%	13%	0%	F	0.069	F	0.605	8800	G	
		To:	41-658 Turbeville Rd; Melon Rd															
		From:	41-658															
360 58	Philpott Rd	Halifax County	9.25	8200	A	85%	1%	1%	1%	12%	0%	C	0.1	A	0.57	8300	A	
		To:	US 501 Huell Mathews Hwy															
		From:	US 501 Riverdale															
360 58	Bill Tuck Hwy	Town of South Boston	0.18	13000	G	85%	1%	1%	1%	12%	0%	F	0.082	F	0.55	13000	G	
		To:	CL South Boston															
360 58	Bill Tuck Hwy	Halifax County	0.52	13000	N	85%	1%	1%	1%	12%	0%	N	0.082	N	0.55	13000	N	
		To:	E US 58															
		From:	US 58 E, Bill Tuck Hwy															
360	John Randolph Blvd	Halifax County	0.45	10000	G	85%	1%	1%	1%	12%	0%	F	0.082	F	0.516	10000	G	
		To:	SCL South Boston															
360	John Randolph Blvd	Town of South Boston (Maint: 41)	0.16	10000	G	85%	1%	1%	1%	12%	0%	F	0.082	F	0.516	10000	G	
		To:	SR 304 Seymour Dr															
360	John Randolph Blvd	Town of South Boston	0.52	11000	G	85%	1%	1%	1%	12%	0%	F	0.081	F	0.539	10000	G	
		To:	SR 34 Hodges St															

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
360 John Randolph Blvd	Town of South Boston	0.44	12000	G	85%	1%	1%	1%	12%	0%	F	0.08	F	0.585	12000	G
360 John Randolph Blvd	Town of South Boston (Maint: 41)	0.09	8300	G	85%	1%	1%	1%	12%	0%	F	0.082	F	0.560	8100	G
360 James D Hagood Hwy	Halifax County	1.43	7500	G	85%	1%	1%	1%	12%	0%	F	0.079	F	0.595	7300	G
360 James D Hagood Hwy	Halifax County	5.28	5900	G	85%	1%	1%	1%	12%	0%	F	NA		5800	G	
360 James D Hagood Hwy	Halifax County	2.40	7800	G	85%	1%	1%	1%	12%	0%	F	0.078	F	0.586	7600	G
360 James D Hagood Hwy	Halifax County	2.79	6100	G	85%	1%	1%	1%	12%	0%	F	0.08	F	0.560	5900	G
360 James D Hagood Hwy	Halifax County	2.73	5400	G	85%	1%	1%	1%	12%	0%	F	0.078	F	0.522	5300	G
360 Mountain Rd	Halifax County	5.11	1000	G	95%	1%	1%	1%	3%	0%	C	0.096	F	0.505	1000	G
360 Mountain Rd	Halifax County	5.65	2000	G	95%	1%	1%	1%	3%	0%	F	0.088	F	0.582	2000	G
360 Mountain Rd	Halifax County	2.57	5000	G	95%	1%	1%	1%	3%	0%	F	0.084	F	0.626	5100	G
360 Mountain Rd	Halifax County	0.30	2000	N	94%	0%	1%	1%	4%	0%	N	0.087	N	0.640	2000	N
360 Mountain Rd	Town of Halifax (Maint: 41)	1.72	2000	G	94%	0%	1%	1%	4%	0%	C	0.087	F	0.640	2000	G
360 501 Main St	Town of Halifax (Maint: 41)	0.78	8500	G	94%	1%	1%	1%	2%	0%	F	0.082	F	0.625	8700	G
360 Bethel Rd	Town of Halifax (Maint: 41)	0.26	4100	G	92%	0%	1%	1%	6%	0%	C	NA		4400	G	
360 Bethel Rd	Halifax County	6.19	2600	G	89%	0%	1%	2%	7%	0%	C	0.083	F	0.63	2600	G
501 Huell Matthews Hwy	Halifax County	2.46	3000	G	89%	0%	1%	1%	10%	0%	F	0.083	F	0.576	3000	G
501 Huell Matthews Hwy	Halifax County	3.84	4000	G	89%	0%	1%	1%	10%	0%	C	0.089	F	0.527	4100	G

Virginia Department of Transportation  
 Traffic Engineering Division  
 2013  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
501	Huell Matthews Hwy	From: 41-658 Cluster Springs Rd To: Halifax County	4.64	5400	G	89%	0%	1%	1%	10%	0%	F	0.082	F	0.54	5500	G
501	Main St	From: US 58, US 360; SCL South Boston To: Town of South Boston	0.53	18000	G	97%	0%	0%	0%	2%	0%	C	0.088	F	0.54	19000	G
501	Broad St	From: US 501 P; Broad St To: US 501 P Main St	0.09	8400	G	97%	0%	0%	0%	2%	0%	F	0.095	F		8900	G
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:	16000	G	97%	0%	0%	0%	0%	2%	0%	F	0.089	F	0.572	16000	G
501	Broad St	From: SR 304 Seymour Dr To: Town of South Boston	0.22	8000	G	97%	0%	0%	0%	2%	0%	C	0.096	F		8500	G
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:	16000	G	97%	0%	0%	0%	0%	2%	0%	C	NA			17000	G
501	Broad St	From: SR 129 North Main St To: Town of South Boston	0.26	6200	G	97%	0%	0%	0%	2%	0%	F	0.089	F		6600	G
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:	14000	G	97%	0%	0%	0%	0%	2%	0%	F	NA			14000	G
501	Broad Street	From: Third St To: Town of South Boston	0.18	5900	G	97%	0%	0%	0%	2%	0%	C	0.09	F		6300	G
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:	14000	G	97%	0%	1%	0%	0%	2%	0%	F	0.085	F	0.54	15000	G
501	Broad Street	From: Edmunds St To: Town of South Boston	0.41	6000	G	97%	0%	0%	0%	2%	0%	F	0.089	F		6400	G
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:	15000	G	97%	0%	1%	0%	0%	2%	0%	F	0.086	F	0.543	15000	G
501	Wilborn Ave	From: US 501 P Wilborn Ave To: US 501 P; Broad St	0.51	14000	G	97%	0%	0%	0%	2%	0%	F	NA			16000	G
501	Halifax Rd	From: Hamilton Blvd To: Town of South Boston	0.69	16000	G	97%	0%	0%	0%	2%	0%	F	0.085	F	0.718	17000	G
501	Halifax Rd	From: Old NCL South Boston To: Town of South Boston	0.79	17000	G	97%	0%	0%	0%	2%	0%	F	0.091	F	0.567	18000	G
501	Halifax Rd	From: SR 129 N, Old Halifax Rd To: Town of South Boston	0.38	22000	G	94%	1%	1%	1%	2%	0%	C	0.094	F	0.575	22000	G
501	Halifax Rd	From: NCL South Boston To: Halifax County	0.36	12000	G	96%	0%	1%	1%	2%	0%	C	0.080	F	0.527	12000	G
501	Main St	From: SCL Halifax To: Town of Halifax (Maint: 41)	1.56	11000	G	96%	0%	1%	1%	3%	0%	C	0.081	F	0.571	11000	G
501	360 Main St	From: SR 360 S, Mountain Rd To: Town of Halifax (Maint: 41)	0.78	8500	G	94%	1%	1%	1%	2%	0%	F	0.082	F	0.625	8700	G
501	L P Bailey Memorial Hwy	From: SR 360 N, Bethel Rd To: Town of Halifax (Maint: 41)	0.67	5000	G	87%	1%	2%	1%	9%	0%	F	0.086	F	0.622	5100	G
501	L P Bailey Memorial Hwy	From: ECL Halifax To: Halifax County	6.56	4400	G	87%	1%	2%	1%	9%	0%	F	0.075	F	0.633	4500	G
		From: 41-642 Meadville Rd, Liberty Rd															

Virginia Department of Transportation  
 Traffic Engineering Division  
 2013  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
		From: 41-642 Meadville Rd, Liberty Rd														
501 L P Bailey Memorial Hwy	Halifax County	5.85	3400	G	87%	1%	2%	1%	9%	0%	C	0.078	F	0.57	3500	G
		To: 41-603 Cody Rd														
		From: 41-603 Volens Rd														
501 L P Bailey Memorial Hwy	Halifax County	2.57	2800	G	87%	1%	2%	1%	9%	0%	F	0.081	F	0.521	2900	G
		To: 41-645 State Shed Rd														
		From: 41-645 State Shed Rd														
501 L P Bailey Memorial Hwy	Halifax County	4.90	3100	G	85%	1%	3%	1%	9%	0%	C	0.075	F	0.551	3100	G
		To: SR 40 Stage Coach Rd														
		From: SR 40 Stage Coach Rd														
501 40 L P Bailey Memorial Hwy	Halifax County	0.97	4700	G	90%	1%	1%	1%	8%	0%	C	0.081	F	0.553	4800	G
		To: Campbell County Line														
		From: US 501 Broad St														
501 Main St	Town of South Boston	0.07	7100	G	97%	0%	1%	0%	2%	0%	F	0.089	F		7600	G
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		16000	G	97%	0%	0%	2%	0%	F	0.089	F	0.572	16000	G
		To: SR 304 Seymour Dr														
		From: SR 304 Seymour Dr														
501 Main St	Town of South Boston	0.18	7600	G	97%	0%	1%	0%	2%	0%	C	0.088	F		8000	G
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		16000	G	97%	0%	0%	2%	0%	C	NA			17000	G
		To: SR 129 North Main St														
		From: SR 129 North Main St														
501 Wilborne Ave	Town of South Boston	0.26	7400	G	97%	0%	1%	0%	2%	0%	F	0.088	F	0.909	7800	G
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		14000	G	97%	0%	0%	2%	0%	F	NA			14000	G
		To: Third St														
		From: Third St														
501 Wilborne Ave	Town of South Boston	0.57	8600	G	97%	0%	1%	0%	2%	0%	F	0.083	F	0.801	9100	G
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		14000	G	97%	0%	1%	0%	2%	F	0.085	F	0.54	15000	G
		To: US 501 Broad Street														

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(F831) Keystone Mill Rd	0.06	120	R								NA			NA		09/08/2008
(F1064)	0.19	60	R								NA			NA		08/13/2008
(600) Black Walnut Rd	4.55	300	R								NA			NA		08/04/2011
(600) Black Walnut Rd	1.39	260	R								NA			NA		08/04/2011
(601) Stevens Rd	0.31	90	R								NA			NA		07/14/2011
(601) Bucksheal Rd	0.40	600	R								NA			NA		08/11/2008
(601) Bucksheal Rd	1.60	610	R								NA			NA		08/11/2008
(601) Bucksheal Rd	1.20	380	R								NA			NA		08/11/2008
(601) Bucksheal Rd	1.00	160	R								NA			NA		08/11/2008
(601) Bucksheal Rd	1.00	140	R								NA			NA		08/11/2008
(601) Virgie Cole Rd	1.51	100	R								NA			NA		08/11/2008
(602) N Fork Church Rd	2.10	110	G	92%	3%	1%	3%	1%	0%	F	0.119	F	0.667	110	G	2013
(602) North Fork Church Rd	3.80	300	G	92%	3%	1%	3%	1%	0%	F	0.144	F	0.543	300	G	2013
(602) Hitesburg Church Rd	2.80	320	G	92%	3%	1%	3%	1%	0%	C	0.111	F	0.564	330	G	2013
(603) Cody Rd	3.73	1000	G	91%	1%	1%	1%	6%	0%	F	0.09	F	0.509	1000	G	2013
(603) Cody Rd	2.35	1500	G	91%	1%	1%	1%	6%	0%	C	0.083	F	0.547	1600	G	2013
(603) Volens Rd	3.50	460	G	93%	0%	1%	0%	6%	0%	F	0.084	F	0.609	470	G	2013
(603) Volens Rd	1.41	740	G	93%	0%	1%	0%	6%	0%	F	0.091	F	0.519	760	G	2013
(603) Lenning Rd	3.65	720	G	93%	0%	1%	0%	6%	0%	C	0.088	F	0.529	730	G	2013
(603) Hunting Creek Rd	5.20	490	G	93%	0%	1%	0%	6%	0%	F	0.105	F	0.53	500	G	2013
(603) Hunting Creek Rd	2.64	540	G	93%	0%	1%	0%	6%	0%	F	0.095	F	0.570	550	G	2013
(604) Rip Rap Rd	1.50	120	R								NA			NA		08/13/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Halifax County</b>																	
604	Rip Rap Rd	0.75	60	R								NA		NA		08/13/2008	
604	Rip Rap Rd	0.55	60	R								NA		NA		08/13/2008	
604	Rip Rap Rd	0.20	0	R								NA		NA		07/12/2011	
605	Mill Rd	2.38	130	R								NA		NA		08/04/2008	
606	Rice School Rd	0.50	10	R								NA		NA		08/13/2008	
606	Rice School Rd	0.60	70	R								NA		NA		08/13/2008	
606	Rice School Rd	0.55	140	R								NA		NA		08/13/2008	
606	Rice School Rd	0.65	170	R								NA		NA		08/13/2008	
607	Rodgers Chapel Rd	4.96	1300	G	97%	0%	1%	0%	2%	0%	C	0.092	F	0.717	1300	G	2013
608	Cole Lane	1.70	230	R								NA		NA		08/11/2011	
608	Rev Coleman Rd	1.70	290	R								NA		NA		08/04/2008	
609	Abbott Hill Rd	2.10	240	R								NA		NA		08/04/2008	
609	Abbott Hill Rd	1.30	430	R								NA		NA		08/04/2008	
609	West Store Rd	2.30	220	R								NA		NA		07/30/2008	
610	Murphy Grove Rd	1.67	190	R								NA		NA		08/06/2008	
610	Crystal Hill Rd	4.60	390	G	98%	0%	2%	0%	1%	0%	F	0.098	F	0.704	400	G	2013
610	Clays Mill Rd	2.00	220	G	98%	0%	2%	0%	1%	0%	F	0.127	F	0.569	220	G	2013
610	Clays Mill Rd	2.35	320	G	98%	0%	2%	0%	1%	0%	F	0.098	F	0.597	330	G	2013
610	Clays Mill Rd	2.39	760	G	98%	0%	2%	0%	1%	0%	C	0.098	F	0.658	780	G	2013
611	Hundley Rd	2.43	280	R								NA		NA		08/04/2008	
611	Hundley Rd	0.60	240	R								NA		NA		08/04/2008	
612	Clays Mill School Rd	1.30	410	R								NA		NA		08/23/2011	

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(612) Clays Mill School Rd	0.60	60	R			1.30 MN 41-610					NA			NA		08/23/2011
						Dead End										
(613) Marions Trail	0.70	230	R			41-626 Howard P Johnson Hwy					NA			NA		08/11/2011
(613) Marions Trail	0.28	110	R			41-893 James Trail					NA			NA		08/11/2011
						Dead End: Gap										
(613) Wagstaff Lane	0.45	870	R								NA			NA		08/04/2008
						41-614 W, Burton Rd					NA			NA		08/11/2011
(613) Wagstaff Lane	0.36	940	R								NA			NA		08/11/2011
						41-614 E, Burton Rd					NA			NA		08/04/2008
						SR 360 W, Bethel Rd										
						SR 360 E, Bethel Rd										
(613) Terrys Bridge Rd	3.30	330	G	98%	0%	1%	0%	0%	0%	C	0.095	F	0.529	340	G	2013
						US 360 James D Hagwood Hwy										
(613) Terrys Bridge Rd	2.74	650	G	93%	0%	0%	1%	5%	0%	F	0.12	F	0.598	670	G	2013
						WCL Scottsburg										
<b>Town of Scottsburg</b>																
(613) Terrys Bridge Rd	0.28	760	G	93%	0%	0%	1%	5%	0%	C	0.107	F	0.652	780	G	2013
						WCL Scottsburg										
						SR 344 Scottsburg Rd										
<b>Halifax County</b>																
(614) Love Shop Rd	2.07	2400	G	96%	1%	1%	2%	0%	0%	C	0.090	F	0.591	2500	G	2013
						41-716 Rodgers Chapel Rd										
(614) Love Shop Rd	1.90	1900	G	96%	1%	1%	2%	0%	0%	F	0.099	F	0.662	2000	G	2013
						41-651 Cowford Rd										
(614)	0.31	750	R			SR 360 Bethel Rd					NA			NA		08/04/2008
						41-613 E, Wagstaff Lane										
						41-613 W, Wagstaff Lane										
(614) Burton Rd	2.25	590	R								NA			NA		08/11/2011
						41-610 Clays Mill Rd										
						US 501, L P Bailey Mem Hwy										
(615) Tucker Rd	2.30	210	R								NA			NA		08/11/2011
						41-626 S, Howard P Johnson Hwy										
						41-626 N, Howard P Johnson Hwy; Howard P Anderson										
(615) Winns Creek Rd	2.30	410	R								NA			NA		08/11/2011
						41-610 Clays Mill Rd										
						41-603 Hunting Creek Rd										
(616) Neals Corner Rd	2.50	150	R								NA			NA		07/30/2008
						41-780 Lloyds Mill Rd										
(616) Neals Corner Rd	0.50	120	R								NA			NA		07/30/2008
						41-617 Cove Rd										
(616) Neals Corner Rd	1.10	80	R								NA			NA		07/30/2008
						41-746 Mt Laurel Rd										
						41-616 Neals Corner Rd										
(617) Cove Rd	0.90	110	R								NA			NA		07/28/2008
						41-618 Chester Rd										
(617) Cove Rd	2.00	40	R								NA			NA		07/28/2008
						41-623 Mortons Ferry Rd										
(617) Cove Rd	1.45	70	R								NA			NA		08/04/2011
						1.45 MN 41-623										
(617) Cove Rd	0.01	60	R								NA			NA		08/04/2011
						Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(618) Chester Rd	1.60	100	R													08/04/2011
(619) Hardings Mill Rd	2.90	110	R													08/04/2011
(620) Narrow Bridge Rd	0.20	50	R													08/04/2011
(621) Bradley Creek Rd	3.30	120	R													07/30/2008
(621) Beaver Pond Rd	1.10	110	R													07/30/2008
(621) Beaver Pond Rd	2.00	110	R													07/30/2008
(621) Chilsolm Trail	0.80	100	R													07/30/2008
(621) Chilsolm Trail	0.90	80	R													07/30/2008
(621) Hodges St	1.40	80	R													07/30/2008
(621) Newbill School Rd	3.40	150	G	99%	0%	0%	0%	1%	0%	C	0.124	F	0.55	150	G	2013
(621) Newbill School Rd	0.83	190	G	99%	0%	0%	0%	1%	0%	F	0.112	F	0.575	190	G	2013
(621) Newbill School Rd	3.30	220	G	99%	0%	0%	0%	1%	0%	F	0.105	F	0.593	230	G	2013
(622) Waltman Trail	1.00	80	R													08/04/2008
(623) Mortons Ferry Rd	2.72	180	R													07/28/2008
(623) Mortons Ferry Rd	0.24	200	R													07/28/2008
(623) Mortons Ferry Rd	1.01	200	R													08/04/2011
(623) Mortons Ferry Rd	2.47	150	R													08/04/2011
(623) Mortons Ferry Rd	1.09	90	R													08/04/2011
(623) Mortons Ferry Rd	0.65	10	R													07/28/2008
(624) Coles Ferry Rd	2.40	190	R													08/04/2011
(624) Coles Ferry Rd	5.48	160	R													08/04/2011
(624) Lake Conner Rd	1.50	80	R													08/04/2011



Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(625) Ellis Creek Rd	1.60	60	R								NA			NA		07/28/2008
(626) Shiloh Church Rd	3.11	220	G	97%	1%	1%	0%	1%	0%	C	0.111	F	0.552	220	G	2013
(626) Clarkton Rd	4.10	220	G	97%	1%	1%	0%	1%	0%	F	0.111	F	0.6	230	G	2013
(626) Clarkton Rd	4.70	210	G	97%	1%	1%	0%	1%	0%	C	0.109	F	0.542	210	G	2013
(626) Howard P Anderson Rd	3.30	820	G	94%	0%	0%	1%	4%	0%	F	0.089	F	0.586	840	G	2013
(626) Howard P Anderson Rd	2.96	1000	G	94%	0%	0%	1%	4%	0%	F	0.083	F	0.591	1000	G	2013
(626) Howard P Johnson Hwy	2.45	1700	G	94%	0%	0%	1%	4%	0%	C	0.082	F	0.594	1700	G	2013
(627) Armistead Rd	2.40	60	R								NA			NA		07/28/2008
(628) Chestnut Rd	4.90	320	R								NA			NA		08/02/2011
(629) Henrys Trail	0.70	150	R								NA			NA		07/28/2008
(630) Doctor Merritt Rd	0.60	120	R								NA			NA		08/04/2011
(630) Doctor Merritt Rd	0.80	60	R								NA			NA		08/04/2011
(631) Railroad Dr	0.60	70	R								NA			NA		07/28/2008
(632) Hog Wallow Rd	4.61	570	G	96%	0%	1%	0%	2%	0%	C	0.098	F	0.594	580	G	2013
(633) Turkey Track Lane	1.50	110	R								NA			NA		08/04/2011
(634) Elder Rd	1.30	20	R								NA			NA		07/28/2008
(634) Elder Rd	0.40	110	R								NA			NA		07/28/2008
(635) Loop Rd	2.50	80	R								NA			NA		08/02/2011
(636) Thorntons Rd	1.50	250	R								NA			NA		07/28/2008
(636) Thorntons Rd	1.62	80	R								NA			NA		07/28/2008
(636) Thorntons Rd	0.07	90	R								NA			NA		07/28/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(636) Childrey Church Rd	1.26	270	R								NA			NA		07/28/2008
			From: US 501 S, L P Bailey Mem Hwy													
(636) Childrey Rd	0.80	210	R								NA			NA		07/28/2008
			To: 41-634 Elder Rd													
			From: 41-626 Shiloh Church Rd													
(637) Cherry Creek Rd	1.80	80	R								NA			NA		07/28/2008
			To: 41-670 Sandy Ridge Rd													
			From: 41-638 Bull Creek Rd													
(638) Bull Creek Rd	0.80	170	R								NA			NA		07/28/2008
			From: SR 40 W, Stage Coach Rd													
(638) Bull Creek Rd	0.90	110	R								NA			NA		07/28/2008
			To: 41-637 Cherry Creek Rd													
(638) Bull Creek Rd	3.79	230	R								NA			NA		07/28/2008
			From: 41-639 Rock Barn Rd													
(638) Perth Rd	1.50	180	R								NA			NA		07/28/2008
			From: SR 40 MID													
			To: SR 40 E, Stage Coach Rd													
(639) Rock Barn Rd	1.20	250	R								NA			NA		07/28/2008
			From: Pittsylvania County Line													
(639) Rock Barn Rd	0.40	180	R								NA			NA		07/28/2008
			To: 41-640 Buffalo Rd													
(639) Rock Barn Rd	2.50	170	R								NA			NA		07/28/2008
			From: 41-670 Sandy Ridge Rd													
			To: 41-638 Bull Creek Rd													
(640) Buffalo Rd	1.00	290	R								NA			NA		07/28/2008
			From: 41-650 Mulberry Rd													
(640) Buffalo Rd	2.10	250	G	95%	1%	2%	0%	2%	0%	C	0.099	F	0.567	250	G	2013
			To: SR 40 Stage Coach Rd													
(640) Buffalo Rd	3.20	180	R								NA			NA		07/28/2008
			From: 41-669 Evergreen Rd													
			To: 41-639 Rock Barn Rd													
(641) Lower Liberty Rd	3.30	180	R								NA			NA		07/30/2008
			From: 41-642 Liberty Rd													
			To: 41-610 Crystal Hill Rd													
(642) Meadville Rd	3.02	690	G	94%	0%	1%	1%	3%	0%	C	0.099	F	0.52	710	G	2013
			From: SR 57 Chatham Rd													
(642) Liberty Rd	4.69	710	G	95%	1%	1%	1%	2%	0%	C	0.084	F	0.537	730	G	2013
			From: US 501, L P Bailey Mem Hwy													
			To: 41-603 Volens Rd													
(643) McKendree Church Rd	0.10	20	R								NA			NA		08/06/2008
			From: Dead End													
(643) MeKendree Church Rd	0.40	70	R								NA			NA		08/06/2008
			To: 41-814; 41-826													
(643) Cedar Fork Rd	0.50	130	R								NA			NA		08/04/2008
			From: US 501 W, L P Bailey Mem Hwy													
			To: US 501 E, L P Bailey Mem Hwy													
(644) Nathalie Rd	1.20	750	G	93%	1%	1%	1%	4%	0%	C	0.093	F	0.539	770	G	2013
			From: 41-603 Hunting Creek Rd													
(644) Stoney Ridge Rd	2.75	110	R								NA			NA		07/28/2008
			To: 41-645 Acorn Rd													
(644) Stoney Ridge Rd	0.60	100	R								NA			NA		07/28/2008
			From: 41-627 Armistead Rd													
			To: 41-626 Clarkton Rd													

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(645) Acorn Rd	3.01	610	G	90%	0%	2%	2%	6%	0%	C	0.090	F	0.574	630	G	2013
						From: 41-644										
						To: US 501 S, L P Bailey Mem Hwy										
(645) State Shed Rd	2.42	250	R									NA		NA		07/28/2008
						From: US 501 N, L P Bailey Mem Hwy										
						To: 41-636 Thorntons Rd										
(646) Rabat Rd	2.08	220	R									NA		NA		07/28/2008
						From: 41-645 Acorn Rd										
						To: 41-811 Matts Trail										
(646) Rabat Rd	0.34	290	R									NA		NA		07/28/2008
						From: 41-626 Shiloh Church Rd										
(647) Leda Grove Rd	4.01	210	G	97%	3%	0%	0%	0%	0%	F	0.107	F	0.558	220	G	2013
						From: 41-667 Leda Rd										
						To: 41-603 East Cody Rd										
(647) Tobacco Rd	2.18	230	G	97%	3%	0%	0%	0%	0%	F	0.142	F	0.571	230	G	2013
						From: 41-603 West Cody Rd										
						To: 41-649 Golden Leaf Rd										
(647) Tobacco Rd	1.70	240	G	97%	3%	0%	0%	0%	0%	C	0.108	F	0.581	250	G	2013
						From: SR 40 Stage Coach Rd										
						To: 41-696 Henderson Rd										
(648) Mason Chapel Rd	3.70	80	R									NA		NA		08/13/2008
						From: 41-699 Mt Caramel Rd										
(649) Old Concord Rd	1.20	150	R									NA		NA		07/30/2008
						From: 41-667 Leda Rd										
						To: 41-786 Runaway Rd										
(649) Old Concord Rd	1.50	140	R									NA		NA		07/30/2008
						From: 41-603 S, Cody Rd										
						To: 41-603 N, Cody Rd										
(649)	2.90	210	R									NA		NA		07/28/2008
						From: 41-647 Tobacco Rd										
						To: 71-650 Jennings Rd; 71-667 Hermosa Rd										
(650) Mulberry Rd	0.09	150	N									NA		NA		07/30/2008
						From: 41-667 Leda Rd										
(650) Mulberry Rd	1.21	150	R									NA		NA		07/30/2008
						From: 41-657 Felix Rd										
(650) Mulberry Rd	1.00	250	R									NA		NA		07/30/2008
						From: 41-640 Buffalo Rd										
(650) Mulberry Rd	0.60	130	R									NA		NA		07/28/2008
						From: 41-603 Cody Rd										
						To: 41-603 Cody Rd										
<b>Town of Halifax</b>																
(651) Cowford Rd	0.11	950	G	94%	0%	1%	4%	1%	0%	F	0.096	F	0.507	970	G	2013
						From: US 501 Main St										
						To: ECL Halifax										
<b>Halifax County</b>																
(651) Cowford Rd	2.21	1000	G	94%	0%	1%	4%	1%	0%	C	0.114	F	0.648	1000	G	2013
						From: ECL Halifax										
						To: 41-614 Love Shop Rd										
<b>Town of Halifax</b>																
(652) Academy St	0.44	80	R									NA		NA		09/08/2008
						From: Dead End										
						To: SCL Halifax										
<b>Halifax County</b>																
(652)	1.52	170	R									NA		NA		08/19/2002
						From: SCL Halifax										
						To: SR 360 Mountain Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(653) Ball Park Loop	1.60	110	R			From: SR 360 EAST; 41-903					NA			NA		09/08/2008
(653) Ball Park Loop	1.90	190	R			To: 41-880 Burns Trail					NA			NA		09/08/2008
(654) Singi Rd	2.73	6300	G	99%	0%	From: SR 360 Mountain Rd				C	0.090	F	0.576	6400	G	2013
						To: US 501 Halifax Rd										
(655) Blane Rd	1.20	540	G	97%	1%	From: 41-711 Harmony Rd				C	0.110	F	0.529	550	G	2013
						To: 41-658 Turbeville Rd										
(656) Hackberry Rd	3.05	460	G	97%	0%	From: US 58 Philpott Rd				C	0.099	F	0.692	470	G	2013
						To: Pittsylvania County Line										
(657) Felix Rd	1.80	80	R			From: 41-667 Leda Rd					NA			NA		07/30/2008
						To: 41-650 Mulberry Rd										
(658) Melon Rd	1.80	240	R			From: Pittsylvania County Line					NA			NA		08/13/2008
(658)	3.76	410	N	96%	0%	From: 41-688 Kerns Mill Rd				N	0.098	N	0.596	420	N	2013
						To: 41-662 Ashton Hall Rd										
(658) Melon Rd	0.42	410	G	96%	0%	From: 41-662 Goodes Rd				F	0.098	F	0.596	420	G	2013
						To: 41-691 Stebbins Rd										
(658) Melon Rd	3.84	690	G	96%	0%	From: US-58 W, Philpott Rd				C	0.117	F	0.568	700	G	2013
						To: 41-773 Jeffress Trail										
(658) Turbeville Rd	2.80	380	G	98%	0%	From: 41-797 Traynham Grove Rd				F	0.113	F	0.611	390	G	2013
						To: 41-773 Jeffress Trail										
(658) Turbeville Rd	1.96	400	G	98%	0%	From: 41-704 S, Black Walnut Church Rd				F	0.096	F	0.651	410	G	2013
						To: 41-708 Cedar Grove Rd										
(658) Cluster Springs Rd	0.63	1100	G	98%	0%	From: 41-704 S, Black Walnut Church Rd				F	0.104	F	0.558	1100	G	2013
						To: 41-708 Cedar Grove Rd										
(658) Cluster Springs Rd	3.56	1200	G	97%	1%	From: US 501 Huell Matthews Hwy				C	0.096	F	0.594	1200	G	2013
						To: 41-704 S, Black Walnut Church Rd										
(658) Cluster Springs Rd	0.80	1700	G	98%	0%	From: US 501 Huell Matthews Hwy				C	0.09	F	0.577	1800	G	2013
						To: 41-744 S, East Hyco Rd										
(658) Cherry Hill Church Rd	3.52	510	G	93%	4%	From: 41-744 N, East Hyco Rd				F	0.126	F	0.568	520	G	2013
						To: 41-741 W, Wallace Cole Rd										
(658) Grady T Cole Mem Lane	0.12	180	G	93%	4%	From: 41-741 E, Wallace Cole Rd				C	NA			190	G	2013
						To: US 58 E; 41-601										
(658) Virgie Cole Rd	3.80	300	G	93%	4%	From: Pittsylvania County Line				F	NA			320	G	2013
						To: 41-688 Goodes Rd										
(659) Brooklyn Rd	1.58	280	G	98%	0%	From: 41-688 Goodes Rd				F	0.110	F	0.578	290	G	2013
						To: 41-691 Stebbins Rd										
(659) River Rd	3.72	310	G	98%	0%	From: 41-683 Oak Level Rd				F	0.103	F	0.535	320	G	2013
						To: 41-681 Union Church Rd										
(659) River Rd	3.89	320	G	98%	0%	From: 41-681 Union Church Rd				F	0.110	F	0.561	330	G	2013
						To: 41-681 Union Church Rd										
(659) River Rd	1.74	560	G	98%	0%	From: 41-681 Union Church Rd				C	0.097	F	0.603	570	G	2013
						To: 41-681 Union Church Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(659) River Rd	5.48	820	G	99%	0%	0%	0%	0%	0%	F	0.09	F	0.611	840	G	2013
			From: 41-681 Union Church Rd													
(659) River Rd	0.09	2400	G	99%	0%	0%	0%	0%	0%	F	0.093	F	0.563	2500	G	2013
			To: 41-682 S. Berry Hill Rd													
(659) River Rd	1.27	2800	G	99%	0%	0%	0%	0%	0%	C	0.092	F	0.529	2800	G	2013
			From: 41-682 N. Old Grubby Rd													
			To: 41-654 Sinai Rd													
(660) Glass Mill Rd	0.45	60	R								NA			NA		08/04/2008
			From: Pittsylvania County Line													
(660) Glass Mill Rd	0.40	90	R								NA			NA		08/04/2008
			To: 41-661 High Point Rd													
			To: 41-662 Birch Elmo Rd													
(661) High Point Rd	0.50	80	R								NA			NA		08/04/2008
			From: Pittsylvania County Line													
			To: 41-660 Glass Mill Rd													
(662) Birch Elmo Rd	0.80	170	R								NA			NA		08/04/2008
			From: SR 360 Mtn Rd													
(662) Birch Elmo Rd	1.00	100	R								NA			NA		08/04/2008
			From: 41-684 Hummingbird Lane													
(662) Birch Elmo Rd	3.80	110	R								NA			NA		08/11/2008
			From: 41-660 Glass Mill Rd													
(662) Birch Elmo Rd	0.40	220	R								NA			NA		08/11/2008
			From: 41-685 Lewis Ferrell Rd													
(662) Ashton Hall Rd	2.40	80	G	98%	0%	1%	0%	2%	0%	C	0.179	F	0.588	80	G	2013
			From: 41-659 E. River Rd													
			To: 41-659 W. River Rd													
			To: 41-658 Melon Rd													
(663) Carlbrook Rd	2.10	60	R								NA			NA		08/04/2008
			From: SR 360 Mtn Rd													
			To: 41-684 Hummingbird Lane													
(664) Johns Run Rd	2.00	30	R								NA			NA		08/04/2008
			From: Pittsylvania County Line													
			To: 41-675; 41-807													
(665) Nunnleys Bridge Rd	0.70	220	R								NA			NA		08/02/2011
			From: 41-676 Thompson Store Rd													
(665) Nunnleys Bridge Rd	1.90	170	R								NA			NA		08/02/2011
			From: 41-635 Loop Rd													
			To: 41-675 Ridgeway Rd													
(666) East Elkhorn Rd	0.50	250	R								NA			NA		08/02/2011
			From: 41-667 Leda Rd													
(666) East Elkhorn Rd	2.00	240	R								NA			NA		08/02/2011
			From: 41-702 Logan Rd													
			To: Pittsylvania County Line													
(667) Leda Rd	2.65	270	G	95%	2%	3%	0%	1%	0%	C	0.094	F	0.509	280	G	2013
			From: SR 57 Chatham Rd													
(667) Leda Rd	3.71	190	G	92%	2%	2%	0%	4%	0%	C	0.109	F	0.583	190	G	2013
			From: 41-753 Beulah Rd													
(667) Pumping Hill Rd	3.48	210	G	92%	2%	2%	0%	4%	0%	F	0.13	F	0.63	210	G	2013
			From: 41-647 Leda Grove Rd													
			To: 41-650 Mulberry Rd													
(668) Tower Lane	0.51	80	R								NA			NA		07/28/2008
			From: 41-603 Cody Rd													
			To: SR 40; 41-640													

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(668) Straightstone Rd	0.69	730	G	85%	0%	2%	0%	13%	0%	C	0.098	F	0.554	750	G	2013
						41-640 Buffalo Rd										
						Pittsylvania County Line										
(669) Evergreen Rd	0.60	70	R								NA			NA		07/28/2008
						Pittsylvania County Line										
						41-640 Buffalo Rd										
(670) Sandy Ridge Rd	1.00	130	R								NA			NA		07/28/2008
						SR 40 Stage Coach Rd										
(670) Sandy Ridge Rd	3.90	70	R								NA			NA		07/28/2008
						41-637 Cherry Creek Rd										
						41-639 Rock Barn Rd										
(671) News Ferry Trail	0.90	70	R								NA			NA		08/06/2008
						Dead End										
						41-659 E, River Rd										
(671) Jones Ferry Rd	3.50	120	R								NA			NA		08/06/2008
						41-659 W, River Rd										
						41-679 Union Grove Rd; Deer Run Rd										
(671) High View Rd	2.00	250	R								NA			NA		08/06/2008
						SR 360 W, Mountain Rd										
						SR 360 E, Mountain Rd										
(671) Swain Rd	2.90	140	R								NA			NA		08/06/2008
						SR 57 Chatham Rd										
(672) Jones Trail	2.00	180	R								NA			NA		07/30/2008
						SR 57 Chatham Rd										
(672) Plato Rd	1.10	100	R								NA			NA		07/30/2008
						41-674 Blue Rock Trial										
						41-676 W, Ashbury Church Rd										
						41-676 E, Ashbury Church Rd										
(672) Jones Trail	1.00	120	R								NA			NA		07/30/2008
						Dead End										
						SR 57 Chatham Rd										
(673) Farmer Trail	0.85	50	R								NA			NA		08/04/2008
						41-936 McNear Trail										
(673) Farmer Trail	0.05	20	R								NA			NA		08/04/2008
						Dead End										
						41-676 Ashbury Church Rd; Thompson Store Rd										
(674) Blue Rock Rd	1.70	140	R								NA			NA		07/28/2011
						41-672 Jones Trail										
(674) Blue Rock Trial	0.90	50	R								NA			NA		07/28/2011
						Dead End										
						Pittsylvania County Line										
(675) Ridgeway Rd	0.60	110	R								NA			NA		08/02/2011
						41-664; 41-807										
(675) Ridgeway Rd	1.80	100	R								NA			NA		08/02/2011
						41-665 Nunleys Bridge Rd										
(675) Ridgeway Rd	2.05	150	R								NA			NA		08/02/2011
						41-756 Cheerful Lane										
(675) Ridgeway Rd	0.95	200	R								NA			NA		08/02/2011
						SR 57 Chatham Rd										
(675) Ridgeway Rd	1.20	30	R								NA			NA		08/04/2008
						Dead End										
						SR 360 Mountain Rd										
(676) Thompson Store Rd	2.70	550	R								NA			NA		08/02/2011
						41-677 Ridge Rd										
(676) Thompson Store Rd	0.80	310	R								NA			NA		07/28/2011
						41-674 Blue Rock Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(676) Ashbury Church Rd	2.60	310	R								NA			NA		07/28/2011
(676) Ashbury Church Rd	1.14	500	R								NA			NA		07/28/2011
(677) Wilson Mem Trail	1.00	140	R								NA			NA		08/04/2008
(677) Wilson Mem Trail	1.40	320	R								NA			NA		08/04/2008
(677) Ridge Rd	1.60	360	R								NA			NA		07/28/2011
(677) Ridge Rd	1.60	140	R								NA			NA		07/28/2011
(678) Grubby Rd	0.80	710	G	99%	0%	1%	0%	0%	0%	C	0.101	F	0.667	730	G	2013
(678) Grubby Rd	3.50	220	R								NA			NA		09/08/2008
(679) Deer Run Rd	1.60	180	R								NA			NA		08/06/2008
(679) Union Grove Rd	1.70	330	R								NA			NA		08/06/2008
(680) Pleasant Grove Rd	3.00	90	R								NA			NA		08/06/2008
(680) Pleasant Grove Rd	1.40	240	R								NA			NA		08/06/2008
(681) Union Church Rd	2.90	110	R								NA			NA		08/06/2008
(681) Union Church Rd	0.45	530	R								NA			NA		08/06/2008
(681) Union Church Rd	2.15	390	G	99%	0%	0%	0%	0%	0%	C	0.099	F	0.544	400	G	2013
(682) Old Grubby Rd	3.17	770	G	99%	0%	0%	0%	0%	0%	F	0.110	F	0.683	790	G	2013
(682) Berry Hill Rd	1.06	2200	G	99%	0%	0%	0%	0%	0%	C	0.088	F	0.524	2200	G	2013
(683) Oak Level Rd	1.00	260	R								NA			NA		08/11/2008
(683) Oak Level Rd	3.80	160	R								NA			NA		08/11/2008
(683) Oak Level Rd	0.80	440	R								NA			NA		08/06/2008
(683) Oak Level Rd	1.50	670	R								NA			NA		08/06/2008
(684) Hummingbird Lane	1.80	130	R								NA			NA		08/04/2008

Virginia Department of Transportation  
 Traffic Engineering Division  
 2013  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(684) Hummingbird Lane	1.80	240	R			From: 41-663 Carlbrook Rd To: 41-683 Oak Level Rd					NA			NA		08/04/2008
(685) Lewis Ferrell Rd	4.70	170	R			From: 41-662 Birch Elmo Rd To: 41-683; 41-771					NA			NA		08/06/2008
(686) Mercy Seat Rd	1.30	90	R			From: 41-689 Wooding Rd To: 41-658					NA			NA		07/26/2011
(686) Mercy Seat Rd	0.60	80	R			From: 41-658 To: Dead End					NA			NA		07/26/2011
(687) Fire Tower Trail	0.16	140	R			From: 41-708 Cedar Grove Rd To: Dead End					NA			NA		07/19/2011
(688) Kerns Mill Rd	3.08	320	R			From: Pittsylvania County Line To: 41-658 Melon Rd					NA			NA		08/11/2008
(688) Kerns Mill Rd	1.90	100	R			From: 41-658 Melon Rd To: 41-659 River Rd; Brooklyn Rd					NA			NA		08/11/2008
(689) Wooding Rd	0.62	30	R			From: Dead End To: 0.62 ME Dead End					NA			NA		08/11/2008
(689) Wooding Rd	0.30	30	R			From: 0.62 ME Dead End To: 41-686 Mercy Seat Rd					NA			NA		08/11/2008
(689) Wooding Rd	2.00	70	R			From: 41-686 Mercy Seat Rd To: 41-658					NA			NA		07/26/2011
(690) Handy Bottom Trail	1.80	90	R			From: 41-603 Cody Rd To: Dead End					NA			NA		08/02/2011
(691) Stebbins Rd	2.00	220	R			From: 41-658 Melon Rd To: 41-659 River Rd					NA			NA		07/26/2011
(692) Richardson Lane	0.45	70	R			From: Dead End To: 41-751 Storys Creek Rd					NA			NA		08/11/2008
(693) Pointer Rd	0.64	580	R			From: North Carolina State Line WEST To: 41-764 New Haven Rd					NA			NA		07/19/2011
(693) Pointer Rd	3.09	220	R			From: 41-764 New Haven Rd To: 41-829 Foster Rd; Samuel Rd					NA			NA		07/19/2011
(693) Pointer Rd	0.22	210	R			From: 41-829 Foster Rd; Samuel Rd To: North Carolina State Line EAST					NA			NA		07/19/2011
(694) Medley Rd	1.00	100	R			From: US 58; SR 119 To: 1.00 ME US 58					NA			NA		07/19/2011
(694) Medley Rd	0.55	60	R			From: 1.00 ME US 58 To: Dead End					NA			NA		07/19/2011
(695) Buckskin Trail	0.30	80	R			From: Dead End To: 41-624 Coles Ferry Rd					NA			NA		07/28/2008
(696) Henderson Rd	0.20	50	R			From: North Carolina State Line To: 41-712 Williamson Rd					NA			NA		07/19/2011
(696) Henderson Rd	1.90	120	R			From: 41-712 Williamson Rd To: 41-648 Mason Chapel Rd					NA			NA		07/19/2011



Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(696) Henderson Rd	0.50	160	R								NA			NA		07/19/2011
			From	41-648 Mason Chapel Rd												
			To	41-697 Coleman Dr												
(696) Henderson Rd	0.61	210	R								NA			NA		07/19/2011
			From	US 58 Philpott Rd												
			To	Dead End												
(697) Coleman Dr	0.60	20	R								NA			NA		08/13/2008
			From	41-696 Henderson Rd												
(697) Coleman Dr	1.40	60	R								NA			NA		07/19/2011
			From	41-779 Hudson Dr												
(697) Coleman Dr	1.80	210	R								NA			NA		07/19/2011
			From	41-699 Mt Caramel Rd												
			To	Pittsylvania County Line												
(698) Henrys Mill Rd	1.90	130	R								NA			NA		08/04/2008
			From	SR 360 Mountain Rd												
			To	North Carolina State Line												
(699)	0.40	560	R								NA			NA		08/13/2008
			From	41-700 McGees Mill Rd												
(699) Mt Caramel Rd	2.90	440	G	94%	3%	1%	1%	1%	0%	C	0.114	F	0.626	450	G	2013
			From	41-751 Piney Grove Rd												
(699) Wilkins Rd	3.00	380	G	98%	0%	0%	0%	1%	0%	C	0.108	F	0.512	390	G	2013
			From	US 58 Philpott Rd												
			To	North Carolina State Line												
(700) McGees Mill Rd	0.30	590	G	95%	1%	1%	0%	3%	0%	C	0.099	F	0.636	610	G	2013
			From	41-699 Mt Caramel Rd												
(701) Mill Pond Rd	1.90	120	R								NA			NA		08/13/2008
			From	41-711 Alton Post Office Rd												
			To	41-699 Wilkins Rd												
(702) Logan Rd	3.70	100	R								NA			NA		08/02/2011
			From	Pittsylvania County Line												
			To	41-666 East Elkhorn Rd												
(703) Sandy Beach Rd	0.83	220	R								NA			NA		08/11/2008
			From	US 58 Philpott Rd												
(703) Sandy Beach Rd	1.39	170	R								NA			NA		08/11/2008
			From	41-881 Country Store Rd												
			To	41-951												
(704) Black Walnut Church Rd	0.43	570	R								NA			NA		08/20/2008
			From	US 501 Huell Matthews Hwy												
			To	41-658 S. Cluster Springs Rd												
(704) Old Cluster Springs Rd	3.23	500	G	98%	1%	1%	0%	0%	0%	F	NA			530	G	2013
			From	41-658 North, Cluster Springs Rd												
(704) Old Cluster Springs Rd	1.90	1300	G	98%	1%	1%	0%	0%	0%	C	NA			1400	G	2013
			From	41-706 Bold Springs Rd												
			To	US 58 Philpott Rd												
(705) Link Puryear Rd	2.40	220	R								NA			NA		08/20/2008
			From	41-706 Bold Springs Rd												
			To	41-704 Old Cluster Springs Rd												
(706) Bold Springs Rd	0.50	360	R								NA			NA		08/20/2008
			From	41-658 Cluster Springs Rd												
(706) Bold Springs Rd	0.90	320	R								NA			NA		08/20/2008
			From	41-705 Link Puryear Rd												
(706) Bold Springs Rd	3.70	430	R								NA			NA		08/20/2008
			From	41-809 German Creek Rd												
			To	41-704 Old Cluster Springs Rd												

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(707) Paradise Rd	0.60	250	R									NA		NA		08/13/2008
			From: 41-711 Denniston Rd; Harmony Rd													
(707) Paradise Rd	2.07	340	R									NA		NA		08/13/2008
			To: 41-718 Snow Hill Rd													
			From: 41-658 Cluster Springs Rd													
(708) Cedar Grove Rd	0.08	340	R									NA		NA		08/20/2008
			To: 41-658 Cluster Springs Rd													
(708) Cedar Grove Rd	2.80	270	R									NA		NA		08/20/2008
			To: 41-687 Fire Tower Trail													
(708) Cedar Grove Rd	1.00	490	R									NA		NA		08/20/2008
			To: 41-809 German Creek Rd													
			From: US 58 Philpott Rd													
(709) Blanes Mill Lane	0.80	30	R									NA		NA		07/30/2008
			To: Dead End													
			From: 41-708 Cedar Grove Rd													
(710) Bethel Hill Rd	2.10	70	R									NA		NA		08/20/2008
			To: North Carolina State Line													
			From: 41-711 Harmony Rd													
(711) Alton Post Office Rd	3.83	420	G	97%	1%	0%	0%	1%	0%	F	0.123	F	0.598	430	G	2013
			To: 41-699 Mt Caramel Rd													
(711) Harmony Rd	4.10	260	G	97%	1%	0%	0%	1%	0%	C	0.127	F	0.771	260	G	2013
			To: 41-655 Blane Rd													
(711) Harmony Rd	0.20	270	G	97%	1%	0%	0%	1%	0%	F	0.117	F	0.6	280	G	2013
			To: 41-710 Bethel Hill Rd													
(711) Denniston Rd	2.79	210	G	97%	1%	0%	0%	1%	0%	F	0.117	F	0.556	210	G	2013
			To: 41-707 Paradise Rd													
			From: US 501 Huell Matthews Hwy													
(712) Williamson Rd	2.32	70	R									NA		NA		08/13/2008
			To: SR 119 Calvary Rd													
			From: 41-696 Henderson Rd													
(713) Turner Trail	0.70	50	R									NA		NA		08/13/2008
			To: Dead End													
			From: 41-711 Harmony Rd													
(714) Woodsdale Rd	1.30	370	R									NA		NA		08/13/2008
			To: North Carolina State Line													
			From: 41-711 Harmony Rd													
(715) Red Level Church Rd	1.15	90	R									NA		NA		08/11/2011
			To: Dead End													
			From: US 360 E, James D Hagood Hwy													
(715) Williams Rd	0.50	100	R									NA		NA		08/11/2011
			To: US 360 W, James D Hagood Hwy													
			From: 41-716 Dryburg Rd													
(716) Rodgers Chapel Rd	3.03	1400	G	89%	0%	1%	8%	2%	0%	C	0.096	F	0.628	1400	G	2013
			To: SR 129 Old Halifax Rd													
			From: US 360; 41-821													
(716) Wolf Trap Rd	2.50	510	G	99%	0%	0%	0%	0%	0%	C	0.104	F	0.590	520	G	2013
			To: US 360; 41-821 James D Hagood Hwy													
(716)	2.20	290	R									NA		NA		08/06/2008
			To: 41-727 North Nichols Ferry Trail													
(716) Mosely Ferry Trail	5.10	30	R									NA		NA		08/06/2008
			To: 41-726 Coleman Rd													
(716) Dryburg Rd	4.15	200	G	94%	0%	0%	4%	2%	0%	F	0.127	F	0.661	200	G	2013
			To: SR 344													
			From: SR 344 McDonald Rd													
			To: 41-803 Allen Trail													

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(716) Dryburg Rd	1.45	340	G	94%	0%	0%	4%	2%	0%	F	0.103	F	0.615	350	G	2013
						From: 41-803 Allen Trail										
						To: 41-721 Ashcake Creek Rd										
(716) Dryburg Rd	1.78	500	G	94%	0%	0%	4%	2%	0%	C	0.104	F	0.546	510	G	2013
						From: US 360 James D Hagood Hwy										
						To: SCL Clover										
(716) Mosely Ferry Rd	0.95	830	G	94%	0%	1%	1%	3%	0%	C	0.096	F	0.506	840	G	2013
<b>Clover</b>																
(716) Mosely Ferry Rd	0.17	850	G	94%	0%	1%	1%	3%	0%	F	0.091	F	0.508	870	G	2013
						From: SCL Clover										
						To: SR 92; 41-1004, S Main St										
<b>Halifax County</b>																
(717) Hazelwood Mill Trail	0.25	60	R								NA			NA		08/04/2008
						From: 41-716 Dryburg Rd										
						To: Dead End										
(718) Snow Hill Rd	2.50	80	R								NA			NA		08/13/2008
						From: 41-707 Paradise Rd										
						To: 41-658 Cluster Springs Rd										
(719) Allens Mill Rd	3.70	30	R								NA			NA		08/06/2008
						From: SR 344										
						To: 41-716 Dryburg Rd										
<b>Town of Scottsburg</b>																
(720) Green Level Rd	0.46	390	R								NA			NA		08/06/2008
						From: SR 344; 41-724										
						To: ECL Scottsburg										
<b>Halifax County</b>																
(720) Green Level Rd	0.70	350	R								NA			NA		07/29/2002
						From: ECL Scottsburg										
						To: 41-827 Lee Syd Moore Rd										
(720) Green Level Rd	4.60	130	R								NA			NA		08/06/2008
						From: 41-721 Ashe Cake Creek Rd; Piney Creek Rd										
						To: 41-722 Heath Rd										
(720) Guill Town Rd	0.70	120	R								NA			NA		08/04/2008
						From: 41-722 Heath Rd										
						To: US 360; SR 92										
(721) Piney Creek Rd	0.25	160	R								NA			NA		08/06/2008
						From: US 360 James D Hagood Hwy										
						To: 0.25 MW US 360										
(721) Piney Creek Rd	1.42	100	R								NA			NA		08/04/2008
						From: 41-722 Heath Rd										
(721) Piney Creek Rd	0.79	100	R								NA			NA		08/04/2008
						From: 41-720 Guill Town Rd; Green Level Rd										
(721) Ashe Cake Creek Rd	1.10	70	R								NA			NA		08/04/2008
						From: 1.10 MW 41-720										
(721) Ashe Cake Creek Rd	0.60	70	R								NA			NA		08/04/2008
						From: 41-716 Dryburg Rd										
						To: 41-721 Piney Creek Rd										
(722) Heath Rd	1.10	50	R								NA			NA		08/11/2011
						From: 41-720 Guill Town Rd										
						To: Dead End										
(723) Brad Smith Trail	1.50	90	R								NA			NA		08/04/2011
						From: 41-603 Hunting Creek Rd										
						To: SR 344 N, Scottsburg Rd										
(724) Drybridge Rd	0.15	190	R								NA			NA		08/06/2008
						From: 41-878 John B Scott Trail										

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(724) Drybridge Rd	1.54	50	R									NA		NA		08/06/2008
<b>Town of Scottsburg</b>																
(724) Drybridge Rd	0.36	50	R									NA		NA		08/06/2008
(724) Drybridge Rd	0.17	70	R									NA		NA		08/06/2008
<b>Halifax County</b>																
(725) Charlie Lawson Rd	0.29	90	R									NA		NA		08/25/2008
(726) Coleman Rd	2.30	250	R									NA		NA		08/06/2008
(727) North Nichols Ferry Trail	1.00	70	R									NA		NA		08/06/2008
(728) Sams Trail	0.45	80	R									NA		NA		07/30/2008
(729) Bellevue Rd	2.72	1500	G	99%	0%	0%	0%	0%	0%	C	0.092	F	0.663	1500	G	2013
(729) Daniels Trail	0.77	300	R									NA		NA		08/23/2011
(730) Ramble Rd	4.48	300	R									NA		NA		07/14/2011
(730) Ramble Rd	0.16	80	R									NA		NA		07/14/2011
(731) Pools Mill Trail	0.30	40	R									NA		NA		08/13/2008
(732) Aarons Creek Rd	3.60	420	G	93%	2%	1%	2%	2%	0%	C	0.117	F	0.593	430	G	2013
(733) East Hitesburg Rd	1.80	60	R									NA		NA		08/13/2008
(733) East Hitesburg Rd	2.10	160	R									NA		NA		08/11/2008
(733) West Hitesburg Rd	0.80	60	R									NA		NA		08/25/2008
<b>Town of Virgilina</b>																
(734) Florence Ave	0.56	780	G	94%	1%	1%	0%	3%	0%	C	0.099	F	0.678	790	G	2013
<b>Halifax County</b>																
(734) Red Bank Rd	3.27	470	G	94%	1%	1%	0%	3%	0%	F	0.112	F	0.571	480	G	2013
(734) Red Bank Rd	0.17	230	R									NA		NA		08/11/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(734) Red Bank Rd	2.22	170	R								NA		NA			08/11/2008
(734) Red Bank Rd	1.11	80	R								NA		NA			08/11/2008
(734) Hogan Rd	0.70	100	R								NA		NA			08/11/2008
(735) Gills Mountain Rd	2.20	90	R								NA		NA			08/13/2008
(736) Bowen Rd	2.20	70	R								NA		NA			08/13/2008
(737) Hudson Rd	0.30	110	R								NA		NA			08/13/2008
(737) Hudson Rd	2.10	90	R								NA		NA			08/25/2008
(737) Hudson Rd	2.10	190	R								NA		NA			08/25/2008
(738) Cemetery Rd	0.80	60	R								NA		NA			08/25/2008
(738) Cemetery Rd	3.70	140	R								NA		NA			08/25/2008
(738) Kingswood Rd	0.79	140	R								NA		NA			08/25/2008
(738) Kingswood Rd	3.82	110	R								NA		NA			08/25/2008
(739) T N Snow Rd	2.81	140	R								NA		NA			07/30/2008
(740) Christie Rd	0.56	170	R								NA		NA			07/14/2011
(740) Chistie Rd	0.26	270	R								NA		NA			07/14/2011
(740) Wilson Rd	1.55	210	R								NA		NA			07/14/2011
(740) Wilson Rd	2.75	140	R								NA		NA			07/14/2011
(741) Lowery Rd	4.22	180	R								NA		NA			08/25/2008
(741) Wallace Cole Rd	0.20	640	G	97%	1%	1%	1%	0%	0%	C	NA		690	G		2013
(741)	0.22	530	R								NA		NA			08/19/2008
(742) Alphonse Dairy Rd	1.29	670	R								NA		NA			08/11/2008
(742) Alphonse Dairy Rd	0.90	150	R								NA		NA			08/11/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(743) Ponderosa Rd	2.20	400	R								NA		NA			07/14/2011
(744) Stewart Trail	0.86	60	R								NA		NA			07/14/2011
(744) Stewart Trail	0.04	90	R								NA		NA			07/14/2011
(744) Shady Grove Church Rd	2.71	200	R								NA		NA			07/14/2011
(744) East Hyco Rd	3.71	550	G	99%	0%	0%	0%	0%	0%	F	NA		590	G		2013
(744) East Hyco Rd	3.34	1700	G	99%	0%	0%	0%	0%	0%	C	0.097	F	0.620	1700	G	2013
(744) Riverdale Dr	0.13	270	R								NA		NA			09/08/2008
(744) Riverdale Dr	0.41	320	R								NA		NA			09/08/2008
(745) Loftis Rd	1.20	390	R								NA		NA			08/19/2008
<b>Clover</b>																
(746) Mt Laurel Rd	0.48	960	G	96%	1%	1%	1%	2%	0%	C	0.087	F	0.527	980	G	2013
<b>Halifax County</b>																
(746) Mt Laurel Rd	4.15	600	G	96%	1%	1%	1%	2%	0%	F	0.09	F	0.525	620	G	2013
(746) Mt Laurel Rd	3.92	550	G	93%	0%	1%	1%	6%	0%	C	0.097	F	0.695	570	G	2013
(746) Mt Laurel Rd	0.38	620	G	96%	1%	1%	1%	2%	0%	F	0.101	F	0.643	630	G	2013
(747) Flints Rock Rd	1.06	210	R								NA		NA			07/14/2011
(747) Solomon Rd	2.10	190	R								NA		NA			07/14/2011
(748) Slick Rock Rd	2.50	100	R								NA		NA			07/28/2008
(749) Woods Creek Lane	1.20	190	R								NA		NA			08/11/2011
(750) Long Branch Lane	0.90	120	R								NA		NA			08/11/2011
(751) Piney Grove Rd	1.80	220	R								NA		NA			07/19/2011
(751) Piney Grove Rd	0.45	180	R								NA		NA			08/11/2008
(751) Storys Creek Rd	2.95	120	R								NA		NA			08/11/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(751) Storys Creek Rd	0.80	260	R			From 41-692 Richardson Lane					NA		NA			08/11/2008
						To 41-658 Melon Rd										
(752) Ham Tuck Trail	1.10	30	R			From Dead End					NA		NA			08/11/2008
						To 41-751 Storys Creek Rd										
(753) Beulah Rd	2.60	120	R			From 41-667 Leda Rd					NA		NA			07/30/2008
						To 41-899 Coleman Trail										
(753) Beulah Rd	2.00	180	R			From SR 57 Chatham Rd					NA		NA			07/30/2008
						To SR 57 Chatham Rd										
(754) Cora Watts Trail	0.65	30	R			From 41-644 Stoney Ridge Rd					NA		NA			07/28/2008
						To Dead End										
(755) Bradley Rd	0.20	120	R			From 41-643 McKendree Church Rd					NA		NA			08/02/2011
						To US 501, L P Bailey Mem Hwy										
(756) Cheerful Lane	0.55	130	R			From SR 57 Chatham Rd					NA		NA			08/02/2011
						To 41-882 Dixon Trail										
(756) Cheerful Lane	0.25	40	R			From 41-882 Dixon Trail					NA		NA			07/28/2008
						To 41-675 Ridgeway Rd										
(757) Beales Lane	1.70	60	R			From Dead End					NA		NA			07/30/2008
						To 41-786 Runaway Rd										
(757) Beales Lane	0.30	130	R			From 41-786 Runaway Rd					NA		NA			07/30/2008
						To 41-603 Cody Rd										
(758) Crossroads Trail	0.50	80	R			From Dead End					NA		NA			07/28/2008
						To 41-623 Mortons Ferry Rd										
(759) Horseshoe Trail	1.68	170	R			From US 501 Huell Matthews Hwy					NA		NA			07/14/2011
						To Dead End										
(760) Ferry Trail	0.50	60	R			From SR 360 Bethel Rd					NA		NA			08/11/2011
						To Dead End										
(761) Boxwood Rd	1.40	50	R			From 41-621 Beaver Pond Rd					NA		NA			07/30/2008
						To 41-851 Old Rd										
(761) Boxwood Rd	0.60	120	R			From US 501, L P Bailey Mem Hwy					NA		NA			08/02/2011
						To US 501, L P Bailey Mem Hwy										
(762) Zion Hill Church Loop	0.30	90	R			From SR 96 W, Virgilina Rd					NA		NA			07/14/2011
						To 41-886 Watts Trail										
(762) Zion Hill Church Loop	0.30	60	R			From 41-886 Watts Trail					NA		NA			07/14/2011
						To SR 96 E, Virgilina Rd										
(763) Pine Ridge Trail	0.70	170	R			From 41-677 Ridge Rd					NA		NA			07/28/2011
						To Dead End										
(764) Vir Drive	0.64	230	R			From North Carolina State Line					NA		NA			07/19/2011
						To 41-693 Pointer Rd										
(764) Pine Tree Rd	0.25	590	R			From 41-693 Pointer Rd					NA		NA			07/19/2011
						To Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(765) Clinton Rd	1.19	20	R			From: Dead End					NA			NA		07/30/2008
(765) Clinton Rd	1.00	60	R			To: 1.19 ME Dead End					NA			NA		07/30/2008
						From: 41-603 Cody Rd										
(766) Waltman Rd	1.10	80	R			To: Dead End					NA			NA		07/30/2008
						From: 41-667 Leda Rd										
(767) Brandon Chapel Rd	0.55	170	R			To: Dead End					NA			NA		07/19/2011
						From: SR 119 Calvary Rd										
(768) Hendricks Rd	0.75	80	R			To: Dead End					NA			NA		07/19/2011
						From: 41-711 Alton Post Office Rd										
(769) New Bethel Rd	1.10	100	R			To: Dead End					NA			NA		07/19/2011
						From: 41-751 Piney Grove Rd										
(770) High Rock Trail	1.20	80	R			To: Dead End					NA			NA		08/04/2008
						From: 41-676 Thompson Store Rd										
(771) Deer Ridge Trail	0.80	80	R			To: Dead End					NA			NA		08/06/2008
						From: 41-683; 41-685										
(772) Pierces Trail	1.15	60	R			To: 41-641 Lower Liberty Rd					NA			NA		07/30/2008
						From: Dead End										
(773) Jeffress Trail	1.17	150	R			To: 41-658 Turbeville Rd					NA			NA		07/19/2011
						From: Dead End										
(774) Peaks Trail	0.80	60	R			To: Dead End					NA			NA		07/30/2008
						From: 41-667 Leda Rd										
(775) Newton Farm Rd	1.39	300	R			To: US 501 Huell Matthews Hwy					NA			NA		08/19/2008
						From: 41-658 Cherry Hill Church Rd										
(776) Wilborn Rd	2.65	40	R			To: 41-734 Red Bank Rd					NA			NA		08/13/2008
						From: 41-734 Red Bank Rd										
(777) Jennings Lane	1.30	140	R			To: SR 40 Stage Coach Rd					NA			NA		07/28/2008
						From: Dead End										
(778) Green Valley Rd	4.80	180	R			To: 41-746 Mt Laurel Rd					NA			NA		08/04/2011
						From: 41-600 Black Walnut Rd										
(779) Hudson Dr	0.80	250	R			To: 41-697 Coleman Dr					NA			NA		07/19/2011
						From: US 58 Philpott Rd										
(780) Blounts Crossing Trail	1.00	60	R			To: Dead End					NA			NA		08/04/2011
						From: 41-746 Mt Laurel Rd										
(780) Lloyds Mill Rd	1.40	100	R			To: Dead End					NA			NA		08/04/2011
						From: 41-616 Neals Corner Rd										
(781) Deer View Trail	1.75	70	R			To: Dead End					NA			NA		07/26/2011
						From: 41-678 Grubby Rd										



Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Halifax County</b>																	
(782)	2.25	160	R								NA		NA			08/06/2008	
(783)	Golf Course Rd	1.30	1200	G	99%	0%	1%	0%	0%	0%	C	0.11	F	0.550	1200	G	2013
(784)	Mason Trail	1.70	50	R							NA		NA				07/28/2008
(785)	Depot Lane	0.32	50	R							NA		NA				08/04/2011
(786)	Runaway Rd	1.20	70	R							NA		NA				07/30/2008
(787)	Fowler Trail	0.65	80	R							NA		NA				08/11/2008
(788)	St Mark Church Rd	0.40	60	R							NA		NA				08/13/2008
(789)	Lacks Town Rd	1.00	220	R							NA		NA				08/11/2011
(790)	Old Cedar Trail	1.30	30	R							NA		NA				07/30/2008
(791)	Leighwood Trail	0.39	320	R							NA		NA				07/28/2011
(791)	Leighwood Trail	0.60	220	R							NA		NA				07/28/2011
(791)	Leighwood Trail	0.60	110	R							NA		NA				07/28/2011
(792)	Wade Pond Rd	1.95	140	R							NA		NA				08/11/2008
(793)	Duck Trail	0.44	70	R							NA		NA				07/28/2011
(793)	Duck Trail	0.36	50	R							NA		NA				07/28/2011
(794)	White Oak Forks Rd	0.26	200	R							NA		NA				08/25/2008
(794)	White Oak Forks Rd	1.00	310	R							NA		NA				08/25/2008
(795)	Alchie Lane	1.40	230	R							NA		NA				07/30/2008
(796)	Dabney Warren Rd	1.50	60	R							NA		NA				08/13/2008
(797)	Traynham Grove Rd	2.70	290	R							NA		NA				08/13/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(798) Three M Lane	0.90	30	R								NA			NA		08/11/2008
(799) Alex Lane	0.40	90	R								NA			NA		07/28/2008
(800) Three Fork Trail	0.50	80	R								NA			NA		07/30/2008
(802) Myers Rd	0.40	150	R								NA			NA		08/11/2008
(802) Myers Rd	0.75	130	R								NA			NA		08/11/2008
(803) Allen Trail	2.30	100	R								NA			NA		08/04/2008
(804) Stovall Trail	0.50	100	R								NA			NA		08/04/2008
(805) Boyds Ferry Trail	0.30	50	R								NA			NA		08/11/2008
(806) Walker Trail	0.31	60	R								NA			NA		08/06/2008
(807) Dunn Trail	0.80	50	R								NA			NA		08/04/2008
(808) McCulloch Lane	0.52	70	R								NA			NA		08/02/2011
(808) McCulloch Lane	0.48	130	R								NA			NA		08/02/2011
(809) German Creek Rd	1.90	220	R								NA			NA		08/20/2008
(810) Davmunds Trail	0.70	240	R								NA			NA		08/11/2008
(811) Matts Trail	0.90	140	R								NA			NA		08/04/2011
(812) Willie Moore Trail	0.20	60	R								NA			NA		07/28/2011
(812) Willie Moore Trail	0.01	50	R								NA			NA		07/28/2011
(813) Library Lane	0.20	30	R								NA			NA		09/08/2008
(814) Younger Rd	0.80	20	R								NA			NA		08/06/2008
(814) Younger Rd	0.50	70	R								NA			NA		08/06/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(815) Tinsley Trail	0.15	10	R			From: 41-640 Buffalo Rd					NA			NA		07/28/2008
						To: Dead End										
(816) Petes Trail	0.80	50	R			From: Dead End					NA			NA		08/11/2011
						To: 41-607 Rodgers Chapel Rd										
(817) Arthur Ware Trail	0.70	170	R			From: Dead End					NA			NA		08/19/2008
						To: 41-658 Cherry Hill Church Rd										
(818) Covington Trail	0.50	20	R			From: 41-746 Mt Laurel Rd					NA			NA		07/30/2008
						To: Dead End										
(819) Jennys Ruff Trail	1.00	60	R			From: SR 40 Stage Coach Rd					NA			NA		07/28/2008
						To: Dead End										
(820) Jeremy Creek Rd	2.60	50	R			From: Pittsylvania County Line					NA			NA		03/22/2010
						To: 41-659 River Rd										
(821) Shady Lane	0.60	130	R			From: Dead End					NA			NA		08/06/2008
						To: US 360; 41-716										
(822) Jesses Lane	0.38	120	R			From: SR 40 Stage Coach Rd					NA			NA		07/28/2008
						To: Dead End										
(824) Wilkerson Rd	0.91	30	R			From: SR 49 WEST					NA			NA		08/13/2008
						To: SR 49 EAST										
(825) Wilkerson Trail	0.70	45	R			From: Dead End					NA			NA		08/20/2008
						To: 41-655 Blane Rd										
(826) Hendricks Rd	0.80	70	R			From: Dead End					NA			NA		08/06/2008
						To: 41-643; 41-814										
(827) Lee Syd Moore Rd	1.50	80	R			From: SR 344					NA			NA		08/06/2008
						To: 41-720 Green Level Rd										
(828) Bethel Trail	0.70	50	R			From: Dead End					NA			NA		08/06/2008
						To: 41-659 River Rd										
(829) Samuel Rd	0.30	20	R			From: Dead End					NA			NA		08/13/2008
						To: 41-693 Pointer Rd										
(829) Foster Rd	0.71	160	R			From: 41-693 Pointer Rd					NA			NA		07/19/2011
						To: SR 119 Calvary Rd										
(830) Clark Jordan Trail	0.40	70	R			From: Dead End					NA			NA		08/20/2008
						To: US 501 Huell Matthews Hwy										
(831) Carr	0.50	110	R			From: 41-615 Tucker Rd					NA			NA		08/04/2008
						To: Dead End										
(833) Meadville Trail	0.38	60	R			From: 41-642 Meadville Rd					NA			NA		08/04/2008
						To: Dead End										
(834) Luethels Lane	0.63	70	R			From: Dead End					NA			NA		07/28/2008
						To: 41-632 Hog Wallow Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(835) Sawmill Trail	1.00	40	R				41-753 Beulah Rd				NA			NA		07/30/2008
							Dead End									
(836) Scale Rd	1.00	47	R				US 58 Philpott Rd				NA			NA		08/11/2008
							Dead End									
(837) Billys Lane	1.00	100	R				41-681 Union Church Rd				NA			NA		08/06/2008
							Dead End									
(838) Lilborn Trail	0.75	110	R				41-748 Slick Rock Rd				NA			NA		07/30/2008
							Dead End									
(839) Piney Ridge Rd	0.50	150	R				41-645 Acorn Rd				NA			NA		07/28/2008
							Dead End									
(840) Sweeney Trail	0.70	100	R				Dead End				NA			NA		08/06/2008
							41-791 Leighwood Trail									
(841) Garretts Trail	0.80	20	R				41-746 Mt Laurel Rd				NA			NA		07/30/2008
							Dead End									
(842) Bessie Marion Trail	0.25	120	R				Dead End				NA			NA		08/06/2008
							41-610 Murphy Grove Rd									
(843) Millstone Church Trail	0.52	70	R				US 501, L P Bailey Mem Hwy				NA			NA		08/02/2011
							Dead End									
(844) Tune Trail	0.60	30	R				SR 57 Chatham Rd				NA			NA		08/04/2008
							Dead End									
(845) Ed Mason Lane	0.30	60	R				Dead End				NA			NA		07/30/2008
							SR 57 Chatham Rd									
(846) Toms Trail	1.00	50	R				Dead End				NA			NA		07/30/2008
							41-621 Newbill School Rd									
(847) Cherry St	0.06	510	R				US 501 Halifax Rd				NA			NA		08/25/2011
							41-1313 First St									
(848) Fox Trail	0.63	80	R				Dead End				NA			NA		09/08/2008
							41-682 Old Grubby Rd									
(849) Coon Trail	0.30	50	R				Dead End				NA			NA		08/04/2008
							41-662 Birch Elmo Rd									
(850) Owen Walker Rd	0.62	50	R				Dead End				NA			NA		08/13/2008
							41-711 Harmony Rd									
(851) Old Rd	0.22	20	R				US 501, L P Bailey Mem Hwy				NA			NA		08/19/2008
							41-761 Boxwood Rd									
(852) Hunters Lane	0.82	100	R				41-744 East Hyc0 Rd				NA			NA		08/19/2008
							Dead End									
(853) Covered Bridge Trail	0.50	110	R				US 58 Bill Tuck Hwy				NA			NA		07/14/2011
							Dead End									

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(854) Belt Blvd	0.15	100	R								NA			NA		08/30/2011
(854) Belt Blvd	0.09	90	R								NA			NA		08/30/2011
(854) Cage Trail	1.20	570	R								NA			NA		08/06/2008
(855) Fort Hill Trail	0.28	50	R								NA			NA		07/30/2008
(856) Quarles School Trail	0.60	40	R								NA			NA		07/28/2008
(857) Maplewood Dr	0.33	110	R								NA			NA		09/08/2008
(858) Willow Trail	0.45	70	R								NA			NA		08/19/2008
(859) Farm Rd	0.60	290	R								NA			NA		07/26/2011
(860) Cherry Hill Trail	0.50	70	R								NA			NA		08/06/2008
(861) Browns Trail	0.80	40	R								NA			NA		07/30/2008
(862) Christie Circle	0.54	10	R								NA			NA		08/25/2008
(863) Comer Trail	0.48	50	R								NA			NA		08/25/2008
(864) Cousin Lane	1.60	60	R								NA			NA		07/30/2008
(865) Whitt Loop	0.50	70	R								NA			NA		08/19/2008
(866) Woody Loop	0.40	20	R								NA			NA		08/20/2008
(867) Paul James Rd	0.65	120	R								NA			NA		08/11/2011
(868) Crute Lane	0.50	160	R								NA			NA		08/04/2008
(869) Bates Trail	0.15	60	R								NA			NA		07/30/2008
(870) Terry Trail	0.35	70	R								NA			NA		07/30/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(871) Buck Horace Trail	0.80	90	R								NA			NA		08/02/2011
(872) Carter Trail	0.99	50	R								NA			NA		07/26/2011
(873) Conner Evans Trail	0.32	80	R								NA			NA		08/13/2008
(874) Vaughn Lane	0.20	20	R								NA			NA		08/04/2008
(875) Moormans Lane	0.35	10	R								NA			NA		07/30/2008
(876) South Nichols Ferry Trail	0.65	30	R								NA			NA		08/11/2008
(877) Pine Lane	0.14	130	R								NA			NA		08/25/2011
(878) John B Scott Trail	0.65	140	R								NA			NA		08/06/2008
(879) Plywood Trail	0.75	340	R								NA			NA		08/06/2008
(880) Burns Trail	0.15	50	R								NA			NA		07/28/2011
(881) Country Store Rd	0.10	90	R								NA			NA		08/11/2008
(882) Dixon Trail	0.90	6	R								NA			NA		08/04/2008
(883) Meadow Dr	0.12	40	R								NA			NA		08/11/2008
(884) Powell Rd	0.11	220	R								NA			NA		08/25/2011
(884) Powell Rd	0.23	660	R								NA			NA		08/25/2011
(884) Powell Rd	0.17	3000	R								NA			NA		08/25/2011
(885) Florida Trail	0.50	60	R								NA			NA		08/25/2008
(886) Watts Trail	0.25	30	R								NA			NA		08/19/2008
(887) Mayo Loop	0.30	40	R								NA			NA		08/19/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(888) Easley Hill Trail	1.40	130	R			From: 41-642 Meadville Rd					NA		NA			08/04/2008
						To: Dead End										
(889) Griffin Trail	0.80	30	R			From: 41-602 Hitesburg Church Rd					NA		NA			08/13/2008
						To: Dead End										
(890) Phillips Trail	1.25	60	R			From: Dead End					NA		NA			08/11/2008
						To: 41-601 Bucksheal Rd										
(891) Pine Height Trail	0.20	510	R			From: SR 360 Mountain Rd					NA		NA			08/06/2008
						To: 41-1501 Height Trail										
(891) Pine Height Trail	0.25	280	R			From: Dead End					NA		NA			08/06/2008
						To: Dead End										
(892) Chaffin Trail	0.65	60	R			From: Dead End					NA		NA			08/04/2008
						To: 41-626 Howard P Johnson Hwy										
(893) James Trail	0.60	90	R			From: 41-613 Marions Trail					NA		NA			08/11/2011
						To: Dead End										
(894) Whitt Farm Trail	0.40	60	R			From: 41-744 Shady Grove Church Rd					NA		NA			07/14/2011
						To: Dead End										
(895) Old Roxboro Rd	0.93	180	R			From: Dead End					NA		NA			07/14/2011
						To: US 501 Huell Matthews Hwy										
(896) Reaves Loop	0.40	40	R			From: SR 96 W; 41-887					NA		NA			08/19/2008
						To: SR 96 E, Virgilina Rd										
(897) White Lane	0.35	150	R			From: Dead End					NA		NA			08/11/2008
						To: 41-658 Melon Rd										
(898) Paul Pry Trail	0.35	60	R			From: 41-676 Ashbury Church Rd					NA		NA			07/30/2008
						To: Dead End										
(899) Coleman Trail	1.10	50	R			From: 41-753 Beulah Rd					NA		NA			07/30/2008
						To: Dead End										
(901) Wild Turkey Run	0.80	60	R			From: SR 360 Mountain Rd					NA		NA			09/08/2008
						To: Dead End										
(902) Hunters Trail	0.70	50	R			From: Dead End					NA		NA			07/30/2008
						To: 41-739, T N Snow Rd										
(903) Halls Trail	0.70	120	R			From: Dead End					NA		NA			09/08/2008
						To: SR 360; 41-653										
(904) Dogwood Trail	0.30	30	R			From: US 501 Huell Matthews Hwy					NA		NA			08/19/2008
						To: Dead End										
(905) Jimmys Trail	1.15	30	R			From: US 501, L P Bailey Mem Hwy					NA		NA			07/30/2008
						To: Dead End										
(906) Moores Trail	0.30	20	R			From: 41-626 Clarkton Rd					NA		NA			07/28/2008
						To: Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
907	Thornton Jim Trail	0.20	60	R							NA			NA		07/30/2008
908	Gilmore Trail	0.30	5	R							NA			NA		08/13/2008
909	Boodie Trail	1.42	40	R							NA			NA		08/20/2008
910	Hatcher Trail	0.45	30	R							NA			NA		08/06/2008
911	Emergency Rd	0.20	20	R							NA			NA		08/13/2008
912	Frog Pond Trail	0.60	20	R							NA			NA		07/28/2008
913	John Puryear Trail	0.50	40	R							NA			NA		08/19/2008
914	Easley Crossing Trail	1.35	80	R							NA			NA		08/23/2011
915	White Oak Trail	0.77	60	R							NA			NA		07/30/2008
916	Pitt Trail	0.48	50	R							NA			NA		08/04/2008
917	Drive In Rd	0.23	160	R							NA			NA		07/28/2008
918	Williams Trail	0.75	220	R							NA			NA		08/06/2008
919	Eastover Dr	0.43	240	R							NA			NA		08/11/2008
920	Faulkner Loop	0.45	20	R							NA			NA		06/25/2008
921	Clements Trail	0.30	50	R							NA			NA		07/30/2008
922	Landfill Lane	0.11	360	R							NA			NA		08/04/2008
923	Barker Trail	0.75	20	R							NA			NA		08/13/2008
924	Dr Lacy Trail	0.25	140	R							NA			NA		07/28/2008
925	Carrington Trail	0.22	60	R							NA			NA		08/19/2008



Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(926) Carl Henderson Trail	0.60	20	R				From: SR 360 Mountain Rd					NA		NA		08/04/2008
							To: Dead End									
(927) Throckmorton Trail	0.80	80	R				From: SR 344					NA		NA		08/06/2008
							To: Dead End									
(928) Shelton Rd	0.40	60	R				From: Dead End					NA		NA		08/25/2008
							To: 41-658 Virgie Cole Rd									
(929) Humps Trail	0.25	60	R				From: Dead End					NA		NA		08/11/2008
							To: US 58 Philpott Rd									
(930) Cassada Lane	0.41	70	R				From: 41-654 W, Singi Rd					NA		NA		09/08/2008
							To: 41-654 E, Singi Rd									
(931) Industrial Park Rd	0.51	1300	R				From: US 58 Philpott Rd					NA		NA		09/08/2008
							To: Dead End									
(931) Industrial Park Rd	0.12	1200	R				From: 41-939 Fulp Industrial Rd					NA		NA		09/08/2008
							To: Dead End									
(932) Laprade Manie Trail	0.55	80	R				From: Dead End					NA		NA		07/28/2008
							To: 41-626 Shiloh Church Rd									
(933) Wise Loftis Rd	1.10	30	R				From: 41-606 Rice School Rd					NA		NA		08/13/2008
							To: 41-604 Rip Rap Rd									
(934) Weatherford Loop Rd	0.17	6	R				From: SR 57 S, Chatham Rd					NA		NA		08/06/2008
							To: SR 57 N, Chatham Rd									
(935) Good Trail	0.30	140	R				From: Dead End					NA		NA		08/06/2008
							To: 41-716 Wolf Trap Rd									
(936) McNear Trail	0.71	40	R				From: Dead End					NA		NA		08/04/2008
							To: 41-673 Farmer Trail									
(937) Cliborne Trail	0.44	70	R				From: Dead End					NA		NA		08/04/2008
							To: 41-626 Howard P Anderson Rd									
(938) Mallard Lane	0.13	240	R				From: 41-654 Singi Rd					NA		NA		09/08/2008
							To: Dead End									
(939) Fulp Industrial Rd	0.93	570	R				From: 41-931 Industrial Park					NA		NA		09/08/2008
							To: US 58 Philpott Rd									
(940) Fan Park Dr	0.25	120	R				From: Dead End					NA		NA		09/09/2008
							To: 41-654 Singi Rd									
(941) Indian Jim Trail	0.35	50	R				From: Dead End					NA		NA		08/02/2011
							To: 41-808 McCulloch Lane									
(942) Tuck Airport Rd	0.64	90	R				From: Dead End					NA		NA		08/06/2008
							To: 41-716 Wolf Trap Rd									
(943) Railroad Trail	0.08	20	R				From: Pittsylvania County Line					NA		NA		08/11/2008
							To: Dead End									

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(944) Fox Den Trail	0.25	80	R								NA		NA			08/23/2011
(945) Hankins Loop Rd	0.32	20	R								NA		NA			08/06/2008
(946) Dawson Trail	0.55	150	R								NA		NA			07/19/2011
(948) Talley Loop	0.29	70	R								NA		NA			08/04/2008
(949) Propst Trail	0.20	40	R								NA		NA			08/19/2008
(950) Herbert Allen Trail	0.25	40	R								NA		NA			08/11/2008
(951) Confroy Dr	0.13	600	R								NA		NA			07/14/2011
(952) Confroy Dr	0.80	380	R								NA		NA			07/14/2011
(953) Robert Wilkins Trail	0.50	30	R								NA		NA			08/25/2008
(954) Milner Lane	0.71	60	R								NA		NA			08/02/2011
(955) Hite Lane	0.21	50	R								NA		NA			08/11/2008
(957) Ace Dr	0.49	110	R								NA		NA			09/08/2008
(959) King Village Trail	0.88	120	R								NA		NA			08/18/2011
(960) Elmer Barker Trail	0.43	40	R								NA		NA			08/06/2008
(963) Healey Lane	0.07	5	R								NA		NA			09/08/2008
(964)	0.10	20	R								NA		NA			09/08/2008
(965) John Logan Trail	0.41	40	R								NA		NA			07/30/2008
(980) Chaney Lane	0.04	1300	R								NA		NA			08/04/2008
(985) New Haven Rd	0.21	30	R								NA		NA			08/13/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(990) Newman Dr	0.13	30	R											NA		08/20/2008
<b>Clover</b>																
(1001) East Church St	0.08	180	R											NA		08/04/2008
(1002) Short St	0.09	560	G	94%	1%	1%	1%	4%	0%	C	0.127	F	0.597	580	G	2013
(1003) North Gayle St	0.15	90	R											NA		08/11/2011
(1003) North Gayle St	0.10	50	R											NA		08/11/2011
<b>Halifax County</b>																
(1004) Coleman Ave	0.30	50	R											NA		08/03/2008
<b>Clover</b>																
(1004) Coleman Ave	0.11	70	R											NA		08/11/2011
(1005) Delaware St	0.23	210	R											NA		08/11/2011
(1006) Tanyard Branch Trail	0.05	220	R											NA		08/11/2011
<b>Halifax County</b>																
(1030) Brook Run	0.51	410	R											NA		08/18/2011
(1035) Occoneechee Trail	0.52	190	R											NA		07/28/2011
(1036) Lakeshore Dr	0.47	NA												NA		
(1036) Lakeshore Dr	0.27	180	R											NA		07/28/2011
(1040) Chestnut Creek Rd	0.31	100	R											NA		07/28/2011
<b>Town of Halifax</b>																
(1101) Mimosa Dr	0.08	100	R											NA		08/18/2011
(1101) Mimosa Dr	0.15	170	R											NA		08/18/2011
(1102) Cedar Lane	0.06	40	R											NA		08/18/2011
(1102) Cedar Lane	0.08	130	R											NA		08/18/2011
(1102) Cedar Lane	0.23	250	R											NA		08/18/2011

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Halifax</b>																
(1103) Oak Lane	0.06	20	R			From: Dead End					NA			NA		08/18/2011
(1103) Oak Lane	0.10	90	R			From: 41-1101 Mimosa Dr					NA			NA		08/18/2011
(1103) Oak Lane	0.11	50	R			From: 41-1102 Cedar Lane					NA			NA		08/18/2011
(1103) Oak Lane						To: 41-1116 Poplar Lane										
(1104) Pine Rd	0.10	30	R			From: Dead End					NA			NA		08/18/2011
(1104) Pine Rd	0.06	49	R			From: 41-1117 Ash St					NA			NA		08/18/2011
(1104) Pine Rd	0.11	50	R			From: 41-1101 Mimosa Dr					NA			NA		08/18/2011
(1104) Pine Rd						To: 41-1102 Cedar Lane										
(1105) Maple Ave	0.10	450	R			From: SR 360 Mountain Rd					NA			NA		08/16/2011
(1105) Maple Ave	0.11	270	R			From: 41-1106 Church St					NA			NA		08/16/2011
(1105) Maple Ave	0.02	250	R			From: 41-1109 Harding St					NA			NA		08/16/2011
(1105) Maple Ave	0.09	110	R			From: 41-1115 S, Buena Vista Dr					NA			NA		08/16/2011
(1105) Maple Ave	0.02	10	R			From: 41-1113 Short St					NA			NA		08/16/2011
(1105) Maple Ave						To: Dead End; Gap										
(1106) Church St	0.08	210	R			From: 41-1105 Maple Ave					NA			NA		09/08/2008
(1106) Church St						To: US 501 Main St										
(1107) Elam St	0.12	60	R			From: Dead End					NA			NA		08/16/2011
(1107) Elam St	0.03	170	R			From: 41-1112 Hedderly St					NA			NA		08/16/2011
(1107) Elam St						To: US 501 Main St										
(1108) Craddock St	0.18	220	R			From: Dead End					NA			NA		08/16/2011
(1108) Craddock St						To: US 501 Main St										
(1109) Harding St	0.06	70	R			From: Dead End					NA			NA		08/16/2011
(1109) Harding St						To: 41-1105 Maple Ave										
(1110) Houston St	0.16	230	R			From: 41-1111 Cemetery St					NA			NA		08/19/2008
(1110) Houston St						To: US 501 Main St										
(1111) Cemetery St	0.04	1000	R			From: US 501 Main St					NA			NA		08/11/2008
(1111) Cemetery St	0.06	110	R			From: 41-1110 Houston St					NA			NA		08/16/2011
(1111) Cemetery St						To: Dead End										
(1112) Hedderly St	0.22	90	R			From: NCL Halifax					NA			NA		08/16/2011
(1112) Hedderly St						To: 41-1107 Elam St										
(1113) Lakeside Dr	0.03	90	R			From: 41-1114 Lakeside Dr					NA			NA		08/16/2011
(1113) Lakeside Dr						To: 41-1105 Maple Ave										

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Halifax</b>																
(1114) Lakeside Dr	0.05	110	R			From: 41-1113 Short St					NA			NA		08/16/2011
(1114) Lakeside Dr	0.08	40	R			To: 41-1115 Buena Vista Dr					NA			NA		08/16/2011
						From: Cul-de-Sac										
(1115) Buena Vista Dr	0.51	120	R			To: 41-1105 S. Maple Ave					NA			NA		08/16/2011
						From: 41-1114 Lakeside Dr										
(1116) Poplar Lane	0.11	30	R			To: Dead End					NA			NA		08/18/2011
						From: 41-1103 Oak Lane										
(1117) Ash St	0.06	30	R			To: Dead End					NA			NA		08/18/2011
						From: 41-1104 Pine Rd										
(1118) Snead Lane	0.13	170	R			To: Dead End					NA			NA		08/16/2011
						From: US 501 Main St										
(1119) Canterbury Dr	0.73	330	R			To: SR 360 Mountain Rd					NA			NA		08/16/2011
						From: Cul-de-Sac										
(1120) Green St	0.08	490	R			To: Dead End					NA			NA		08/16/2011
						From: US 501 Main St										
<b>Halifax County</b>																
(1121) Banister St	0.19	70	R			To: 41-651 Cowford Rd					NA			NA		08/16/2011
						From: Dead End										
<b>Town of Halifax</b>																
(1122) Mary Bethune St	0.05	490	R			To: US 501 Main St					NA			NA		08/11/2008
						From: Dead End										
(1123) Back St	0.03	140	R			To: 41-1124 Back St					NA			NA		08/16/2011
						From: Dead End										
(1124) Back St	0.22	140	R			To: Dead End					NA			NA		08/16/2011
						From: Cul-de-Sac										
(1127)	0.13	NA				To: Cul-de-Sac/					NA			NA		
						From: SR-00349(B)/										
<b>Halifax County</b>																
(1130) Crews Trail	0.17	50	R			To: Dead End					NA			NA		07/26/2011
						From: 41-659 River Rd										
<b>Town of Virgilina</b>																
(1201) Tenth St	0.10	90	R			To: 41-1205 Carolina St					NA			NA		07/12/2011
						From: 41-734 Florence Ave										
(1201) Tenth St	0.13	60	R			To: Dead End					NA			NA		07/12/2011
						From: 41-1205 Carolina St										
(1202) Ninth St	0.10	70	R			To: 41-734 Florence Ave					NA			NA		07/12/2011
						From: 41-1205 Carolina St										
(1202) Ninth St	0.09	70	R			To: 41-1209 Colorado St					NA			NA		07/12/2011
						From: 0.01 ME 41-1209 Colorado St										

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Virgilina</b>																
(1202) Ninth St	0.11	60	R								NA		NA			07/12/2011
(1203) Eighth St	0.07	6	R								NA		NA			08/13/2008
(1203) Eighth St	0.36	100	R								NA		NA			07/12/2011
(1204) Sixth St	0.09	20	R								NA		NA			08/13/2008
(1205) Carolina St	0.16	110	R								NA		NA			08/13/2008
(1205) Carolina St	0.28	70	R								NA		NA			08/13/2008
(1206) Nevada St	0.10	10	R								NA		NA			08/13/2008
(1207) Alabama St	0.09	10	R								NA		NA			08/13/2008
(1208) Ohio St	0.10	50	R								NA		NA			07/12/2011
(1209) Colorado St	0.09	60	R								NA		NA			07/12/2011
(1209) Colorado St	0.10	40	R								NA		NA			07/12/2011
(1210) Tennessee St	0.09	10	R								NA		NA			08/13/2008
<b>Halifax County</b>																
(1220) Union Ave	0.20	80	R								NA		NA			08/13/2008
(1301) Holly Court	0.12	250	R								NA		NA			08/23/2011
(1301) Holly Court	0.20	130	R								NA		NA			08/23/2011
(1302) Quail Lane	0.13	70	R								NA		NA			08/23/2011
(1303) Highland Hills Dr	0.12	190	R								NA		NA			08/23/2011
(1303) Highland Hills Dr	0.14	70	R								NA		NA			08/23/2011
(1304) Edgewood Dr	0.09	260	R								NA		NA			08/06/2008
(1305) Hedgeway Dr	0.16	150	R								NA		NA			08/06/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(1306) White Oak Dr	0.04	320	R			From: US 501 Halifax Rd					NA			NA		08/25/2011
(1306) White Oak Dr	0.32	130	R			From: 41-1307 S, Sycamore Rd					NA			NA		08/25/2011
						To: 41-1307 N, Sycamore Rd										
(1307) Sycamore Rd	0.10	60	R			From: Dead End					NA			NA		08/25/2011
(1307) Sycamore Rd	0.08	130	R			From: 41-1306 S, White Oak Dr					NA			NA		08/25/2011
						To: 41-1306 N, White Oak Dr										
(1308) West Oak Dr	1.03	350	R			From: 41-614 N, Love Shop Rd					NA			NA		08/23/2011
						To: 41-614 S, Love Shop Rd										
(1309) Rosehill Dr	0.08	1200	R			From: 41-884 Powell Rd					NA			NA		08/25/2011
						To: Dead End										
(1312) Red Oak Pl	0.06	60	R			From: 41-1305 Hedgeway Dr					NA			NA		08/06/2008
						To: Dead End										
(1313) First St	0.02	70	R			From: Dead End					NA			NA		08/25/2011
(1313) First St	0.13	320	R			From: 41-847 Cherry St					NA			NA		08/25/2011
						To: Dead End										
(1314) Cheverly Dr	0.11	70	R			From: 41-1316 Alta Lane					NA			NA		08/25/2011
						To: 41-884 Powell Rd										
(1315) Valley Dr	0.16	220	R			From: Dead End					NA			NA		08/25/2011
(1315) Valley Dr	0.13	300	R			From: 41-1316 Alta Lane					NA			NA		08/25/2011
						To: 41-884 Powell Rd										
(1316) Alta Lane	0.07	50	R			From: 41-1314 Cheverly Dr					NA			NA		08/25/2011
						To: 41-1315 Valley Dr										
(1317) Turkey Run Rd	0.36	80	R			From: Cul-de-Sac					NA			NA		08/11/2008
						To: 41-802 Myers Rd										
(1320) Laura Court	0.08	200	R			From: 41-716 Rodgers Chapel Rd					NA			NA		08/23/2011
(1320) Laura Court	0.07	70	R			From: 41-1321 Fordland Dr					NA			NA		08/23/2011
						To: Cul-de-Sac										
(1321) Fordland Dr	0.14	100	R			From: 41-1320 Laura Court					NA			NA		08/23/2011
(1321) Fordland Dr	0.03	240	R			From: 41-1322 David St					NA			NA		08/23/2011
(1321) Fordland Dr	0.11	130	R			From: 41-1324 Evergreen Trail					NA			NA		08/23/2011
						To: 41-1323 Greenway Lane										
(1322) David St	0.07	210	R			From: 41-716 Rodgers Chapel Rd					NA			NA		08/23/2011
						To: 41-1321 Fordland Dr										

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(1323) Greenway Lane	0.09	150	R			From 41-716; 41-729					NA		NA			08/23/2011
						To 41-1321 Fordland Dr										
(1324) Evergreen Trail	0.37	150	R			From 41-1321 Fordland Dr					NA		NA			08/23/2011
						To Cul-de-Sac										
(1330) Wildflower Dr	0.08	430	R			From 41-659 River Rd					NA		NA			07/26/2011
						To 41-1331 S, Greenfield Rd										
(1330) Wildflower Dr	0.29	150	R			From 41-1331 S, Greenfield Rd					NA		NA			07/26/2011
						To 41-1331 N, Greenfield Rd										
(1331) Greenfield Rd	0.05	30	R			From Cul-de-Sac					NA		NA			07/26/2011
						To 41-1330 N, Wildflower Dr										
(1331) Greenfield Rd	0.30	90	R			From 41-1330 N, Wildflower Dr					NA		NA			07/26/2011
						To 41-1332 Aster Place										
(1331) Greenfield Rd	0.07	190	R			From 41-1332 Aster Place					NA		NA			07/26/2011
						To 41-1330 S, Wildflower Dr										
(1331) Greenfield Rd	0.19	70	R			From 41-1330 S, Wildflower Dr					NA		NA			07/26/2011
						To 41-682 Old Grubby Rd										
(1332) Aster Place	0.06	80	R			From Cul-de-Sac					NA		NA			07/26/2011
						To 41-1331 Greenfield Rd										
(1336) Westside Dr	0.13	500	R			From 41-1338 Lincoln Dr					NA		NA			07/26/2011
						To 41-1337 East Forest Trail										
(1336) Westside Dr	0.21	1000	R			From 41-1337 East Forest Trail					NA		NA			07/26/2011
						To 41-1339 Cathy Sue Lane										
(1336) Westside Dr	0.06	1200	R			From 41-1339 Cathy Sue Lane					NA		NA			07/26/2011
						To 41-654 Singi Rd										
(1337) East Forest Trail	0.06	110	R			From Dead End					NA		NA			07/26/2011
						To 41-1336 Westside Dr										
(1337) West Forest Trail	0.05	60	R			From 41-1336 Westside Dr					NA		NA			07/26/2011
						To Dead End										
(1338) Lincoln Dr	0.33	450	R			From Cul-de-Sac					NA		NA			07/26/2011
						To 41-1336 Westside Dr										
(1339) Cathy Sue Lane	0.13	180	R			From Cul-de-Sac					NA		NA			07/26/2011
						To 41-1336 Westside Dr										
(1349) Sunshine Dr	0.27	860	R			From US 501 Main St					NA		NA			08/16/2011
						To Cul-de-Sac										
(1401) Seven Oaks Dr	0.08	110	R			From Dead End					NA		NA			08/30/2011
						To 41-1404 Pine Court										
(1401) Seven Oaks Dr	0.08	240	R			From 41-1404 Pine Court					NA		NA			08/30/2011
						To 41-1403 Ratliff Dr										
(1401) Seven Oaks Dr	0.08	640	R			From 41-1403 Ratliff Dr					NA		NA			08/30/2011
						To 41-1402 Cedar Court										
(1401) Seven Oaks Dr	0.17	670	R			From 41-1402 Cedar Court					NA		NA			08/30/2011
						To US 58 Bill Tuck Hwy										



Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(1402) Cedar Court	0.05	30	R			From: 41-1401 Seven Oaks Dr					NA			NA		08/30/2011
						To: Cul-de-Sac										
(1403) Ratliff Dr	0.22	120	R			From: Dead End					NA			NA		08/30/2011
(1403) Ratliff Dr	0.07	390	R			From: 41-1406 Eanes Dr					NA			NA		08/30/2011
(1403) Elm Court	0.04	50	R			From: 41-1401 Seven Oaks Dr					NA			NA		08/30/2011
						To: Dead End										
(1404) Pine Court	0.05	90	R			From: 41-1401 Seven Oaks Dr					NA			NA		08/30/2011
						To: Dead End										
(1405) Memorial Dr	0.34	190	R			From: Dead End					NA			NA		08/30/2011
						To: 41-744 Riverdale Dr										
(1406) Eanes Dr	0.08	240	R			From: Dead End					NA			NA		08/30/2011
						To: 41-1403 Ratliff Dr; Elm Court										
(1407) Watlington Dr	0.20	110	R			From: Dead End					NA			NA		08/11/2008
						To: 41-1406 Eanes Dr										
(1410) Shepherds Gate Rd	0.27	310	R			From: 41-854 Belt Blvd					NA			NA		08/30/2011
						To: US 360 James D Hagood Hwy										
(1501) Height Trail	0.14	150	R			From: 41-1502 Pine Trail					NA			NA		07/28/2011
						To: 41-891 Pine Height Trail										
(1502) Pine Trail	0.06	30	R			From: Cul-de-Sac					NA			NA		07/28/2011
(1502) Pine Trail	0.08	60	R			From: 41-1501 Height Trail					NA			NA		07/28/2011
						To: Dead End										
(9180) High School Circle	0.88	1800	R			From: Halifax High School					NA			NA		03/08/2011
						To: SR 129 Old Halifax Rd										
(9181) Clays Mill School Dr	0.12	460	R			From: Cul-de-Sac					NA			NA		03/15/2011
						To: 41-612 Clays Mill School Rd										
<b>Town of Virgilina</b>																
(9182) Virgilina School Rd	0.09	0	R			From: 41-1220 Union Ave					NA			NA		03/15/2011
						To: Cul-de-Sac										
<b>Halifax County</b>																
(9183) Meadville School Loop	0.10	150	R			From: SR 57 Chatham Rd					NA			NA		03/08/2011
						To: SR 57 Chatham Rd										
(9184) S of Dan School Rd	0.08	0	R			From: 41-658 Cherry Hill Church Rd					NA			NA		03/15/2011
						To: 41-658 Cherry Hill Church Rd										
(9185) School House Rd	0.16	0	R			From: Dead End					NA			NA		03/08/2011
						To: 41-658 Melon Rd										
(9187) Volens School Rd	0.06	0	R			From: US 501, L P Bailey Mem Hwy					NA			NA		03/08/2011
						To: US 501, L P Bailey Mem Hwy										

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Halifax</b>																
9188 Halifax Elementary Dr	0.05	0	R			From: Dead End				NA				NA		03/08/2011
						To: SR 360 Mountain Rd										
<b>Halifax County</b>																
9189 Scottsburg School Trail	0.11	300	R			From: Dead End				NA				NA		03/15/2011
						To: SR 344 Scottsburg Rd										
9509 Middle School Circle	0.43	1200	R			From: Dead End				NA				NA		03/08/2011
9509 Middle School Circle	0.16	1300	R			From: 0.43 ME Dead End				NA				NA		03/08/2011
						To: US 501 Halifax Rd										
9822 Sydnor Jennings Rd	0.06	300	R			From: US 501, L P Bailey Mem Hwy				NA				NA		03/08/2011
						To: US 501, L P Bailey Mem Hwy										
9823 Cluster Springs School Rd	0.09	0	R			From: US 501 Huell Matthews Hwy				NA				NA		03/15/2011
9823 Cluster Springs School Rd	0.17	0	R			From: 0.09 MN US 501				NA				NA		03/15/2011
						To: 41-9184, S of Dan School Rd										
9848 Sinai Elementary Dr	0.08	740	R			From: 41-678 Grubby Rd				NA				NA		03/08/2011
						To: 41-678 Grubby Rd										
9949 Wilson Mem School Loop	0.06	0	R			From: 41-677 Wilson Mem Trail				NA				NA		03/08/2011
						To: 41-677 Wilson Mem Trail										
<b>Town of South Boston</b>																
1 Railroad Ave	0.36	430	G	92%	0%	1%	7%	0%	0%	C	NA			470	G	2013
						From: Summit Dr										
1 Railroad Avenue	0.18	550	G	92%	0%	1%	7%	0%	0%	F	NA			600	G	2013
						To: Seymour Dr										
2 Riley Ave	0.16	840	G	98%	1%	1%	0%	0%	0%	C	NA			920	G	2013
						To: Vaughan St										
3 Seymour Dr	0.11	640	G	92%	1%	2%	5%	0%	0%	C	NA			690	G	2013
						From: Railroad Ave										
						To: Thomas St										
4 Vaughan St	0.35	970	G	98%	1%	1%	0%	0%	0%	C	NA			1100	G	2013
						From: Riley Ave										
						To: Pine Ave										
5 Webster St	0.61	860	G	98%	1%	1%	0%	0%	0%	C	0.091	F	0.607	920	G	2013
						From: Wilborn Ave										
						To: North Main St										
6 Third St	0.14	390	G	97%	0%	2%	0%	0%	0%	C	NA			420	G	2013
						From: US 501; Broad St										
						To: IUS 501-P Wilborn Ave										
4700 Berry Hill Rd	1.13	1700	G	99%	0%	1%	0%	0%	0%	C	NA			1900	G	2013
						From: WCL South Boston										
						To: Wilmoth Ave										
4700 Berry Hill Rd	0.20	2400	G	99%	0%	1%	0%	0%	0%	F	NA			2600	G	2013
						From: Summit Dr										
4700 Edmunds St	0.06	2500	G	97%	0%	2%	0%	0%	0%	C	NA			2700	G	2013
						From: Railroad Ave										
4700 Edmunds St	0.45	1600	G	97%	0%	1%	1%	0%	0%	C	NA			1800	G	2013
						From: US 501; Wilborn Ave										

Virginia Department of Transportation  
Traffic Engineering Division  
2013  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of South Boston</b>																
4700 130 Edmunds St	0.54	1300	From	US 501 Wilborn Ave				C	NA					1400	G	2013
			To	SR 29; North Main St												
4701 130 Marshall Ave	0.15	710	From	Seymour Dr				F	0.128	F	0.557		750	G	2013	
			To	Fenton St												
4701 130 Marshall Ave	0.41	890	From	Fenton St				C	NA				970	G	2013	
			To	Hodges St												
4702 130 Hamilton Blvd	0.37	3200	From	SCL South Boston				C	0.101	F	0.55		3400	G	2013	
			To	Wilborn Ave												
4702 130 Hamilton Blvd	0.70	5700	From	Wilborn Ave				C	0.096	F	0.764		6000	G	2013	
			To	SR 129 North Main St												
4703 130 Hamilton Blvd	1.26	6000	From	SR 129 North Main St				C	NA				6500	G	2013	
			To	US 360 John Randolph Blvd												
4704 130 College St	0.80	1200	From	North Main St				C	NA				1300	G	2013	
			To	Cavalier Blvd												
4710 130 Jeffress St	0.20	780	From	North Main St				C	NA				850	G	2013	
			To	Fenton St												
4710 130 Fenton St	0.19	580	From	Jeffress St				C	NA				630	G	2013	
			To	Marshall Ave												
4713 130 Watkins Ave	0.61	2200	From	Edmunds St				C	0.094	F	0.523		2300	G	2013	
			To	Seymour Dr												
Carrington St		NA	From	Watkins Ave					NA				NA			
			To	Noblin Ave												
College St		530	From	Llewellyn Avenue					0.103	F	0.581		530	G	2013	
			To	Washington Avenue												
Greenway Dr		360	From	Wilborn Ave					NA				360	G	2013	
			To	Norwood Ave												
Ridge St		330	From	Spring Avenue					0.118	F	0.519		330	G	2013	
			To	Alderson Avenue												
Robin Hood Rd		430	From	Halifax Rd					NA				430	G	2013	
			To	Nottingham Dr												