### 2017

# Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

### Special Locality Report 105

Town of Clifton Forge

Information in this report is included in Report

03

(Alleghany County)

Prepared By

Virginia Department of Transportation Traffic Engineering Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

#### Virginia Department of Transportation Traffic Engineering Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

#### **Publication Notes**

#### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

#### Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

#### QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

**2Axle Truck**: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck**: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1 Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

#### Route Shield Legend

#### Route Systems

North 81	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
29	US Route	
7	Virginia State Rou	ute

Frontage Road (F precedes frontage route number)

(600) Secondary Route

#### Special Routes

Bus Bus - Business Route
Bypas - Bypass Route
Truck - Truck Route
ALT ALT - Alternate Route
Wye - Wye Route connector

P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

#### Virginia Department of Transportation Traffic Engineering Division 2017

#### Annual Average Daily Traffic Volume Estimates By Section of Route Town of Clifton Forge

					4	_		Tru	ıck			K	014	Dir		
Route	Jurisdiction	n Lengt	h <b>AADT</b>	QA	4Tire	Bus	2Axle	3+Axle			QC	Factor	QK	Factor	AAWDT	Q۷
~ ~~	From:		VCL Clifton F	orge												
60 $64$ $220$	Town of Clifton Forge	,			S	ee I-64	for direc	ctional tr	affic vo	lume es	timate	es for this	seg	ment.		
~ ~ ~	Combined Traffic Estimates for 2 Parallel			G	76%	1%	1%	1%	21%	0%	F	0.083	F	0.505	14000	G
	To:	I	ECL Clifton F	orge												
Bus Bus	From:		VCL Clifton F													
60) (220) Ridgeway St	Town of Clifton	Forge 0.27	8600	G	99%	1%	0%	0%	0%	0%	F	0.095		0.524	9200	C
Pup Pup	To: From:		6th St													
Bus Bus 60 (220 Ridgeway St	Town of Clifton	Forge 0.61	8200	F	99%	1%	0%	0%	0%	0%	С	0.098		0.514	8700	F
60) (220)	- [	. e.ge				. , ,		0,0	0,0	0 / 0	Ū	0.000		0.0	0.00	
Bus Bus	Front		Roxbury S	t												
60 (220) Ridgeway St	Town of Clifton	•		F	99%	1%	0%	0%	0%	0%	F	0.083		0.595	7500	I
~ ~ ~	Combined Traffic Estimates for 2 Parallel	Roadways on this Route	e: <b>8000</b>	F	98%	1%	0%	0%	0%	0%	F	0.090	F	0.531	8500	- 1
	To		Commercial A	Ave			<u> </u>									
Bus Bus 60 (220) (188) (188) Ridge	eway St Town of Clifton	Forge 0.07	7100	N	99%	1%	0%	0%	0%	0%	N	0.083		0.595	7500	ı
60 { 220 } 188   188   Ridge	Combined Traffic Estimates for 2 Parallel	-		N	98%	1%	0%	0%	0%	0%	N	0.000	F	0.531	8800	ľ
	Combined Trainic Estimates for 2 Faraner	-	us US 220 Ma		90%	1 70	0%	0%	076	0%	IN	0.090	г	0.551	0000	
Bus Bus	From:		US 220 Ridge													
60 220 Main St	Town of Clifton	Forge 0.26	6400	F	98%	1%	0%	0%	0%	0%	С	0.096		0.536	6800	
~~~ <u>~</u>	Too		B St													
Bus Bus	Town of Olifton	Farra 0.00			000/	10/	00/	00/	00/	00/	_	0.005		0.505	6700	
60 (220) Main St	Town of Clifton	Forge 0.06	6300 Bus US 220	<u>F</u>	98%	1%	0%	0%	0%	0%	г	0.095		0.535	6700	
Bus	From:		US 220 Bu				-									
60 }	Town of Clifton	Forge 0.87		F	99%	0%	0%	0%	0%	0%	С	0.091		0.524	5700	
**)	To:	I	ECL Clifton F	orge												
Bus Bus	From:		Ridgeway S	St												
60 220 Roxbury St	Town of Clifton	Forge 0.05	2200	F	97%	1%	1%	0%	1%	0%	F	0.098		0.679	2400	
	Combined Traffic Estimates for Parallel	Roadways on this Route	e: NA									NA			NA	
	To:	·	Kesswick S	St												
Bus Bus	From:		Roxbury S								_					
60 220 Kesswick St	Town of Clifton	•		F	97%	1%	1%	0%	1%	0%	C	0.111	_		940	
~	Combined Traffic Estimates for 2 Parallel	Roadways on this Route		F	98%	1%	0%	0%	0%	0%	F	0.090	F	0.530	8500	
Bus Bus	From:		Main St Kesswick S	lt .												
60 (220) (188) (188) Main	St Town of Clifton	Forge 0.07		F	97%	1%	1%	0%	1%	0%	F	0.101			1200	
\$ (100) (190)	Combined Traffic Estimates for 2 Parallel	•		N	98%	1%	0%	0%	0%	0%	N	0.091	F	0.539	8800	1
	To:		Ridgeway Str			.,,		- , -	• , •				-		-	
ast	From:	V	VCL Clifton F				i									
64) (60) (220)	Town of Clifton Forge			G	77%	1%	1%	1%	20%	0%	F	0.088			6400	(
07 00 (220)	Combined Traffic Estimates for 2 Parallel	,		G	76%	1%	1%	1%	21%	0%	F	0.083	F	0.505	14000	(
	To:		CL Clifton F							- / -	-		•			

4/10/2018 7

#### Virginia Department of Transportation Traffic Engineering Division 2017

#### Annual Average Daily Traffic Volume Estimates By Section of Route Town of Clifton Forge

								Trι	ıck			K		Dir		
Route	Jurisdictio	on Length	AADT	QA	4Tire	Bus		3+Axle			QC	Factor	QK	Factor	AAWDT	Q\
West	From:	WC	L Clifton Fo	orge												
64) (60) (220)	Town of Clifton Forgo	e (Maint: 03) 1.55	7600	G	76%	1%	1%	1%	22%	0%	F	0.080			7200	C
$\circ \circ \circ$	Combined Traffic Estimates for 2 Parallel	Roadways on this Route:	14000	G	76%	1%	1%	1%	21%	0%	F	0.083	F	0.505	14000	(
	To:	EC	L Clifton Fo	rge												
Bus Bus	From:		Ridgeway St	t												
188) (60) (220) (188) Main	St Town of Clifton	Forge 0.07	1100	F	97%	1%	1%	0%	1%	0%	F	0.101			1200	F
	Combined Traffic Estimates for 2 Parallel	Roadways on this Route:	8300	N	98%	1%	0%	0%	0%	0%	Ν	0.091	F	0.539	8800	- 1
	To:		Keswick St													
	From:		0 Par, Keswi								_					
188 Main St	Town of Clifton	•	260	F	99%	0%	0%	0%	0%	0%	F	0.133			280	
	Combined Traffic Estimates for 2 Parallel			F	99%	0%	0%	0%	0%	0%	F	0.105	F	0.659	1800	
	To:	M	Cormick Bl	vd												
188)McCormick Blvd	Town of Clifton	En Forge 0.07	Main St 260	F	99%	0%	0%	0%	0%	0%	_	0.128			280	
188 WCCOTTIICK BIVG		•									F		_	0.504		
	Combined Traffic Estimates for 2 Parallel	Roadways on this Route:	1500	F	99%	0%	0%	0%	0%	0%	г	0.091	F	0.504	1600	
	To:		88 Par, Chur													
188 McCormick Blvd	Town of Clifton	Forge 0.23	640	F	99%	0%	0%	0%	0%	0%	С	0.101		0.527	680	
$\sim$	To:		Lafayette St													
l afavotta Ot	Taves of Olifera		Cormick Bl		000/	00/	00/	00/	00/	00/	_	0.110		0.000	050	
188 Lafayette St	Town of Clifton	Forge 0.07	230	F	99%	0%	0%	0%	0%	0%	F	0.118		0.633	250	
	From:		Rose Ave Lafayette St													
188 Rose Ave	Town of Clifton		580	F	97%	1%	1%	1%	0%	0%	С	0.101		0.524	610	
100). 1000 7.110	То		Tremont St	_	0.70	. , 0		. , ,	0,0	0,0	Ū	0		0.02	0.0	
	From:		Rose Ave													
188 Tremont St	Town of Clifton	Forge 0.03	580	F	97%	1%	1%	1%	0%	0%	С	0.101		0.524	610	
	To:		Sioux Ave													
	From:		Tremont St								_					
188 Sioux Ave	Town of Clifton		580	F	97%	1%	1%	1%	0%	0%	С	0.101		0.524	610	
<u> </u>	To:	105-	3551 Sioux	Ave												
Bus Bus	From:		Main St													
188) (60) (220) (188) Ridg	eway St Town of Clifton	Forge 0.07	7100	N	99%	1%	0%	0%	0%	0%	N	0.083		0.595	7500	
	Combined Traffic Estimates for 2 Parallel	Roadways on this Route:	8300	N	98%	1%	0%	0%	0%	0%	Ν	0.090	F	0.531	8800	
	To:		60 Commerc													
Commercial Ave	Towns of Olifera	Bus US 60, B				00/		10/	00/	00/	_	0.105		0.700	1000	
Commercial Ave	Town of Clifton	•	980	F	99%	0%	0%	1%	0%	0%	Г	0.105		0.738	1000	
~	Combined Traffic Estimates for Parallel	Roadways on this Route:	NA									NA			NA	
	To: From:	Bus US 60 Par,	Bus US 220	Par, Ma	in Street											
Commercial Ave	Town of Clifton	Forge 0.06	1500	F	99%	0%	0%	1%	0%	0%	F	0.106		0.631	1600	
P)	Combined Traffic Estimates for 2 Parallel	Roadways on this Route:	1700	F	99%	0%	0%	0%	0%	0%	F	0.105	F	0.659	1800	
	To:		Church Stree	t												

4/10/2018

#### Virginia Department of Transportation Traffic Engineering Division 2017

#### Annual Average Daily Traffic Volume Estimates By Section of Route Town of Clifton Forge

Route	Jurisdictio	n le	enath	AADT	QA	4Tire	Bus			uck		QC	K	QK	Dir	AAWDT	ΩW
								2Axle	3+Axle	1Trail	2Trail		Factor	<u> </u>	Factor		<u> </u>
Olympia 04	From:	F		mmercial A		000/	00/	00/	40/	00/	00/	_	0.000		0.500	4000	_
188 Church St	Town of Clifton	ū	0.07	1200	F	99%	0%	0%	1%	0%	0%	С	0.089	_	0.566	1300	-
	Combined Traffic Estimates for 2 Parallel			1500	F	99%	0%	0%	0%	0%	0%	F	0.091	F	0.504	1600	F
	10:			McCormic													
~~~	From:	(14 1 1 00)		L Clifton Fo	rge		101										
220 (64) (60)	Town of Clifton Forge		1.55									timate	es for this	segi			_
~ ° ~	Combined Traffic Estimates for 2 Parallel	Roadways on this R			G	76%	1%	1%	1%	21%	0%	F	0.083	F	0.505	14000	G
	To:		WC	L Clifton Fo	orge												
Bus	From:			Clifton Fo	63.												
220 Verge Street	Town of Clifton	Forge	0.70	2000	F	98%	1%	1%	0%	1%	0%	С	0.096		0.512	2100	F
	To- From:			Bus US 60				_									
Bus Bus 220 60 Main St	Town of Clifton	Forge	0.06	6300	F	98%	1%	0%	0%	0%	0%	F	0.095		0.535	6700	F
220 \ 60 \ Main St	Town of Omton	Torge	0.00		•	30 /6	1 /0	<u> </u>	0 70	0 /0	0 70	'	0.000		0.555	0700	•
Bus Bus	To: From:			B ST													
220 (60) Main St	Town of Clifton	Forge	0.26	6400	F	98%	1%	0%	0%	0%	0%	С	0.096		0.536	6800	F
	To		Т	Ridgeway St													
Bus Bus	From:	_										_					_
220 (60) (188) (188) Main	St Town of Clifton	0	0.07	1100	F	97%	1%	1%	0%	1%	0%	F	0.101			1200	F
$\Leftrightarrow$ $\diamond$ $\diamond$	Combined Traffic Estimates for 2 Parallel	Roadways on this R		8300	N	98%	1%	0%	0%	0%	0%	N	0.091	F	0.539	8800	N
	To:		]	Keswick St													
Bus Bus 220 60 Kesswick St	Town of Clifton	Forgo	0.14	Main St 890	F	97%	1%	1%	0%	1%	0%	С	0.111			940	_
220 (60) Kesswick St	Combined Traffic Estimates for 2 Parallel	-	-	8000	F	98%	1%	0%		0%		_	0.090	F	0.500		'
	Combined Trainc Estimates for 2 Parallel	Hoadways on this H		Roxbury St		90%	170	0%	0%	0%	0%	Г	0.090	Г	0.530	8500	Г
Bus Bus	From:			Keswick St													
220 Roxbury St	Town of Clifton	Forge	0.05	2200	F	97%	1%	1%	0%	1%	0%	F	0.098		0.679	2400	F
220 (40)	Combined Traffic Estimates for Parallel	•		NA									NA			NA	
	To:			Ridgeway St	t												
Bus Bus	From:		]	Roxbury St													
220 60 Ridgeway St	Town of Clifton	Forge	0.61	8200	F	99%	1%	0%	0%	0%	0%	С	0.098		0.514	8700	F
~~ <u>~</u>	To:			6th St													
Bus Bus Didensuran Ch	Tours of Olifera		0.07		_	000/	10/	00/	00/	00/	00/	_	0.005		0.504	0000	_
(220) (60) Ridgeway St	Town of Clifton	Forge	0.27	8600	G	99%	1%	0%	0%	0%	0%	۲	0.095		0.524	9200	G
<del></del>	To:		WC	L Clifton Fo	orge												

4/10/2018

## Virginia Department of Transportation Traffic Engineering Division 2017 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Clifton Forge

						I OWII OI (		roige								
Route	Length	AADT	QA	4Tire	Bus			uck 1Trail		QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
Town of Clifton Forge		From	1			De	ad End									
(F206)	0.05	150	R			Вс	uu Enu				NA			NA		06/16/201
		Te	1			De	ad End									
F207) Holly Hill Rd	0.34	30	L			105-355	1 Sioux A	Ave			NA			NA		10/16/201
F207) Holly Hill Rd	0.04	To				De	ad End							IVA		10/10/201
_		From	i		18	SR 188-P C	ommerci	al Street								
(3550) Church St	0.12	1600	F	98%	1%	1%	0%	0%	0%	F	0.087		0.673	1700	F	2017
-		From				105-3553 Jeff	Jeffersor erson St	ı Ave								
3550 Church St	0.33	1400	F	98%	1%	1%	0%	0%	0%	С	0.09		0.724	1500	F	2017
<u> </u>		To	9				Street									
3551) Sioux Ave	0.25	480	`	99%	1%	O%	0%	0%	0%	С	0.105		0.585	510	F	2017
3331) 33311		To	•			NCL Clifton									-	
		From				US 6	0 Main S	t								
3553 Jefferson Ave	0.06	1900	F	99%	0%	1%	0%	0%	0%	F	0.098		0.588	2000	F	2017
		From					ch Street urch St									
3553 Jefferson Avenue	0.21	1900	F	99%	0%	1%	0%	0%	0%	С	0.094		0.572	2000	F	2017
<u> </u>		From					well St									
3553 Jefferson Avenue	0.15	1700	F	99%	0%	0%	0%	0%	0%	С	0.094		0.608	1800	F	2017
3553) Jefferson Avenue	0.31	1300		99%	0%	Kensi 0%	ngton Av 0%	0%	0%	С	0.093		0.519	1400	F	2017
Jefferson Avenue	0.51	1300		99 /0	0 /6			0 /6	0 /6		0.093		0.519	1400	'	2017
3553) Jefferson Avenue	0.09	1000 From	1	99%	0%	0%	nton St 0%	0%	0%	F	0.098		0.514	1100	F	2017
		To					galls St									
O	4.45	From					in Street						0.540	F70		
3555 Ingalls St	1.15	540	F	98%	2%	0%	0% rson Ave	0%	0%	С	0.095		0.518	570	F	2017
		Fron					urch St									
A St		1200	F	98%	1%	1%	0%	0%	0%	С	0.089		0.744	1200	F	2017
		To From					JS 60 SX RR									
A St		2400	G	96%	1%	1%	0%	2%	0%	С	0.093		0.529	2400	G	2017
		To	00			US 60	Main Stre	eet								
All and any Ot		From				3	ord St				0.405		0.550	4.40	_	0017
Alleghany St		140 To	F			2	nd St				0.125		0.556	140	F	2017
		From					fill Avenu	ie								
Chestnut St		270	F								0.127		0.575	270	F	2017
		To	9			ECL C	lifton For	ge								
Church St		1800	G	98%	1%	1%	se Ave 0%	0%	0%	С	0.096		0.619	1800	G	2017
Church St		1000 Tr	· [	90%	170		rmick Blv		076	C	0.096		0.619	1000	G	2017
		From					vere St									
Commercial Avenue		240	F								0.117		0.567	240	F	2017
		To	1				I-64									
Jefferson Ave		550				Ing	galls St				0.1		0.560	550	F	2017
		To	·			Jacks	son Street	t					0.000		'	
		From				Ţ	JS 60									
Oak Hill Avenue		1200	F								0.106		0.574	1200	F	2017
		To					nut Stree	t								
Rose Ave		1300				Ch	urch St				0.090		0.539	1300	F	2017
		To	Ė			Lafa	ayette St				0.555		0.000			
											-					

4/10/2018 10