2017

Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

Special Locality Report 110

City of Falls Church

Information in this report is included in Report

29

(Fairfax County)

Prepared By

Virginia Department of Transportation Traffic Engineering Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

Virginia Department of Transportation Traffic Engineering Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1 Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

North 81	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
29	US Route	
7	Virginia State Rou	ute

Frontage Road (F precedes frontage route number)

(600) Secondary Route

Special Routes

Bus Bus - Business Route
Bypas - Bypass Route
Truck - Truck Route
ALT ALT - Alternate Route
Wye - Wye Route connector

P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation Traffic Engineering Division 2017

Annual Average Daily Traffic Volume Estimates By Section of Route City of Falls Church

	1 2 8 8		4	_		Tru	ck		-00	K	Dir	4 4 1 4 / D.T.	_
Route	Jurisdiction	Length AADT QA	4 i ire	Bus	2Axle	3+Axle	1Trail	2Trail	QC	Factor	K Factor	AAWDT	Q
	From:	WCL Falls Church											
7 Broad St	City of Falls Church	0.38 30000 F	97%	0%	1%	1%	1%	0%	F	0.08	0.531	32000	
	To: From:	110-6749 West St											
7 Broad St	City of Falls Church	0.93 23000 F	97%	0%	1%	1%	1%	0%	F	0.079	0.513	25000	
<u></u>	To: From:	US 29 Washington St											
7 Broad St	City of Falls Church	0.34 19000 F	97%	0%	1%	1%	1%	0%	F	0.081	0.545	21000	
<u> </u>	To From:	110-6799 Cherry St											
7 Broad St	City of Falls Church	0.53 20000 F	97%	0%	1%	1%	1%	0%	F	0.082	0.547	21000	
\mathcal{I}	To:	ECL Falls Church											
	From:	29-1717 Marshall St; WCL Falls	Church										
(237) Washington St	City of Falls Church	0.29 24000 F	96%	1%	1%	2%	1%	0%	F	0.107	0.528	27000	
	To	29-1712 Cavalier Trail			\neg \vdash								
(237) Washington St	City of Falls Church	0.24 22000 G	96%	1%	1%	2%	1%	0%	F	0.098	0.550	24000	
	Too	SR 338 Hillwood Ave			—								
(237) Washington St	City of Falls Church	0.28 13000 G	96%	1%	1%	2%	1%	0%	F	0.100	0.558	15000	
39 (237)	To												
237) Washington St	City of Falls Church	SR 7 Broad St 0.18 21000 F	98%	0%	1%	0%	0%	0%	F	0.086	0.601	24000	
29) (237) Washington St	Oity of Fails Official		30 /6	0 76	1 /6	0 /6	0 /6	0 76	'	0.000	0.001	24000	
N/a albimatan Ct	From:	110-6767 Great Falls St	000/	00/	10/	00/	00/	00/	F	0.007	0.550	04000	
29 237 Washington St	City of Falls Church	0.32 22000 F Arlington County Line	98%	0%	1%	0%	0%	0%	г	0.087	0.558	24000	
	From		Cl 1										
37) (29) Washington St	City of Falls Church	29-1717 Marshall St, WCL Falls 0.29 24000 F	96%	1%	1%	2%	1%	0%	F	0.107	0.528	27000	
37 (29) Washington St	Oity of Fails Official		30 /6	1 /0	1 /6	2 /0	1 /0	0 /6	'	0.107	0.520	27000	
- Washington Ct	From:	29-1712 Cavalier Trail	069/	10/	10/	20/	10/	00/	F	0.000	0.550	04000	
37 (29) Washington St	City of Falls Church	0.24 22000 G	96%	1%	1%	2%	1%	0%	г	0.098	0.550	24000	
	To: From:	SR 338 Hillwood Ave			<u> </u>								
37 (29) Washington St	City of Falls Church	0.28 13000 G	96%	1%	1%	2%	1%	0%	F	0.100	0.558	15000	
	To: From:	SR 7 Broad St											
(29) Washington St	City of Falls Church	0.18 21000 F	98%	0%	1%	0%	0%	0%	F	0.086	0.601	24000	
	To: From:	110-6767 Great Falls St											
(37) (29) Washington St	City of Falls Church	0.32 22000 F	98%	0%	1%	0%	0%	0%	F	0.087	0.558	24000	
	To:	Arlington County Line											
	From:	US 29 Washington St											
338)Hillwood Ave	City of Falls Church	0.10 11000 G	98%	0%	1%	0%	0%	0%	F	0.104	0.537	12000	
<u></u>	To- From:	110-6609 Annandale Rd			ightharpoons								
38)Hillwood Ave	City of Falls Church	0.36 10000 F	98%	0%	1%	0%	0%	0%	С	0.117	0.522	11000	
<u> </u>	To	110-6799 Cherry St			<u> </u>								
Hillwood Ave	City of Falls Church	0.45 9000 F	98%	0%	1%	0%	0%	0%	F	0.107	0.522	9500	
,,,,,	To:	110-6792 South St									-		

4/10/2018 7

Virginia Department of Transportation Traffic Engineering Division 2017

Annual Average Daily Traffic Volume Estimates By Section of Route City of Falls Church

Route	Jurisdiction	Length AADT QA	4Tire	Bus	2Axle		-		QC	K Factor	QK Dir Factor	AAWDT	QW
	From:	110-6792 South St											
(338)Hillwood Ave	City of Falls Church	0.11 10000 F	98%	0%	1%	0%	0%	0%	F	0.104	0.644	11000	F
	To:	ECL Falls Church											

4/10/2018

Virginia Department of Transportation Traffic Engineering Division 2017 Annual Average Daily Traffic Volume Estimates By Section of Route City of Falls Church

Length	AADT	QA	4Tire	Bus	2Axle 3+A			QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
							ZIIdii		1 actor		i actor			
0.16		L			Falls Church S	chool			NA			NA		1991
	To	1			SR 338 Hillwo	od Ave								
	From			2	29-1706; SCL Fal	ls Church								
0.03	220	N							NA			NA		07/19/201
	10	1												
0.18		ᄂ			110-6774 Linco	oln Ave			0.151		0.656	300	F	2017
0.10	То	Ė			110-6749 N W	est St					0.000	000	•	2017
	From				Cul-de-Sa	ıc								
0.10	160	G	94%	1%	3% 2%	0%	0%	С	0.134		0.619	160	G	2017
	То				110-6799 Che	rry St								
	From	<u> </u>			Dead En	1								
0.01	40	R			0.5171 WOLF	11 61 1			NA			NA		12/02/20
	- 10	1		2										
0.11		╚			110-63 Poplar	Drive			0.215		0.677	130	F	2017
0.11	To	Ė			110-69 Rosema	ry Lane			0.213		0.077	130	'	2017
	From	4				•			i					
0.09	130	G			Cur-uc-5t	<u> </u>			0.211		0.547	130	G	2017
	To				110-6795, S C	Oak St								
	From	1			SCL Falls Church	1; 29-649								
0.13	12000	F	97%	1%	1% 0%	1%	0%	С	0.083		0.651	12000	F	2017
	То			Ţ										
0.35			97%	1%			0%	F	0.086		0 584	6100	G	2017
0.00	То	<u> </u>	31 /0	1 /0			070	'	0.000		0.504	0100	ч	2017
	From	1		29-613			rch		i					
0.35	18000	F	99%	0%			0%	С	0.083		0.748	19000	F	2017
	То													
0.05		<u> </u>	000/	00/			00/		0.000		0.710	01000	_	2017
0.05	20000 To		99%				0%	Г	0.083		0.712	21000	Г	2017
	From								_					
0.12		F	98%				0%	F	0.108		0.578	6400	F	2017
•	To			.,.				-					-	
0.29	6100 From		98%	1%			0%	F	0 105		0.627	6500	F	2017
0.20	J.00		0070	1,0							0.027	0000	·	2017
0.24	7300		98%	1%			0%	C	0 102		0 635	7800	F	2017
0.24	7300		30 70	1 /0			0 70		0.102		0.000	7000	·	2017
0.52	From	┺	070/	10/			09/		0.124		0.646	5000		2017
0.55	4700		31 /0	1 /0			0 /6	U	0.124		0.040	3000	'	2017
0.01	From		000/	00/			00/	NI	0 117		0.500	4000	NI	2017
0.01	4400 To	_	90%					IN	0.117		0.586	4800	IN	2017
	From			ITCLI					_					
0.19		F	98%	0%			0%	С	0.099		0.518	3100	F	2017
00	To			0 70							0.0.0	0.00	•	
0.35	5600		99%	0%			0%	С	0 112		0 546	5900	F	2017
0.00	JJ000		00 /0	0 70					0.112		0.040	0000	•	2017
0.24	7600		90%	Nº/-			Nº/-	F	0.120		0 551	8000	F	2017
0.24	7 0 0 0 To	ı.	JJ /0				U /0	-	0.120		0.001	3000	'	2017
	From	-							_					
0.19	270	G			110-10 Sycalli	ore of			0.141		0.589	270	G	2017
	-					. C. M			—			-		
					110-6749 Wes	I SI N								
0.11	From 3100	F	98%	0%	110-6749 Wes 110-6749 Wes 1% 1%	est St	0%	С	0.147		0.535	3300	F	2017
	0.16 0.03 0.18 0.10 0.01 0.11 0.09 0.13 0.35 0.05 0.12 0.29 0.24 0.53 0.01 0.19 0.35 0.24	0.03	0.16	0.16 840 R From:	0.16 840 R To From	Carry Carr	AADT QA 4Tire Bus 2Axle 3+Axle 1Trail	Carried Carr	Carry Carr	Carre	Columbia Columbia	Continue	Carrier Carr	Carrier Carr

4/10/2018 9

Virginia Department of Transportation Traffic Engineering Division 2017 Annual Average Daily Traffic Volume Estimates By Section of Route City of Falls Church

Route	Length	AADT	QA	4Tire	Bus		Tru 3+Axle		2Trail	QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
City of Falls Church		From									ī					
6774 Lincoln Ave	0.30	3300	F	97%	1%	1%	1%	1%	0%	С	0.138		0.537	3500	F	2017
6774 Lincoln Ave	0.31	6900 From	F	97%	1%	1%	7 Great Fal 1% 110-6774	1%	0%	F	0.164		0.599	7300	F	2017
		From	l				Church; 29									
6792) South St	0.02	3400	N	99%	0%	0%	0%	0%	0%	N	0.096		0.732	3700	N	2017
6792) S Roosevelt St	0.07	5100	G	98%	1%	SR 338 1%	Hillwood . 1%	Ave 0%	0%	F	0.090		0.619	5500	G	2017
Roosevelt St	0.26	3400 From:	G	98%	1%	1%	7 Broad St 1%	0%	0%	С	0.098		0.581	3600	G	2017
(6792) Roosevelt St	0.12	3400 From:	G	98%	1%	1%	ckahoe St 1%	0%	0%	F	0.099		0.56	3600	G	2017
		To				Roo	sevelt Blvd									
(6794) W Columbia St	0.18	150	R			Cı	ıl-de-Sac				0.147		0.537	NA		05/17/2011
(6794) W Columbia St	0.08	2900 From:	G			Litt	le Falls St				0.147		0.537	2900	G	2017
<u> </u>		From					Washington									
W Columbia St	0.20	3700	F	98%	1%	110-67	0% 799 Cherry	0% St	0%	С	0.114		0.642	3900	F	2017
6794) E Columbia St	0.40	2900 To	G	99%	0%	0%	0% lington; 16	0%	0%	С	0.125		0.528	3100	G	2017
		From			US	29; SCL F	alls Church	n; 29-171	7							
6795 Marshall St	0.26	1400	F	96%	1%	2%	1% aton Lane	0%	0%	С	0.139		0.724	1500	F	2017
6795) S Oak St	0.18	1900	F	96%	1%	1%	1%	1%	0%	С	0.124		0.65	2100	F	2017
(6795) S Oak St	0.28	1900	F	97%	1%	1%	1%	0%	0%	С	0.117		0.66	2100	F	2017
<u> </u>		From					7 Broad St									
(6795) N Oak St	0.28	1800	F	97%	1%	1%	1% '4 Lincoln	0% Ave	0%	F	0.125		0.742	1900	F	2017
(6795) N Oak St	0.12	1200 From:	G								0.145		0.535	1200	G	2017
		From					49 West S 49 West S									
(6795) N Oak St	0.11	730	G								0.195		0.767	730	G	2017
		To			2		NCL Falls (
(6797) Little Falls St	0.21	2800	F	97%	1%	1%	7 Broad St 0%	0%	0%	С	0.107		0.643	2900	F	2017
(6797) Little Falls St	0.30	2200 From:	F	99%	0%	1%	7 Great Fal	0%	0%	С	0.112		0.613	2400	F	2017
$\overline{}$		To			,	WCL Arli	ngton ; 110	-6797								
(6799) Cherry St	0.03	2300	N	97%	1%	SCL	Falls Churc 1%	0%	0%	N	0.11		0.526	2500	N	2017
(6799) Cherry St	0.15	1800	F	99%	0%	SR 338	Hillwood .	Ave 0%	0%	С	0.126		0.684	1900	F	2017
(6799) Cherry St	0.26	1900	F	98%	1%	SR 0%	7 Broad St 0%	0%	0%	С	0.113		0.829	2100	F	2017
(6799) Cherry St	0.20	1900	r 	JU /0	1 /0			U /0	0 /0		0.113		0.029	2100	1	2017
(6799) Cherry St	0.09	980 From:	G			Co	lumbia St				0.108		0.75	980	G	2017
Cherry St	0.03	To	J			110-3	7 Jefferson	St			0.108		0.75	300	G	2017

4/10/2018 10