2017

Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

Special Locality Report 137

City of Williamsburg

Information in this report is included in Report

47

(James City County)

Prepared By

Virginia Department of Transportation Traffic Engineering Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

Virginia Department of Transportation Traffic Engineering Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1 Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

North 81	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
29	US Route	
7	Virginia State Rou	ute

Frontage Road (F precedes frontage route number)

(600) Secondary Route

Special Routes

Bus Bus - Business Route
Bypas - Bypass Route
Truck - Truck Route
ALT ALT - Alternate Route
Wye - Wye Route connector

P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation Traffic Engineering Division 2017 Annual Average Daily Traffic Volume Estimates By Section of Route City of Williamsburg

		City of Williamsburg											
Route	Jurisdiction	Length AADT QA	4Tire	Bus		Trι			QC	K	QK _ Dir	AAWDT	O۷
	- Carlodisticit				2Axle	3+Axle	1Trail	2Trail		Factor	Factor	AAWDT 37000 9200 9700 9500 7000 5500 10000 8400 15000 22000 7400 17000 23000 27000 26000 15000	
	From:	WCL Williamsburg											
(5) (199 <i>)</i>	City of Williamsburg (Maint: 47)	0.24 35000 G	97%	0%	1%	1%	1%	0%	F	0.087	0.547	37000	G
\bigcirc	To:	SR 31, SR 199											
	From:	SR 31 Jamestown Rd; SR 19		00/		00/	00/	00/	_		0.000	0000	_
(₅) Jamestown Rd	City of Williamsburg	0.27 8700 G	99%	0%	1%	0%	0%	0%	F	0.092	0.608	9200	G
<u> </u>	To	137-7073 John Tyler Memorial	Hwy		\neg \vdash								
5 Jamestown Rd	City of Williamsburg	1.50 9100 G	99%	0%	1%	0%	0%	0%	С	0.095	0.629	9700	G
	To:	137-7075 Boundary St											
	From:	Jamestown Rd											
5 Boundary St	City of Williamsburg	0.07 8900 G	99%	0%	1%	0%	0%	0%	F	0.082	0.541	9500	G
	To:	Francis St											
	From:	Boundary St											
5 Francis St	City of Williamsburg	0.09 6500 G	99%	0%	1%	0%	0%	0%	F	0.080	0.503	7000	G
	To:	SR 132 Henry St											
	From:	Francis St											
5 (132)Henry St	City of Williamsburg	0.38 5100 G	99%	0%	1%	0%	0%	0%	F	0.079	0.559	5500	G
	To:	SR 162 Lafayette St										7 37000 8 9200 9 9700 1 9500 3 7000 9 5500 6 10000 8 8400 5 15000 8 22000 3 7400 2 17000 2 17000 4 27000 5 26000	
	From:	SR 132 Henry St											
5) Lafayette St	City of Williamsburg	0.33 9700 G	97%	1%	1%	0%	0%	0%	F	0.091	0.506	10000	C
	To	Conital Landing Dd											
5 Lafayette St	City of Williamsburg	Capital Landing Rd 0.73 7900 G	97%	1%	1%	0%	0%	0%	С	0.09	0.578	9400	G
5 Lafayette St	City of Williamsburg	0.73 7900 G	31 /0	1 /0	1 /0	0 /6	0 /6	0 /6	C	0.09	0.576	0400	C
	To- From:	US 60 Page St			\Box								
(5) (60) Page St	City of Williamsburg	0.25 14000 G	99%	0%	1%	0%	0%	0%	С	0.082	0.575	15000	G
	То	Second St											
5) (60) Page St	City of Williamsburg	0.31 21000 G	99%	0%	1%	0%	0%	0%	F	0.090	0.708	22000	G
5 60 Page St	Oity of Williamsburg		33 /6	0 76	1 /0	0 /6	0 /6	0 /6	•	0.030	0.700	22000	
	To: From:	US 60 Page St			─								
5 Capitol Landing Rd	City of Williamsburg	0.62 7000 G	98%	0%	1%	0%	0%	0%	С	0.088	0.513	7400	G
\bigcirc	To:	SR 143 Merrimac St											
	From:	WCL Williamsburg											
31 Jamestown Rd	City of Williamsburg	0.04 16000 G	98%	1%	1%	0%	0%	0%	F	0.086	0.572	17000	G
31) 5456.				1 70	. , ,	0 70	070	0 70	•	0.000	0.072	17000	
	To: From:	State Maintenance Boundar	-										
(31) Jamestown Rd	City of Williamsburg (Maint: 47)	0.02 16000 G	98%	1%	1%	0%	0%	0%	F	0.086	0.572	17000	C
\smile	To:	SR 5; SR 199											
	From:	WCL Williamsburg											
60 Richmond Rd	City of Williamsburg	1.37 21000 G	99%	0%	1%	0%	0%	0%	F	0.083	0.523	23000	C
00)	_												
~~~	From	Ironbound Rd					221		_			.=	
60 Richmond Rd	City of Williamsburg	0.30 <b>25000 G</b>	99%	0%	1%	0%	0%	0%	С	0.077	0.544	2/000	G
~	To	Bypass Rd											
~~ B	From	Richmond Rd	0057	0.51		051	001	001	_	0.000		00000	_
60 Bypass Rd	City of Williamsburg	0.11 <b>25000 G</b>	99%	0%	0%	0%	0%	0%	С	0.082	0.555	26000	G
~	To:	NCL Williamsburg			$\lnot$ $\vdash$								
60 Bypass Rd	City of Williamsburg	0.50 <b>14000 G</b>	98%	0%	1%	0%	0%	0%	С	0.091	0.514	15000	G
5,500 1.0	To:	Parkway Dr	0070	J /0		0 /0	0 /0	0 /0	0	0.001	0.014	. 5000	_
		raikway Dr											

#### Virginia Department of Transportation Traffic Engineering Division 2017

### Annual Average Daily Traffic Volume Estimates By Section of Route City of Williamsburg

Route   Jurisdiction   Length   AADT   QA   4Tire   Bus   2Axle   3TAXle   1Trail   2Trail   2Trail														
Route	Jurisdiction	Length	AADT QA	4Tire	Bus					QC		OK	AAWDT	Q۷
	From:	F	Parkway Dr			2, 0.10	017100	TTTQII	Liian		1 40101	1 40101		
60 Bypass Rd	City of Williamsburg			98%	0%	1%	0%	0%	0%	F	0.091	0.525	12000	G
	To	SD 5 C	anital Landing Pd											
Page St	City of Williamsburg			99%	0%	1%	0%	0%	0%	F	0.090	0.708	22000	G
(90) (3) . age of	- T			0070	0 70		0 70	0 70	0 70	•	0.000	0.700	22000	ŭ
Route   Jurisdiction   Length   AADT   QA   4Tire   Bus   2Axle   3+Axle   1Trail   2Trail   CR   Factor   QK   Factor   CR   AADT   CR   Factor   CR   Fa				G										
60 5 Page St	City of Williamsburg				0%	1%	0%	0%	0%	C	0.082	0.575	15000	G
	From:													
60 York St	City of Williamsburg				0%	1%	0%	0%	0%	С	0.084	0.544	13000	G
30)	To:	ECL										0.090       0.708         0.082       0.575         0.084       0.544         0.1       0.526         0.1       0.526         0.079       0.559         0.085       0.536         0.094       0.571         0.098       0.502         0.088       0.537         0.087       0.547		
	From:		SR 199											
Henry St South	City of Williamsburg	1.77		99%	0%	1%	0%	0%	0%	С	0.1	0.526	3100	G
132)	To													
Loopy St South	City of Williamsburg			00%	Λο/	10/	<b>n</b> º/	Λο/	Λ9/	Е	0.1	0.526	4200	G
132 Herry St South	To:			99 /6	0 /0	1 /0	0 /6	0 /0	0 /6	•	0.1	0.520	4300	G
	From:	SK 3 TK												
132 5 Henry St	City of Williamsburg	0.38		99%	0%	1%	0%	0%	0%	F	0.079	0.559	5500	G
,	To:	FI	RANCIS ST											
	From:	I	_afayette St											
132)Henry St North	City of Williamsburg	0.44	5700 G	97%	1%	2%	0%	0%	0%	С	0.085	0.536	6000	G
$\smile$	To		SR 132 Y			$\neg$ $\vdash$								
132 N.Henry St	City of Williamsburg			97%	1%	2%	0%	0%	0%	F	0.094	0.571	9200	G
,	To:	Yor	k County Line											
Wve	From:													
	City of Williamsburg			98%	1%	1%	0%	0%	0%	С	0.098	0.502	5900	G
102)	To:		SR 5 .38											
	From:	FCI	Williamshuro											
143 Merrimac Trail	City of Williamsburg	0.90		97%	0%	1%	1%	0%	0%	С	0.09	0.54	7000	G
143)									-,-	-				_
Marriman Trail	From:			000/	00/	10/	10/	10/	00/		0.000	0.507	10000	G
143 Merrimac Trail	City of Williamsburg			96%	0%	1%	170	170	0%	C	0.088	0.537	10000	G
			•											
	Other of MUII are allower (Mariana 47)			070/	00/	40/	40/	40/	00/	_	0.007	0.547	07000	_
199) (5)	City of Williamsburg (Maint: 47)	0.24	35000 G	97%	0%	1%	1%	1%	0%	F	0.087	0.547	37000	G
	To: From:	SR 5; SR	R 31 Jamestown Ro											
199)	City of Williamsburg (Maint: 47)	0.07	35000 G	97%	0%	1%	1%	1%	0%	F	0.090	0.533	38000	G
$\smile$	To:	James	City County Line			$\lnot$ $\vdash$								
199)	City of Williamsburg (Maint: 47)	0.09	35000 N	97%	0%	1%	1%	1%	0%	Ν	0.090	0.533	38000	Ν
	To		Williamsburg			1								
	From:	A7_61	5 Ironbound Rd			Ī								
321 Monticello Ave	City of Williamsburg (Maint: 47)	0.77	16000 G	99%	0%	1%	0%	0%	0%	С	0.089	0.536	17000	G
UZ 1 /	only of thinamodaly (maintry)	J.,,,		55/0	5 / 0	. /0	5 / 5	5 / 0	0 /0	_	5.500	0.000		_

4/10/2018

#### Virginia Department of Transportation Traffic Engineering Division 2017

### Annual Average Daily Traffic Volume Estimates By Section of Route City of Williamsburg

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck2Axle 3+Axle 1Trail 2Trail	QC	K Factor	QK Dir Factor	AAWDT	QW
	From:	James	City Count	y Line								
( ₉₀₀₀₃ )Colonial Parkway	City of Williamsburg (Maint: US)	3.20	4700	0					0.091	0.649	NA	
	To:	Yo	rk County L	ine								

4/10/2018

# Virginia Department of Transportation Traffic Engineering Division 2017 Annual Average Daily Traffic Volume Estimates By Section of Route City of Williamsburg

						City of v	viiiiamsb	urg								
Route	Length	AADT	QA	4Tire	Bus		Truc 3+Axle			QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
City of Williamsburg		From				D	D.1									
(7075) Richmond Rd	0.37	20000	G	99%	0%	1%	pass Rd 0%	0%	0%	С	0.080		0.553	21000	G	2017
<u> </u>		From	L				icello Ave				<u></u>				_	
( ₇₀₇₅ ) Richmond Rd	0.95	10000	G	98%	0%	1%	0%	0%	0%	С	0.08		0.563	11000	G	2017
		To					stead Ave									
7075 Francis St	0.91	5600 To	G	98%	1%	0%	y St South	0%	0%	С	0.084		0.527	6000	G	2017
			1				aller St									
( ) = f = th = Ot	0.40	From	<u> </u>	000/	40/		mond Rd	00/	00/				0.554	0000	_	0047
₇₀₇₇ Lafayette St	0.12	8800	G	98%	1%	0%	0%	0%	0%	F	0.098		0.554	9300	G	2017
		From					con Ave acon St				_					
7077) Lafayette St	0.82	9800	G	98%	1%	0%	0%	0%	0%	F	0.099		0.542	10000	G	2017
Larayette St	0.02	To	<u> </u>	30 /6	1 /0		enry St	0 70	0 70		0.000		0.542	10000	ч	2017
			l													
Cocond Ct	0.10	From	<u> </u>	000/	00/		age St	00/	00/				0.544	1.4000	_	0047
7079 Second St	0.19	13000	G	98%	0%	1%	0%	0%	0%	F	0.084		0.541	14000	G	2017
		To From				Pari	kway Dr									
7079 Second St	0.22	14000	G	98%	0%	1%	0%	0%	0%	С	0.088		0.536	15000	G	2017
$\overline{}$		То				York C	County Line	)								
		From				James Cit	ty County L	ine								
7081) Iron Bound Rd	0.57	9400	G	99%	0%	1%	0%	0%	0%	С	0.083		0.592	10000	G	2017
7081) 11011 Board 11a	0.07	5400		0070	0 70			0 70	0 70				0.002	10000	G	2017
$\widehat{}$		From					ighill Rd									
7081) Iron Bound Rd	0.05	11000	G	99%	0%	1%	0%	0%	0%	F	0.079		0.505	12000	G	2017
<u> </u>		To				Rich	mond Rd									
_		From				Ironl	bound Rd									
082 Longhill Rd	0.63	4300	G	100%	0%	0%	0%	0%	0%	С	0.101		0.532	4600	G	2017
		To				WCL V	Villiamsbur	g								
		From				Cor	npton Dr									
7083) Monticello Ave	0.35	15000	G								0.083		0.541	16000	G	2017
7000		To				Rich	mond Rd									
		From	·													
7086 Penniman Rd	0.49	3100	G	99%	0%	0%	age St 0%	0%	0%	С	0.096		0.666	3300	G	2017
7086) Penniman Rd	0.49	3100 To		99%	076				0%		0.096		0.000	3300	G	2017
							County Line									
<u>.</u>		From					urse Entrand									
Carters Grove Cour	ntry Rd	390	G	97%	1%	2%	0%	0%	0%	С	0.117		0.696	390	G	2017
		To	<u> </u>			Williams	sburg Aven	ue								
		From				Jones	Mill Lane									
Holly Hills Dr		680	G	99%	1%	1%	0%	0%	0%	С	0.115		0.503	680	G	2017
		To					as Lunsford	Dr								
<u> </u>		From		_		Mount V	ernon Aven	me								
Matoaka Court		690	G			Wiount v	CITION 7 IVCI	iuc			0.093		0.64	690	G	2017
Matoana Court		To	Richmond Road										0.01	000	G	2017
		From														
Datidal Harris Do			<u> </u>	000/	00/		Creek Dr	00/	00/	_			0.540	500	0	004
Patrick Henry Dr		590	G	99%	0%	0%	0%	0%	0%	С	0.108		0.516	590	G	2017
		To	<u> </u>			W	altz Dr									
		From		•		S	R 199									
Quarterpath Rd		1100	G								0.114		0.735	1200	G	2017
		To				Y	ork St									
		From				Williams	sburg Aven	ue								
S England St		1900	G								0.091		0.5	1900	G	2017
5 =g.a.ia 6t		To	Ť			Fron	cis Street						0.0	. 500	~	_0.7
			<u> </u>			Fidil	CIS DITECT									

4/10/2018 10