## 2017

## Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

# Special Locality Report

### 253

Town of Leesburg

Information in this report is included in Report

## 53

(Loudoun County)

Prepared By

Virginia Department of Transportation Traffic Engineering Division

In Cooperation With

**U.S. Department of Transportation Federal Highway Administration** 

#### Virginia Department of Transportation Traffic Engineering Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

#### **Publication Notes**

#### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA:** Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- **F** Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck**: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- **F** Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

#### Route Shield Legend

#### Route Systems

North	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
29	US Route	
7	Virginia State Rou	te
(F241)	Frontage Road (F	precedes frontage route number)
600	Secondarv Route	
		Special Routes
Bus 29 ALT 220	Bus - Business Re Bypas - Bypass R Truck - Truck Rou ALT - Alternate Re Wye - Wye Route	oute oute te oute connector
	P - Parallel Route where they are on	Southbound or Westbound direction lanes of a numbered route a different road facility than the other direction.
600	The VDOT Mainta	inenance Jurisdiction number is displayed below the Secondary Route

The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Route Jurisdic	ion Leng	gth	AADT	QA	4Tire	Bus		Truck			QC	_ <sup>K</sup> QI	C Dir	AAWDT	QW
T. T			- 11/01 1				2Axle 3	3+Axle	1 I rail	2 I rail		Factor	Factor		
	Bu: Bu: (Maint: 53) 1.8	s SR	/; WCL Lee	esburg	07%	0%	1%	1%	1%	0%	F	0.083	0 744	66000	F
	g (Maint: 55) 1.0	5	00000		57 /0	0 /0	170	170	170	070	•	0.000	0.744	00000	
Fi	To: om:	US	S 15 King St												
7 ) {15} Leesburg Bypass Town of Leesburg	g (Maint: 53) 0.4	4	72000	F	96%	1%	1%	1%	1%	0%	F	0.082	0.725	77000	F
$\bigcirc \diamondsuit$	To		SR 267												
7) (15) Leesburg Bypass Town of Leesburg	g (Maint: 53) 1.1	6	53000	G	96%	1%	1%	1%	1%	0%	С	0.079	0.538	56000	G
~ ~	US I	15, BI	US SR 7 Ma	arket St											
7 Market St East Town of Leesbur	g (Maint: 53) 1.8	3	75000	F	97%	0%	1%	1%	1%	0%	F	0.072	0.551	80000	F
$\bigcirc$	To:	EC	CL Leesburg	5											
Rue B	om:	W	∼L Leesburg	r											
Dus Town of Le	ashura 0.1	2	13000	<u> </u>	99%	0%	1%	0%	0%	0%	F	0 099	0 717	13000	F
	53burg 0.1	2	13000	•	5578	070	170	070	070	070		0.000	0.717	10000	'
Rus B	To: om:	F	airview St												
7 Market St Town of Le	esbura 0.2	5	10000	F	99%	0%	1%	0%	0%	0%	С	0.093	0 708	11000	F
		.0	10000	•	0070	0 /0	. /0	070	070	070	U	0.000	0.700	11000	•
Bus	To: 2	253-42	206 Loudou	n St											
7 Market St Town of Le	esbura 0.2	7	7100	F	99%	0%	1%	0%	0%	0%	F	0.093	0.792	7500	F
				-	0070	0,0	. /0	0,0	0,0	0,0	•	01000	00		•
Bus	om:	253	-4205 Ayr S	St											
7 Market St Town of Le	esburg 0.3	6	8000	F	99%	0%	1%	0%	0%	0%	F	0.085	0.664	8400	F
	Des UC 15														
Bus	om:	E	Bus US 15												
7 Market St Town of Le	esburg 0.0	9	9700	F	98%	1%	1%	0%	0%	0%	F	0.075	0.506	10000	F
$\cdot$			~												
Bus	om:	(	Church St												
7 Market St Town of Le	esburg 0.2	3	8600	F	98%	1%	1%	0%	0%	0%	С	0.087	0.59	9100	F
$\bigcirc$	Ter 2	253-4206 Loudoun St													
Bus	om:	200 12	200 Eoudou	1 51											
7 Market St Town of Le	esburg 0.2	27	18000	F	98%	1%	1%	0%	0%	0%	F	0.090	0.511	19000	F
$\checkmark$	To: 25	3-420	0 Catoctin (	Circle											
Bus											_				-
7 Market St Town of Le	esburg 0.7	1	39000	G	98%	1%	1%	0%	0%	0%	F	0.08	0.585	42000	G
$\checkmark$	To:	U	S 15; SR 7												
F	om:	SC	L Leesburg	5											
Town of Le	esburg 1.0	9	15000	F	95%	1%	1%	1%	2%	0%	С	0.091	0.686	16000	F
	- Ter	1200		CUDI											
	om: 253-	4209	Evergreen	viiii Rd	050/	10/	10/	10/	00/	00/	-	0.004	0.005	00000	
15 King St Town of Le	espurg 0.2	2	29000	<b>F</b>	95%	1%	1%	1%	2%	0%	F	0.094	0.605	30000	F
	Bus	US 15	5; Leesburg	Bypass											
	n (Maint: 52)	Bus	US 15 King	51	069/	10/	10/	10/	10/	00/	F	0.000	0 705	77000	E
15 () Leesburg bypass Town of Leesburg	y(ivialite, 55) = 0.4	4	12000	Г	90%	1 70	1 70	1 70	1 70	0%	r.	0.002	0.725	11000	Г
	SR SR	SR 267 Dulles Greenway													
15 (7) Leesburg Bypass Town of Leesburg	g (Maint: 53) 1.1	6	53000	G	96%	1%	1%	1%	1%	0%	С	0.079	0.538	56000	G
$\checkmark$ $\checkmark$	To: SI	R 7 M	larket Street	East											

Deute	luviadiation	Longth		~	4Tire	Due		Truck			00	К	OK	Dir		0.11
Roule	JUNSCICION	Length	AADT	QA	41110	DUS	2Axle	3+Axle	1Trail	2Trail	QU	Factor	QK	Factor	AAWDT	QW
~~~	From:	SR 7 N	Iarket Stree	t East												
{15} Leesburg Bypass	Town of Leesburg	0.75	46000	F	96%	0%	1%	0%	2%	0%	F	0.073		0.549	47000	F
<u> </u>	To	253-4208	BEdwards H	Ferry Rd												
15 Leesburg Bypass	Town of Leesburg	1.18	28000	F	96%	0%	1%	0%	2%	0%	F	0.079		0.609	29000	F
$\bigcirc$	To:	N	CL Leesbur	g												
Bus	From:	ι	JS 15, SR 7													
15 King St	Town of Leesburg	0.56	24000	F	96%	3%	1%	0%	0%	0%	F	0.089		0.517	26000	F
<u> </u>	Taz	253-42	00 Catoctin	Circle												
Bus	Town of Leesburg	0.08	10000	F	96%	3%	1%	0%	0%	0%	F	0 094		0.513	11000	F
	Town of Eccobing	0.00	10000		0070	070	170	070	070	070		0.004		0.010	11000	
Bus	To: From:		Fairfax St													
15 King St	Town of Leesburg	0.40	8700	F	96%	3%	1%	0%	0%	0%	F	0.099		0.509	9300	F
<u> </u>	To	253-4	206 Loudou	ın St												
Bus	Town of Leesburg	0.23	8600	F	96%	3%	1%	0%	0%	0%	F	0.083		0.56	9100	F
	Town of Eccobing	0.20	0000		0070	070	170	070	070	070		0.000		0.00	0100	
Bus	To: From:		North St													
15 King St	Town of Leesburg	1.30	9200	F	96%	3%	1%	0%	0%	0%	F	0.099		0.542	9800	F
$\bigcirc$	To:	N	CL Leesbur	g												
East	From:	US 15	Leesburg B	ypass												
(267)Dulles Greenway	Town of Leesburg (Maint: TOL)	0.39	14000	G	98%	0%	0%	0%	0%	0%	F	0.175			15000	G
$\smile$	Combined Traffic Estimates for 2 Parallel Roadways on this	Route:	27000	G	98%	0%	1%	0%	1%	0%	F	0.100	F	0.861	29000	G
	To:	S	CL Leesbur	g												
West	From:	US 15	Leesburg B	ypass												
(267)Dulles Greenway	Town of Leesburg (Maint: TOL)	0.68	13000	G	98%	0%	1%	0%	1%	0%	F	0.161			14000	G
$\smile$	Combined Traffic Estimates for 2 Parallel Roadways on this	Route:	27000	G	98%	0%	1%	0%	1%	0%	F	0.100	F	0.861	29000	G
	To:	S	CL Leesbur	g												

Route	Length	AADT	QA	4Tire	Bus	2Axle	Tru 3+Axle	ck 1Trail	2Trail	QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
Town of Leesburg		From				WCI	Looshuma									
(F826) Phillips Court	0.06	40	R			wci					NA			NA		12/11/2013
		То				D	ead End									
<u> </u>		From				Cu	ıl-de-Sac									
(F929) Childrens Center Rd	0.25	330	R			E 10					NA			NA		11/12/2014
<u> </u>		18				End Stat	e Maintena	nce								
$\bigcirc$	0.08	160				253-4200	Catoctin C	ircle						NΔ		12/09/2014
9282	0.00	То				D	ead End							1.07.1		12/00/2014
		From				Douglas El	lementary S	chool								
(9284)	0.01	660	R				*				NA			NA		02/18/2014
53		To	0		]	Douglas El	lementary S	chool								
		From	E			D	ead End									
(9536) Loudoun Co High Sch	ool 0.13	1100 To	R			252 420	5 D . M(11	D 1			NA			NA		12/09/2014
		From				253-420	5 Dry Mill	Ka								
Battlefield Pkwy	0.83	9600	F	98%	1%	Bus U:	0%	0%	0%	С	0.106		0.606	10000	F	2017
	0.00	Та		00/0	. /0	110 15 1	1	0,0	0,0	Ũ			01000		•	2011
Battlefield Pkwy	0.42	Prom 9100	F	98%	1%	0%	esburg Бур 0%	0%	0%	С	0.114		0.734	9600	F	2017
	••••=	то				Sm	ortto Lono	- / -							-	
1 Battlefield Pkwy	0.98	From 11000	F	99%	1%	0%	0%	0%	0%	С	0.119		0.73	12000	F	2017
,		То	:			Edwa	rds Ferry R	1								
	0.50	From		000/	10/	Fort	Evans Rd	00/	00/				0 500	15000	F	0017
	0.59	14000 To	F	98%	1%	0%	U% Market St F	0%	0%	U	0.1		0.528	15000	F	2017
		From				US 15 La	achurg By	2000								
3 Fort Evans Rd	0.84	12000	F	99%	0%	1%	0%	0%	0%	С	0.099		0.599	13000	F	2017
$\bigcirc$		То			ECL Le	esburg; 53	-773 River	Creek P	kwy							
		From	E			Bus SR	R 7 Market	St								
(4) Plaza St	0.44	11000	F	95%	3%	1%	1%	0%	0%	F	0.096		0.588	11000	F	2017
<u> </u>		To	e C		2	53-4208 E	Edwards Fei	ту Rd								
(4) Plaza St	0.48	4800	F	95%	3%	1%	1%	0%	0%	С	0.143		0.776	5000	F	2017
		From				F	Rust Dr			-						
(4) Plaza St	0.32	4000 To	F	95%	3%	1%	0%	0%	0%	С	0.149		0.802	4200	F	2017
		Erom				Battle	eneld Pkwy									
Biver Creek Pkwy	0.29	14000	F	99%	1%	<u> </u>	0%	0%	0%	F	0.102		0.627	15000	F	2017
( <u>)</u>	••	То	-		. , .	NCL	Leesburg	- / -		-					-	
		From	E			253-1 Ba	attlefield Pk	wy								
(4200) Catoctin Circle	0.84	2200	G	96%	2%	2%	0%	0%	0%	С	0.118		0.567	2400	G	2017
$\bigcirc$		To	-		2	53-4208 E	Edwards Fei	ту Rd								
(4200) Catoctin Circle	0.29	9400	F	97%	1%	1%	0%	0%	0%	F	0.101		0.516	10000	F	2017
<u> </u>		To				Bus 7,	Market St	E								
(4200) Catoctin Circle	0.17	17000	F	97%	1%	1%	0%	0%	0%	F	0.09		0.542	18000	F	2017
<u> </u>		From				S	outh St									
(4200) Catoctin Circle	0.63	16000	F	97%	1%	1%	0%	0%	0%	С	0.092		0.55	17000	F	2017
<u> </u>		To From				US 1	5 King St S									
(4200) Catoctin Circle	0.57	9500	F	97%	1%	1%	0%	0%	0%	F	0.11		0.529	10000	F	2017
<u> </u>		From	-			Dry	y Mill Rd									
(4200) Catoctin Circle	0.38	4800	F	97%	1%	1%	0%	0%	0%	F	0.116		0.744	5100	F	2017
	0.00	From	-	0==/	4.54	Childre	ns Center F	ld	0.57	_			0 77 /	4.600	_	
(4200) Catoctin Circle	0.29	4100	F	9/%	1%	1%	0%	0%	0%	F	0.111		0.754	4400	F	2017
	0.04	From		070/	10/	Ma	rket St W	001	001	0			0 5 4 5	0000	-	0017
(4200) Fairview St	0.64	2200 To	<b>۲</b>	91%	1% r	1% Dry Mill P.	1% d·NCLL~	U%	0%	U	0.112		0.545	2300	F	2017
					1	21 Y 181111 K	a, INCL LCC	oourg								

Route	Length	AADT	QA	4Tire	Bus	2Axle	Tru 3+Axle	ıck 1Trail	2Trail	QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
Town of Leesburg		From				SCI	Loochurg										
(4201) Sycolin Rd	1.61	17000	F	94%	3%	1%	2%	0%	0%	F	0.093		0.608	19000	F	2017	
(Jood) Sycolin Bd	0.64	11000	G	94%	3%	<u>US 15 Le</u> 1%	esburg By	pass 0%	0%	F	0.096		0.634	11000	G	2017	
4201) 090000000	0.01	To:	•	0.70	0,0	B	us SR 7	0,0	0,0				01001		0.	2011	
		From				WCI	Leesburg										
(4205) Dry Mill Rd	0.59	<b>5000</b>	F	99%	0%	1%	0%	0%	0%	С	0.147		0.907	5300	F	2017	
(4205) Dry Mill Rd	0.25	From: 4800	F	99%	0%	1%	0%	0%	0%	F	0.131		0.717	5100	F	2017	
(Internet Dry Mill Bd	0 49	2300	F	98%	0%	Cato 1%	ctin Circle	0%	0%	С	0 120		0.653	2400	F	2017	
4205) 517 1111110	0.10	To:	•	0070	0 /0	WL	oudoun St	070	0,0	Ū			0.000	2100	•	2017	
$\sim$		From:				Lo	udoun St										
(4205) Ayr St	0.09	550	F	98%	1%	1%	0%	0%	0%	С	0.126			590	F	2017	
0		10:				M	arket St										
	0.29	From:	F	00%	0%	Mai 0º/	rket St W	0%	0%	<u> </u>	0 112		0 665	4400	F	2017	
	0.20	4200	Г	99%	0%	0%	0%	0%	0%	U	0.113		0.005	4400	Г	2017	
	0.25	From:	F	000/	0%	253-4	205 Ayr S	t 0%/	00/		0 1 1 1		0.667	7200	E	2017	
	0.35	6900	Г	90%	0%	1 70	0%	0%	0%	Г	0.111		0.007	7300	Г	2017	
	0.00	From:	_	000/	00/	Bu	s US 15	00/	09/				0 507	0600	Г	2017	
(4206) Loudoun St	0.30	9100 To:	г	98%	0%	1% Ma	U%	0%	0%	U	0.088		0.537	9600	F	2017	
		From				Ma	alast St E										
4208) Edwards Ferry Rd	0.11	2700	F	98%	0%	1%	0%	0%	0%	С	0.089		0.518	2900	F	2017	
	0.44	To: From:	-	0.00/	00/	Ha	rrison St	00/	00/	0			0.570	0000	-	0017	
(4208) Edwards Ferry Ro	0.41	3400	г	96%	0%	0%	3%	0%	0%	U	0.095		0.573	3600	F	2017	
	0.00	From:	_	000/	00/	P	rince St	00/	00/				0.510	0500	-	0017	
(4208) Edwards Ferry Ro	0.20	8000	F	96%	0%	0%	3%	0%	0%	F	0.088		0.510	8500	F	2017	
	0.45	To: From:		0.00/	0.01	Was	hington St	00/	00/				0 500		-	0017	
(4208) Edwards Ferry Rd	0.15	8700	F	96%	0%	0%	3%	0%	0%	F	0.086		0.536	9200	F	2017	
		To: From:				Р	laza St										
(4208) Edwards Ferry Rd	0.51	17000	F	96%	0%	0%	3%	0%	0%	F	0.095		0.618	18000	F	2017	
Edwards Forry Pd	0.66	From:	F	00%	10/	0%	US 15	0%	0%		0.000		0.512	15000	F	2017	
(4208) Luwards reiry Hu	0.00	14000 To:	г	9978	1 /0	0 /o Battle	0 /o	0 /0	0 /0	1	0.098		0.515	15000	I	2017	
		From:				Data											
Evergreen Mill Rd	1.01	9300	F	94%	1%	1%	3%	0%	0%	С	0.105		0.515	9900	F	2017	
4203) 0		To				Ma	one Lone								F F F F F F R F		
(200) Evergreen Mill Rd	0.01	From: 10000	N	95%	1%	1%	2%	1%	0%	N	0.095		0.647	11000	Ν	2017	
4203) =		To:			. , .	SCL Lee	sburg, 53-	621	• / •								
		From:				Bra	dfield Dr										
(4210) Country Club Dr	0.40	2100	F	95%	3%	1%	1%	0%	0%	F	0.097		0.602	2200	F	2017	
$\bigcirc$		To				US 1	5 King St										
		From:				Trail	view Blvd										
Cardinal Park Dr		6400	F								0.104		0.539	6400	F	2017	
		To:				М	arket St										
		From				Gra	fton Way								_		
Gatoctin Gircle		1700 To:	Conthriew DI										0.688	1700	F	2017	
		Em	l			500					 						
Governors Dr		1000	F			Coun	iry Club Di	ſ			0.101		0.713	1000	F	2017	
		To:	•			١	US 15							1000		_0.7	
		From:	-			D	ead End				Ī						
Trailview Blvd Prop		1500	F			D					0.114		0.796	1500	F	2017	
Γ.		To:				Cardi	nal Park D	r									