2017

Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

Special Locality Report 331

Town of Hurt

Information in this report is included in Report

71

(Pittsylvania County)

Prepared By

Virginia Department of Transportation Traffic Engineering Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

Virginia Department of Transportation Traffic Engineering Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1 Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

North 81	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.						
29	US Route							
7	Virginia State Route							

Frontage Road (F precedes frontage route number)

(600) Secondary Route

Special Routes

Bus	Bus - Business Route
29	Bypas - Bypass Route
	Truck - Truck Route
ALT	ALT - Alternate Route
(220)	Wve - Wve Route connector

P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation Traffic Engineering Division 2017 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Hurt

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus		Tru 3+Axle			QC	K Factor	QK Dir Factor	AAWDT	QW
Bus	From:		WCL Hurt												
29	Town of Hurt (Maint: 71)	1.17	4000	N	98%	0%	1%	0%	1%	0%	Ν	0.092	0.562	4100	N
Bus	To: From:	71	-924 Hurt F	Rd											
(29)	Town of Hurt (Maint: 71)	0.28	5100	G	98%	0%	1%	0%	1%	0%	F	0.096	0.547	5300	G
\bigcirc	To:	Camp	bell County	Line											
Bus	From:	Pittsyl	vania Count	y Line											
29 Main St	Town of Hurt (Maint: 15)	0.03	5500	G	98%	0%	1%	0%	0%	0%	С	0.096	0.526	5600	G
\bigcirc	To:	S	CL Altavist	a											

7 4/10/2018

Virginia Department of Transportation Traffic Engineering Division 2017 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Hurt

						IOW	n of Hu	π								
Route	Length	AADT	QA	4Tire	Bus			uck 1Trail		QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
Town of Hurt																
634 Prospect Rd	0.81	1400	G	98%	1%	1%	CL Hurt 0%	0%	0%	F	0.098		0.670	1400	G	2017
634 Prospect Rd	0.90	3200 From	G	98%	71-1001 1%	1% 71-9	ncer Rd; E 0% 24 Hurt R	0%	er Rd 0%	С	0.098		0.595	3300	G	2017
		From					CL Hurt	·u								
637 Country Club Rd	0.50	370 To	R				Prospect	Rd			NA			NA		04/21/2000
		From	:				CL Hurt				l					
668 Ricky Van Shelton Rd	0.52	7000	G	98%	0%	0% Campbe	0% ell County	1% Line	0%	С	0.083		0.653	7300	G	2017
		From				W	CL Hurt									
924 Pocket Rd	0.79	490 To	G	98%	1%	0% Bi	1% as US 29	0%	0%	С	0.108		0.519	510	G	2017
924 Hurt Rd	1.17	800 From	G	99%	0%	0%	0%	0%	0%	С	0.099		0.532	830	G	2017
		То		•	7	1-668 Rick	cy Van Sh	elton Rd								
C 5 0 5.1	0.05	From	<u> </u>			D	ead End							N: 4		00/04/00:
(1001) East Spencer Rd	0.25	120	R								NA —			NA		06/04/2015
Woot Spanner Dd	1.00	From	<u></u>	000/	00/		Prospect		00/		0.007		0.65	260		2017
(1001) West Spencer Rd	1.22	350 To	G	98%	0%	1% 71-9	0% 24 Hurt R	0% d	0%	С	0.097		0.65	360	G	2017
		From	1				ead End	·u								
(1010) Lynn St	0.18	130	R								NA			NA		06/11/2015
Lynn St	0.15	240 From	R			71-1	092 Oak S	St			NA			NA		06/11/2015
		From				71-10	33 Grove	St			\supset					
Lynn St	0.07	430	R								NA			NA		06/11/2015
	0.00	From				71-1001 V	Vest Spen	cer Rd			\rightarrow			NIA		00/44/0045
Lynn St	0.22	240	R								NA —			NA		06/11/2015
	0.20	530 From	<u> </u>			71-101	11 School	Rd			_ NA			NA		06/11/2016
(1010) School Rd	0.20	530	R								NA			IVA		06/11/2015
(1010) School Rd	0.11	810 From	R			71-10	19 Spring	St			NA			NA		06/11/2015
(1010) School Rd	0.11	To				71-634	Prospect	Rd						IVA		00/11/2013
		From	:		7	71-1010 Sc										
(1011) School Rd	0.37	420	R				Í				NA			NA		06/11/2015
		То	:				2 Tanyard									
O = 151		From		2221			24 Hurt R								_	
1012 Tanyard Rd	0.54	870	G	99%	0%	71.6341	0% N, Prospec	0%	0%	С	0.092		0.511	910	G	2017
		From					S, Prospec									
Dogwood Lane	0.50	550	R								NA			NA		06/04/2015
		То				D	ead End									
O 14 11 15		From	L			71-9	24 Hurt R	.d								00/04/004
(1013) Knollwood Dr	0.25	90 To	R			D	and End				NA			NA		06/04/2015
		From					ead End				<u> </u>					
(1014) Ramsey Rd	0.18	140	R			D	ead End				 NA			NA		06/11/2015
Hamsey Rd		To				71-10	19 Spring	St								
		From					ead End									
Spring St	0.36	280	R								NA			NA		06/11/2015
		To From	-			71-10	33 Grove	St			\neg —					
(1019) Spring St	0.30	380	R								NA			NA		06/11/2015
		То				71-101	4 Ramsey	Rd								

4/10/2018 8

Virginia Department of Transportation Traffic Engineering Division 2017 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Hurt

						Town of H	urt							
Route	Length	AADT	QA	4Tire	Bus		ruck le 1Trail 2Trail	$^{\circ}$	K Factor	QK	Dir Factor	AAWDT	QW	Year
Town of Hurt														
(1019) Spring St	0.08	510	R			71-1014 Ramse			NA			NA		06/11/2015
Spring St	0.18	510	LR			71-1001 West Spe	encer Rd		NA			NA		06/11/2015
1019		To				71-1010 Schoo	l Rd							
		From				Dead End								
(1020) Ridge St	0.25	130	R			71 (24 P	· D1		NA			NA		06/04/2015
		From	1			71-634 Prospec								
Longview Rd	0.16	80	R			Dead End			NA			NA		06/04/2015
1026 Longview Rd	0.23	360 From	R			71-1058 Oakwo	od Dr		NA			NA		06/04/2015
		To From	:			71-1060 Smith	ı Rd							
Longview Rd	0.15	510	R			51 (24 P			NA			NA		06/04/2015
		From	!			71-634 Prospec								
1033) Grove St	0.05	240	R			71-1019 Sprin	g St		NA		NA	NA		06/11/2015
(1033) Grove St		To	_			71-1092 Oak	St							
1033) Grove St	0.27	220 From	R			71-1092 Oak	. 31		NA			NA		06/11/2015
71		To	:			71-1010 Lyni	ı St							
O		From				71-1001 West Spe	encer Rd							
1037) Alta St	0.10	60 Ta	R			D4 E-4			NA —			NA		06/11/2015
		From				Dead End								
1058) Oakwood Dr	0.25	270	R			71-1026 Longvi	ew Rd		NA			NA		06/04/2015
(1058) Oakwood Dr	0.20	To				Dead End								00/01/2010
	0.37	From				71-924 Hurt	Rd							
1059 Riverview Rd		100	R						NA			NA		06/04/2015
		To				71-924 Hurt	Rd							
(1060) Smith Rd	0.17	150	R			Dead End			NA			NA		06/04/2015
(1060) Smith Rd	0.17	150				71-1026 Longvi	ew Rd					INA		06/04/2013
		From	:			71-1010 Lyni								
1092 Oak St	0.10	220	R								NA			06/11/2015
71)		To From				71-1097 High	ı St							
1092) Oak St	0.10	200	R						NA			NA		06/11/2015
<u> </u>		To	:			71-1033 Grov	e St							
O History	0.40	From				Dead End						NIA		00/44/004
1097 High St	0.10	170	R			71-1092 Oak	St		NA			NA		06/11/2015
		From	:			Cul-de-Sac								
1107 Darrell Lane	0.56	430	R			Cui-uc-sac	·		NA			NA		06/04/2015
71		To	:			71-924 Hurt	Rd							
		From				Dead End								
1178 Victoria Dr	or 0.05	230	R						NA			NA	0	06/11/2015
		From				71-924 Pocket			<u> </u>					
1193) Vista View Lane	0.19	150	R			Dead End			NA			NA		06/04/2015
(1193) Vista View Lane	3.10	To				71-1107 Darrell	Lane							32.3 .,2010
		From				Dead End								
(1282) Kent Circle	0.10	110	R						NA			NA		06/04/2015
<u> </u>		To				71-634 Prospec								
Hurt Flomanton, Cab	0.05	From	Ļ_			Hurt Elem S	ch		NIA			NIA		02/17/001
9442 Hurt Elementary Sch	0.05	130 To	R			71-634 Prospec	rt Rd		NA			NA		03/17/2015
						/ 1-054 F108pe0	a nu							

4/10/2018 9